

From: [Air.Pollution Control](#)
To: [APC Permitting](#)
Subject: FW: [EXTERNAL] 67-0059 imi Livingston - Plant Flow Diagram (corrected)
Date: Tuesday, September 19, 2023 2:01:45 PM
Attachments: [Plant Flow Diagram - Livingston.pdf](#)
[image001.png](#)

From: Tracy Kefauver <Tracy.Kefauver@tn.gov>
Sent: Tuesday, September 19, 2023 1:52 PM
To: Air.Pollution Control <Air.Pollution.Control@tn.gov>
Cc: Anna Pettit <Anna.Pettit@tn.gov>
Subject: FW: [EXTERNAL] 67-0059 imi Livingston - Plant Flow Diagram (corrected)

Please upload this additional information for facility 67-0059 permit 981733.

Also, the permittee requested this be issued as a combined permit. Please enter Yes for combined const/oper permit.

Let me know if you have any questions.

Thanks,



Tracy Kefauver | TDEC-Environmental Protection Specialist 3
Division of Air Pollution Control

William R. Snodgrass Tennessee Tower, 15th Floor
312 Rosa L. Parks Avenue,
Nashville, TN 37243
p. 615-532-0536

Tracy.Kefauver@tn.gov

<https://www.tn.gov/environment/permit-permits/permit-air-home.html>

We value your opinion.

Please take a few minutes to [complete our customer service survey](#).

Internal Customers please complete our [customer satisfaction survey](#).

From: Art Fisher <art.fisher@irvmat.com>
Sent: Tuesday, September 19, 2023 12:44 PM
To: Tracy Kefauver <Tracy.Kefauver@tn.gov>
Subject: [EXTERNAL] imi Livingston - Plant Flow Diagram (corrected)

***** This is an EXTERNAL email. Please exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email - STS-Security. *****

Tracy,

Please see attached. Livingston has no split silos, just the three single silos.

Sincerely,

Art Fisher, PG - Environmental Manager - **imi**

5209 Linbar Dr, Nashville, TN 37211

art.fisher@irvmat.com (615) 574-3114

