



**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE DISPOSAL FACILITY EVALUATION**

NAME OF SITE <i>Yarnell Rd Landfill</i>		REGISTRATION NUMBER <i>DML 47-0069</i>	DATE <i>4-30-13</i>
LOCATION (physical) <i>1550 Lamons Quarry off Yarnell off Level Rd</i>		PURPOSE <input checked="" type="checkbox"/> Complete <input type="checkbox"/> Follow-up <input checked="" type="checkbox"/> Complaint <input type="checkbox"/> Other	
OWNER/OPERATOR <i>WCA John Anderson - Mgr</i>		TYPE OF FACILITY <input type="checkbox"/> CLASS I <input type="checkbox"/> CLASS II <input checked="" type="checkbox"/> CLASS III <input type="checkbox"/> CLASS IV	

	V1	V2		V1	V2
Inadequate vector control	8010	---	Leachate improperly managed	8330	---
Access not limited to operating hours	8020	---	Inadequate leachate collection system	8340	---
Inadequate artificial or natural barrier	8030	---	Leachate observed at the site	8350	---
Inadequate information signs	8040	---	Leachate entering runoff	8360	---
Unsatisfactory access road(s)/parking area(s)	8050	---	Leachate entering a water course	8370	---
Certified personnel not present during operating hours	8060	---	Inadequate gas migration control system	8380	---
Unapproved salvaging of waste	8070	---	Inadequate maintenance of gas migration control system	8390	---
Evidence of open burning	8080	---	Potential for explosions or uncontrolled fires	8420	---
Inadequate fire protection	8090	---	Waste not confined to a manageable area	8430	---
Unsatisfactory litter control	8110	---	Improper spreading of waste	8440	---
Inadequate employee facilities	8120	---	Improper compacting of waste	8450	---
No communication devices	8130	---	Unsatisfactory initial cover	8460	---
Inadequate operating equipment	8140	---	Unsatisfactory intermediate cover	8470	---
Unavailability of backup equipment	8150	---	Unsatisfactory final cover	8480	---
Unavailability of cover material	8160	---	Excessive pooling of water	8490	---
Inadequate maintenance of runon/runoff system(s)	8170	---	Unsatisfactory stabilization of cover	8510	---
Inadequate erosion control	8180	---	Dumping of waste into water	8520	---
Inadequate dust control	8190	---	Unsatisfactory records or reports	8530	---
Unauthorized waste accepted	8210	---	Groundwater monitoring system improperly maintained	8540	---
Unapproved special waste accepted	8220	---	Operation does not correspond with engineering plans	8570	---
Tires improperly handled	8230	---	Operation does not correspond with permit condition(s)	8580	---
Medical waste improperly handled	8240	---	Permit, plans, operating manual not available	8590	---
Dead animals improperly handled	8250	---	No operating scales	8610	---
Washout of solid waste	8270	---			
No permanent benchmark	8280	---			
Inadequate random inspection program	8290	---			
Mishandling of special waste	8300	---			
Buffer zone standard violated	8310	---			
Inadequate maintenance of leachate management system	8320	---			

COMMENTS: *Covered areas observed well compacted, no leachate or odors observed during walk over today. Hydro seeding beginning today. New area clay done, pipe not yet. No violations cited or observed today.*

PERSON INTERVIEWED (Signature) <i>[Signature]</i>	INSPECTED BY (Signature) <i>Paul Plot</i>	
TITLE <i>[Blank]</i>	TITLE <i>EP53</i>	
TIME OF DAY <i>2:50pm</i>	WEATHER CONDITIONS <i>75°F Clear</i>	COMPLIANCE DATE <i>N/A</i>

Distribution: Facility - White Field Office - Canary Central Office - XC