



TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION

Division of Water Resources

William R. Snodgrass Tennessee Tower, 312 Rosa L. Parks Avenue, 11th Floor, Nashville TN 37243

1-888-891-8332 (TDEC)

Compliance Inspection for General NPDES Permit for Stormwater Discharges from Construction Activities (CGP)

Site/Project Name: Rocky Branch Farm; NPDES Tracking Number: TNR112543; Date Coverage was Issued: 17-NOV-14; Street Address or Location: CR-803 / 116 CR-681; Start Date: 01-NOV-14; Estimated End Date: 01-NOV-15; Site Description: Construction of four chicken houses; Latitude (dd.ddd): 35.3031; Longitude (-dd.ddd): -84.5472; County(ies): McMinn; EFO: Chattanooga; MS4 Jurisdiction: ; Acres Disturbed: 18.63; Total Acres: ;

Name of Permittee (Developer/Operator): Brian Akins

Name of Official Contact: Brian Akins; Email: baakins@gmail.com; Contact Phone: 423-519-4450

Address: 116 County Road 681; City: Etowah; State: TN; Zip: 37331

Construction Phase: [] Site preparation [] Grading [] Construction [] Final Stabilization; Inspection Purpose: [x] Routine [] Follow-up [] Complaint [] NOT

Table with 4 columns: Question, Yes, No, Comments. Row 1: Have all construction activities stopped and 70% uniform permanent cover established? [x] Yes [] No

Table with 4 columns: Question, Yes, No, Comments. Rows 2-7: Notable impacts to waters as a result of site activities/discharges? Evidence of insufficiently treated stormwater discharges at outfall locations? Evidence of structural EPSC measure failure/absence? Evidence of non-structural EPSC measure failure/absence? Unauthorized discharges? Evidence of offsite impacts? Evidence of construction buffer disturbance?

Compliance Evaluation: Any Y = recommend NOV/EAR or follow-up - date: ____; Any Y = recommend follow-up (email, letter, inspection, etc.) - date: ____

Table with 4 columns: Question, Yes, No, Comments. Rows 8-12: Are copies of the SWPPP & inspection reports on site or made available? Has SWPPP been implemented & satisfactory? Are 2/week inspections being performed? Are inspection reports completed & signed? Are inspection reports filled out by a qualified EPSC inspector?

Table with 4 columns: Question, Yes, No, Comments. Row 13: Are there ARAP violations or unauthorized stream/wetland alteration? Compliance Evaluation: Y = perform follow-up ARAP inspection - date: ____

Notes: Site is complete and stable.

On-Site Contact (if available) section with fields for Name, Title, Signature, and Date.

TDEC Personnel/Information section with fields for Inspector's Name (Jason Dees), Signature, Date (8/30/22), Time, and EFO (Chattanooga EFO).