

To: David Hale.
From: Byerley Construction

of Pages 8 - including cover

DMR'S
BYERLEY CONSTRUCTION
TNG 110140

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)**

Permitter Name/Address (include Facility Name/Location if different)
 Name: Byerley Const. Co. Inc.
 Address: Mr. Jerry Byerley
 1929 Brookside Dr.
 Kingsport, TN 37560

Form Approved
 OMB No. 2040-000

TSNG110140	001-G
Permit Number	Discharge Number

DMA Marking zip code: 37560
 MTRM
 MAJ

Monitoring Period:	
FROM: MM/DD/YYYY	TO: MM/DD/YYYY
10/01/2015	12/31/2015

Patented In part
NPDES CODE VALUE DICTIONARY:
 C - No Discharge
 No Discharge

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			No. ANALYSIS FREQ.	SAMPLE TYPE
	SAMPLE VALUE	VALUE	UNITS	VALUE	VALUE	UNITS		
PH (00400) (All Year) (Effluent Gross)	SAMPLE	00000						
	LIMIT	00000						
Solids, total suspended (00530) (All Year) (Effluent Gross)	SAMPLE	00000	00000	6.50 DAILY MN	00000	9 DAILY MX	Quarterly	GRAB
	LIMIT	00000	00000		00000	50 DAILY MX	Quarterly	GRAB
Iron, total (as Fe) 01045) (All Year) (Effluent Gross)	SAMPLE	00000	00000		00000	5 DAILY MX	Quarterly	GRAB
	LIMIT	00000	00000		00000		Quarterly	ESTIMA
Low, in conduit or thru treatment plant 30050) (All Year) (Effluent Gross)	SAMPLE	00000						
	LIMIT	00000						

Attention: If reporting a No Discharge (NOD) code for a particular parameter the value must be entered as "NOD=(VALUE)", E.G.: "NOD=9" if monitoring not required.

MEET/TELEPHONE PRINCIPAL EXECUTIVE OFFICER
 Mr. Jerry Byerley, President of Corporation

TYPED OR PRINTED

STATEMENTS AND EXPLANATION OF ANY VIOLATIONS (reference all attachments here)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
 Mr. Jerry Byerley

TELEPHONE NUMBER (423) 246-6421

DATE 1/31/2016

Form 3320-T (Rev. 01/06) Previous editions may be used.

2/11/2017

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

Form Approved OMB No. 2040-008

Permittee Name/Address (include Facility Name/Location if different)

Name: Byerley Const. Co. Inc.
Address: Mr. Jerry Byerley
1929 Brookside Dr.
Kingsport, TN 37660

ING110140	001-G
Permit Number	Discharge Number

DMR Monitoring ZIP CODE: 37660

NAHON

NOV

General Outlet

Monitoring Period:	
FROM: MM/DD/YYYY	TO: MM/DD/YYYY
DI 01/20/16	D 01/20/16

NODI CODE VALUE DICTIONARY:	
C - No Discharge	<input type="checkbox"/>
No Discharge	<input checked="" type="checkbox"/>

Facility: Byerley Construction Company, Inc.
Location: 1929 Brookside Drive
Attn: Mr. Jerry Byerley

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			No. ANALYSIS FRQ.	SAMPLE TYPE
	VALUE	UNITS	VALUE	UNITS	VALUE	UNITS		
PH (00400) (All Year) (Effluent Gross)	SAMPLE	9999						
	LIMIT	9999						
Solids, total suspended (00530) (All Year) (Effluent Gross)	SAMPLE	9999		6.50	DAILY MN	9	Quarterly	GRAB
	LIMIT	9999		9	DAILY MN	9		
Iron, total (as Fe) (01045) (All Year) (Effluent Gross)	SAMPLE	9999				50	Quarterly	GRAB
	LIMIT	9999				50		
Flow, in conduit or thru treatment plant (50050) (All Year) (Effluent Gross)	SAMPLE	9999				5	Quarterly	GRAB
	LIMIT	9999				5		

Attention: If reporting a No Discharge (NODI) code for a particular parameter the value must be entered as "NODI=(VALUE)", E.G. : "NODI=9" if monitoring not required.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: Mr. Jerry Byerley, President of Corporation

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: *Jerry Byerley*

TELEPHONE NUMBER: (423) 246-0421

DATE: 01/20/16

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-008

Permitter Name/Address (Include Facility Name/Location if different)

Name: Byerley Const. Co. Inc.
Address: Mr. Jerry Byerley
1929 Brookside Dr.
Kingsport, TN 37660

Permit Number	001-G
Discharge Number	

DMAA Mailing ZIP Code: 37660

MAINT
MVA

External outlet

NPDES CODE VALUE DICTIONARY:

Monitoring Period:	
FROM:	TO:
MM/DD/YYYY	MM/DD/YYYY

C - No Discharge
 No Discharge

Facility: Byerley Construction Company, Inc.
Location: 1929 Brookside Drive
Attri: Mr. Jerry Byerley

PARAMETER	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			No. EX.	ANALYSIS FREQ.	SAMPLE TYPE
	VALUE	VALUE	UNITS	VALUE	VALUE	UNITS			
pH (00400) (All Year) (Effluent Gross)	SAMPLE	99999	99999						
	LIMIT	99999	99999						
Solids, total suspended (00530) (All Year) (Effluent Gross)	SAMPLE	99999	99999						
	LIMIT	99999	99999						
Iron, total (as Fe) (01045) (All Year) (Effluent Gross)	SAMPLE	99999	99999						
	LIMIT	99999	99999						
Flow, in conduit or thru treatment plant (50050) (All Year) (Effluent Gross)	SAMPLE	99999	99999						
	LIMIT	99999	99999						

Attention: If reporting a No Discharge (NOD) code for a particular parameter the value must be entered as "NOD=(VALUE)", e.g. : "NOD=9" if monitoring not required.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Jerry Byerley, President of Corporation

Signature: *Jerry Byerley*
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER: (423) 346-6644
DATE: 07/5/2014

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approve
OMB No. 2040-008

Permittee Name/Address (include Facility Name/Location if different)

Name: Byerley Const. Co. Inc.
Address: Mr. Jerry Byerley
1929 Brookside Dr.
Kingsport, TN 37660

TNG110140	001-G
Permit Number	Discharge Number

DNR Mailing ZIP Code: 37660
MNCR
MAI

Facility: Byerley Construction Company, Inc.
Location: 1929 Brookside Drive
Attn: Mr. Jerry Byerley

Monitoring Period:	
FROM: MM/DD/YYYY	TO: MM/DD/YYYY

External outfall
NODI CODE Value Dictionary: C - No Discharge No Discharge

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			No. EX.	ANALYSIS FREQ.	SAMPLE TYPE
		VALUE	UNITS	VALUE	UNITS	VALUE	UNITS			
PH (00400) (All Year) (Effluent Gross)	SAMPLE	9.000								
	LIMIT	9.000								
Solids, total suspended (00530) (All Year) (Effluent Gross)	SAMPLE	0.000								
	LIMIT	0.000								
Iron, total (as Fe) (01045) (All Year) (Effluent Gross)	SAMPLE	0.000								
	LIMIT	0.000								
Flow, in conduit or thru treatment plant (50050) (All Year) (Effluent Gross)	SAMPLE	0.000								
	LIMIT	0.000								

Attention: If reporting a No Discharge (NODI) code for a particular parameter the value must be entered as "NODI=VALUE," E.G. : "NODI=9" If monitoring not required.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Mr. Jerry Byerley, President of Corporation

Signature: *Jerry Byerley*
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER: (423) 246-1001
DATE: 10/17/16

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)



[View All CORs](#) |
 [Download All CORs in XML](#) |
 [Download All CORs in PDF](#) |
 [Download COR Signature Public Key](#) |
 [DMR/COR Search Results](#)

Submission Confirmation - fdb49d39-f4c5-45b5-a5cd-06afcecc19d7a

Your submission has been received.

Permit ID	Facility	Permitted Feature	Discharge #	Discharge Description	Monitoring Period End Date	DMR Due Date	View COR	Download COR in XML	Download COR in PDF	Download COR Signature
TNG110140	BYERLEY CONSTRUCTION COMPANY, INC.	001	001-G	Process Water Discharge Monthly Monitoring	12/31/16	01/15/17				



View Certification | Download COR in XML | Download COR in PDF | View COR Signature | Download COR Sig. Public Key

DMR Copy of Record

Permit
 Permit ID: TNG110140
 Major: Byerley Construction Company, Inc.
 Permittee: BYERLEY CONSTRUCTION COMPANY, INC.
 Facility: 1929 Brookside Dr., Kingsport, TN37664
 Facility Location: 1929 BROOKSIDE DRIVE KINGSPORT, TN37660
 Permitted Feature: 001 - External Outfall
 Discharge: 001-G - Process Water Discharge Monthly Monitoring
Report Dates & Status
 Monitoring Period: From 10/01/16 to 12/31/16
 DMR Due Date: 01/15/17
 Status: NetDMR Validated
Considerations for Form Completion

Principal Executive Officer
 First Name: Jerry
 Last Name: Byerley
 Title: Owner
 Telephone: 423-246-6421
 No Data Indicator (NODI)
 Form NODI: -

Code	Parameter Name	Quantity or Loading		Units	Quantity or Concentration			Units	# of Ex.	Freq. of Analysis	Smpl. Type
		Value 1	Value 2		Value 1	Value 2	Value 3				
00400	PH										
	EG - Effluent Gross										
Season: 0					>=6.5 DAILY MN				12	01/90 - Quarterly	GR - GRAB
NODI: -					C - No Discharge						
00530	Solids, total suspended										
	EG ~ Effluent Gross										
Season: 0					<=50 DAILY MX				19	01/90 - Quarterly	GR - GRAB
NODI: -					C - No Discharge						

Parameter	Name	Units	Quantity or Location	Value 1	Value 2	Units	Value 1	Value 2	Value 3	Units	# of Ex.	Freq. of Analysis	Sample Type
01045	Iron, total [as Fe]	mg/L										01/90 - Quarterly	GR - GRAB
EG - Effluent Gross		Smpl.											
Season:	0	Req.							<=5 DAILY MX	19 - mg/L		01/90 - Quarterly	GR - GRAB
NODI:	-	NODI							C - No Discharge				
50050	Flow, in conduit or thru treatment plant	Smpl.											
EG - Effluent Gross													
Season:	0	Req.	Req Mon DAILY MX			03 - MGD						01/90 - Quarterly	IN - INSTAN
NODI:	-	NODI	C - No Discharge										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading; then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

Byerley Construction Company, Inc.

User: byerleyconstr@aol.com

Name: Jerry Byerley

E-Mail: byerleyconstr@aol.com

Date/Time: 2017-01-18 08:30 (Time Zone:-06:00)