



**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE PROCESSING (SWP) FACILITY &
TRANSFER FACILITY (TRF) EVALUATION**

NAME OF SITE <i>STERICYCLE TRF</i>		REGISTRATION NUMBER <i>TRF 47-1488</i>		DATE <i>11-6-14</i>	
LOCATION (physical) <i>1525 STERICYLI' STREET</i>				TIME <i>1:15 PM</i>	
OWNER/OPERATOR <i>STERICYCL</i>		TYPE OF EVALUATION: <input checked="" type="checkbox"/> COMPLETE () FOLLOW-UP <input type="checkbox"/> COMPLAINT () OTHER			
VIOLATION		RULE CITATION	CODE	V1	V2
SWP:TRF: Inadequate vector control		1200-1-7-.02(1)(c)1(i)(II)I	01		
SWP:TRF: Potential for explosions or uncontrolled fires		1200-1-7-.02(1)(c)1(i)(II)II	02		
SWP:TRF: Potential for releases of solid waste		1200-1-7-.02(1)(c)1(i)(II)III	03		
SWP:TRF: Unauthorized or uncontrolled access		1200-1-7-.02(1)(c)1(i)(II)IV	04		
SWP:TRF: Inadequate artificial or natural barrier		1200-1-7-.02(1)(c)1(i)(III)	05		
SWP:TRF: Inadequate information sign		1200-1-7-.02(1)(c)1(i)(IV)	06		
SWP:TRF: Personnel not present during operating hours		1200-1-7-.02(1)(c)1(i)(V)	07		
SWP:TRF: Inadequate employee facilities		1200-1-7-.02(1)(c)1(i)(VI)	08		
SWP:TRF: Unsatisfactory access roads/parking areas		1200-1-7-.02(1)(c)1(i)(VII)	09		
SWP:TRF: Waste handling not conducted on paved surfaces		1200-1-7-.02(1)(c)1(i)(VIII)	10		
SWP:TRF: Improper storage of solid waste		1200-1-7-.02(1)(c)1(i)(IX)	11		
SWP:TRF: Evidence of burning		1200-1-7-.02(1)(c)1(i)(X)	12		
SWP:TRF: Unapproved scavenging of waste		1200-1-7-.02(1)(c)1(i)(XI)	13		
SWP:TRF: Unsatisfactory litter control		1200-1-7-.02(1)(c)1(i)(XII)	14		
SWP:TRF: Unapproved discharge of liquid residue		1200-1-7-.02(1)(c)1(i)(XIII)	15		
SWP:TRF: Unapproved handling of special wastes		1200-1-7-.02(1)(c)1(i)(XIV)	16		
SWP:TRF: No provision for alternative waste handling		1200-1-7-.02(1)(c)1(i)(XV)	17		
SWP:TRF: Inadequate fire protection		1200-1-7-.02(1)(c)1(i)(XVI)	18		
SWP: Unapproved disposal of waste residue		1200-1-7-.02(1)(c)1(i)(XVII)	19		
SWP:TRF: Improper closure		1200-1-7-.02(1)(c)1(i)(XVIII)	20		
SWP:TRF: Unauthorized waste accepted		1200-1-7-.02(1)(c)3	21		
SWP:TRF: Unsatisfactory records or reports		1200-1-7-.02(1)(c)1	22		
SWP:TRF: Authorization letter not available		1200-1-7-.02(1)(c)1	23		
SWP:TRF: Operation does not comply with notification		1200-1-7-.02(1)(c)3	24		
COMMENTS:					
<i>-NO VIOLATIONS FOUND</i>					
PERSON INTERVIEWED (Signature) <i>Chris Stancin</i>		INSPECTED BY (Signature) <i>B.L.</i>			
TITLE <i>Trans Super.</i>		TITLE <i>E.S. - DSWM</i>			
COMPLIANCE DATE		WEATHER CONDITIONS <i>60° - Sun</i>			

Distribution: Facility – Canary

Field Office – White

Central Office - XC