

TENNESSEE DEPARTMENT OF AGRICULTURE

Water Resources Program

The following individual has submitted all required elements of an NMP/CNMP as required to obtain a CAFO permit. Their Nutrient Management Plan (or CNMP) has been reviewed and approved by this office.

Name of Owner/Operator: <u>Jerry Burcham</u>	
Operation Name: Burcham Swine Farm	
Address of Operation: 6450 Highway 423, M	cKenzie, TN 38201
Phone Number: <u>(731) 415-8375</u>	County: Carroll
Date application was initiated:	Date approval forwarded to TDEC:
RECEIVED MAY 2 6 2015	MAY 2 6 2015
NMP/CNMP Approval Date:	Date approval received by TDEC
THE APPROVAL SHALL NOT BE CONSTRUED AS CREATING A PRESUMPTION OF CORRECT	
MAY 2 6 2015 OPERATION OR AS WARRANTING THAT THE APPROVED FACILITIES WILL REACH THE DESIGNED GOALS	
TDA Reviewer's Name: Heidi McIntyre-W	ilkinson
TDA Reviewer's Signature:	Astyn Wilkinson 05/26/15 Date

Nutrient Management Plan (NMP) and CAFO Permit Application Checklist for SOPC00000

Facility Name: Burcham Swine Farm Form Completed by: Heidi McIntyre-Wilkinson (05/26/15)

		Citation of Requirements in CNMP/ NMP					
SOPC Requirements*			Completed by producer or TSP		FOR TDA USE ONLY		
Required Element	Permit Page #	Citation	Item Addressed in (C)NMP on Page #	Initials	Comments	Completed (Yes/ No)	
Notice of Intent (NOI) form	4	1.6.1	Attached	HMW		Yes	
Declarations Page, which addresses the following items:			Attached	HMW		Yes	
Prevents direct contact of confined animals with waters of the State.	8	3.1.e					
Ensures chemicals or other contaminants handled on-site are handled (including spill clean-up) and disposed of properly.	8, 10	3.1.f, 4.6.1.a, 4.6.1.c					
All sampling of soil and manure/litter is conducted according to protocols developed by UT Extension.	8	3.1.h					
A copy of the most recent nutrient management plan (NMP) will be kept as part of the farm records and will be maintained and implemented as written.	9	3.1.j					
If applicable, all waste directed to under-floor waste pits shall be composed entirely of wastewater (i.e., washwater, animal waste).	10	4.6.1.b					
Notify TDEC of any significant wildlife mortalities following land application of animal wastes.	10	4.6.1.d		V	↓ ↓	\downarrow	

		Citation of Requirements in CNMP/ NMP						
SOPC Requirements*			Completed by producer or TSP		FOR TDA USE ONLY			
Required Element	Permit Page #	Citation	Item Addressed in (C)NMP on Page #	Initials	Comments		pleted / No)	
Address employee training for proper operation and maintenance of facility where employees are responsible for activites that relate to permit compliance.	10	4.6.1.e						
There shall be no land application of nutrients within 24 hours of a precipitation event that may cause runoff. The operator shall not land apply nutrients to frozen, flooded, or saturated soils.	12	4.6.2.f		V	V		V	
Topo Map with Property Boundary	7	2.3.1.f	Pg. 3 of ext.	HMW	RCVD 05/26/15 from TSP	Yes		
Ortho Map with Property Boundary showing location of animal barns/ houses, compost bins, litter storage bins, manure lagoons/ holding ponds, nearby roads, fields to which manure/ litter will be applied, sinkholes, neighboring wells, wetlands, etc.			Pg. 2 of ext.	HMW	RCVD 05/26/15 from TSP	Yes		
The NMP contains Best Management Practices (BMPs)/ conservation practices necessary to manage production area.	8	3.1.a	Pg. 1 of ext.	HMW	RCVD 05/26/15 from TSP	Yes		
The NMP contains BMPs used (i.e. buffers) to control runoff of pollutants from land application.	8	3.1.g			N/A; extension to the NMP submitted on 05/26/15 inidcates that application of manure will no longer occur	N/A		

			Citation of Requirements in CNMP/ NMP						
SOPC Requirements*				ed by or TSP	FOR TDA USE ONLY				
Required Element	Permit Page #	Citation	Item Addressed in (C)NMP on Page #	Initials	Comments	Completed (Yes/ No)			
Ensures adequate waste storage. For liquid waste systems this would include: documentation of the total volume for solids accumulation, design treatment volume, total design volume, and approximate number of days for storage capacity.	8, 15	3.1.b, 5.2.g	Pgs 1, 4 of ext.	HMW		Yes			
Proper Management of Mortalities (also to be identified in Closure Plan).	8, 14	3.1.c, 4.10	Pg. 1 of ext., attached Closure Plan	HMW	Composting (Addt'l info rcvd 05/26/15)	Yes			
Clean water is diverted from the production area.	8, 11	3.1.d, 4.6.1.f	Pg 1 of ext.	HMW		Yes			
Follow latest UT guidance for appropriate testing methods for manure.	8	3.1.h							
Identify methods used to land apply litter, manure, or process wastewater.	9	3.1.i	N/A	HMW	N/A; extension to the NMP submitted on 05/26/15 inidcates that application of manure will no longer occur	N/A			
Nutrient budget or balance sheet of all nutrients (animal waste, compost, fertilizer, etc.) used on the farm based on current UT crop recommendations which ensures appropriate use of nutrients.	9	3.1.i							
Expected crop yields	15	5.2.h	V	Ψ	Ψ	V			
NMP addresses facility maintenance.	9	3.2.c	57	HMW		Yes			

			Citation of Requirements in CNMP/ NMP					
SOPC Requirements*				ed by or TSP	FOR TDA USE ONLY			
Required Element	Permit Page #	Citation	Item Addressed in (C)NMP on Page #	Initials	Comments	Completed (Yes/ No)		
Closure/rehabilitation plan for waste system storage/treatment structure(s) and mortalities that addresses facility maintenance until proper closure to be completed within 360 days.	5, 13-14	1.6.3, 4.9	Attached	HMW		Yes		
Includes field specific assessment of potential for N and P2O5 transport from field to surface waters. Must address form, source, amount, timing, and method of application of nutrients on each field to achieve realistic production goals (TN P Index must be provided for each field).	11	4.6.2.a.i	N/A	-	N/A; extension to the NMP submitted on 05/26/15 inidcates that application of manure will no longer occur	N/A		
Current manure/litter analysis for N and P_2O_5 (from within last year).	11	4.6.2.b	Pgs 9 -10 of ext.		Date of analyses = 05/01/15; revisions to incorporate both sample values into NMP rcvd. 05/26/15.	Yes		
Provide results of soil test conducted at a minimum of once every five years for all fields receiving manure, litter, or process wastewater.	11	4.6.2.b	N/A	=	N/A; extension to the NMP submitted on 05/26/15 inidcates that application of manure will no longer occur	N/A		

			Citation of Requirements in CNMP/ NMP					
SOPC Requirements*				ed by or TSP	FOR TDA USE ONLY			
Required Element	Permit Page #	Citation	Item Addressed in (C)NMP on Page #	Initials	Comments	Completed (Yes/ No)		
Applications of waste are no closer than 100 ft. to any down-gradient surface waters, open tile line intake structures, sinkholes, ag. wells, or other conduits to surface waters unless 100 ft. setback with a 35 ft. wide vegetated buffer is substituted or it is demonstrated that a setback/buffer is not needed due to use of alternate conservation practices or where field conditions would provide equivalent pollutant reductions.	11	4.6.2.d	N/A	HMW	N/A; extension to the NMP submitted on 05/26/15 inidcates that application of manure will no longer occur	N/A		
New CAFOs located adjacent to high quality stream (Exceptional TN waters) leave in place a 60-ft natural riparian buffer between stream and land application area.	12	4.6.2.e	N/A	HMW	N/A; existing CAFO & no application of manure	N/A		
Liquid Waste Management System Requir	rements							
Liquid waste management system must be designed to exclude all stormwater and must not contain any design allowances for a discharge.	12	4.7		HMW	Standard Tosh barn design, previously reviewed and approved by TDA	Yes		

			Citation of Requirements in CNMP/ NMP					
SOPC Requiren		Complete producer	-	FOR TDA USE ONLY				
Required Element	Permit Page #	Citation	Item Addressed in (C)NMP on Page #	Initials	Comments	Completed (Yes/ No)		
If liquid waste management system was constructed, modified, repaired, or placed in operation after April 13, 2006, it must meet or exceed NRCS FOTG standards. This should consist of pertinent engineered drawings (i.e. schematic of system) accompanied by a descriptive narrative.	12	4.7		:	Standard Tosh barn design, previously reviewed and approved by TDA	Yes		
Any new or additional confinement buildings, waste containment/ treatment structures constructed after April 13, 2006 shall be located according to NRCS Practice Standard 313.	12	4.7.a	N/A	HMW	N/A; existing CAFO	N/A		
If any earthen structures were constructed or modified after April 13, 2006, a subsurface investigation is provided.	12	4.7.b	N/A	HMW	N/A; not earthern (concrete pits)	N/A		

Comments: The TSP (J.T. Workman) used the existing NMP written in 2008 by NRCS and added an extension (i.e. addendum) to the plan to update some portions.