

George Thornsby

From: George Thornsby
Sent: Tuesday, January 4, 2022 3:43 PM
To: Eddie.Lawrence@bargedesign.com
Cc: Hensley, Tom; Chris Lamb
Subject: RE: Kingsport Demo Closed Final Cover CQA Report

Good Afternoon Eddie,

It was a pleasure to talk to you today about the CQA Report. I was sending this email to document our conversation and provide you with a list of the items we discussed on the phone that needs to be addressed.

1. The certification needs to be submitted by the operator of the disposal facility and not Barge Design Solutions. So a letter needs to be submitted for the submittal of the certification for the closure area per the regulations. Please see the regulation as a reference of what is needed.

Rule 0400-11-01-.04(8)(c)9. The operator must notify the Division Director in writing within 60 days of his completion of closure of the disposal facility or disposal facility parcel. Such notification must include a certification by the operator that the disposal facility or disposal facility parcel has been closed in accordance with the approved closure/post-closure care plan. Within 21 days of the receipt of such notice the Division Director shall inspect the facility to verify that closure has been completed and in accordance with the approved plan. Within 10 days of such verification, the Commissioner shall approve the closure in writing to the operator. Closure shall not be considered final and complete until such approval has been made.

2. Table # 2, Page # 7 needs to be revised to clarify the number test required and number of test completed during the construction, and reflect that 6 permeability test are required.
3. Exhibit # 1 needs to be revised to clarify and reflect the actual closure area.
4. Provide a full size as-built drawing, on the same scale as the approved permit drawings, showing the final contours tying into the previous closed areas and showing the waste limits and permit boundary around as appropriate.

If you have any questions, please let me know.

Thank you,
George M. Thornsby



George M. Thornsby, P.E. | Environmental Protection Specialist 3
Division of Solid Waste Management
Johnson City Environmental Field Office
2305 Silverdale Drive, Johnson City, TN 37601
c. 423-254-4218 f. 423-854-5401
george.thornsby@tn.gov
tn.gov/environment

External Customers: We value your feedback! Please complete [Customer Satisfaction Survey](#)
Internal Customers: We value your feedback! Please complete: [Customer Satisfaction Survey](#)

From: Eddie.Lawrence@bargedesign.com <Eddie.Lawrence@bargedesign.com>
Sent: Wednesday, October 20, 2021 2:11 PM
To: George Thornsby <George.Thornsby@tn.gov>
Subject: [EXTERNAL] RE: Kingsport Demo Closed Final Cover CQA Report

***** This is an EXTERNAL email. Please exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email - STS-Security. *****

Sure thing George. Have a good sunny afternoon.

From: George Thornsby <George.Thornsby@tn.gov>
Sent: Wednesday, October 20, 2021 2:08 PM
To: Eddie Lawrence <Eddie.Lawrence@bargedesign.com>
Cc: Chris Lamb <Chris.Lamb@tn.gov>; Hensley, Tom <TomHensley@KingsportTN.gov>
Subject: Kingsport Demo Closed Final Cover CQA Report

CAUTION: This email is NOT from Barge. **DO NOT** click links or open attachments unless you verify the sender and content.

Eddie,

It was good talking to you this afternoon. I wanted to follow up with you about the copies. If you could send us one hard copy to the JCEFO for review, that will be enough for the review. In regards to the electronic copy or share folder you will be sending, could you please also copy the following people on file. I hope you have a great day.

bassam.faleh@tn.gov

abe.almassi@tn.gov

chris.lamb@tn.gov

Thank you,
George M. Thornsby



George M. Thornsby, P.E. | Environmental Protection Specialist 3
Division of Solid Waste Management
Johnson City Environmental Field Office
2305 Silverdale Drive, Johnson City, TN 37601
c. 423-254-4218 f. 423-854-5401
george.thornsby@tn.gov
tn.gov/environment

External Customers: We value your feedback! Please complete [Customer Satisfaction Survey](#)

Internal Customers: We value your feedback! Please complete: [Customer Satisfaction Survey](#)