



**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE DISPOSAL FACILITY EVALUATION**

NAME OF SITE LAWRENCEBURG DEMOLITION	REGISTRATION NUMBER DML 50 000024	DATE 5/16/13
--	---	------------------------

LOCATION (physical) GRINNELL DR, LAWRENCEBURG	PURPOSE <input checked="" type="checkbox"/> Complete <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Other
---	--

OWNER/OPERATOR LAWRENCEBURG / GARY WAYNE HYDE	TYPE OF FACILITY <input type="checkbox"/> CLASS I <input type="checkbox"/> CLASS II <input checked="" type="checkbox"/> CLASS III <input checked="" type="checkbox"/> CLASS IV
---	---

	V1	V2		V1	V2
Inadequate vector control	8010	___	Leachate improperly managed	8330	___
Access not limited to operating hours	8020	___	Inadequate leachate collection system	8340	___
Inadequate artificial or natural barrier	8030	___	Leachate observed at the site	8350	___
Inadequate information signs	8040	___	Leachate entering runoff	8360	___
Unsatisfactory access road(s)/parking area(s)	8050	___	Leachate entering a water course	8370	___
Certified personnel not present during operating hours	8060	___	Inadequate gas migration control system	8380	___
Unapproved salvaging of waste	8070	___	Inadequate maintenance of gas migration control system	8390	___
Evidence of open burning	8080	___	Potential for explosions or uncontrolled fires	8420	___
Inadequate fire protection	8090	___	Waste not confined to a manageable area	8430	___
Unsatisfactory litter control	8110	___	Improper spreading of waste	8440	___
Inadequate employee facilities	8120	___	Improper compacting of waste	8450	___
No communication devices	8130	___	Unsatisfactory initial cover	8460	___
Inadequate operating equipment	8140	___	Unsatisfactory intermediate cover	8470	___
Unavailability of backup equipment	8150	___	Unsatisfactory final cover	8480	___
Unavailability of cover material	8160	___	Excessive pooling of water	8490	___
Inadequate maintenance of runoff/runoff system(s)	8170	___	Unsatisfactory stabilization of cover	8510	___
Inadequate erosion control	8180	___	Dumping of waste into water	8520	___
Inadequate dust control	8190	___	Unsatisfactory records or reports	8530	___
Unauthorized waste accepted	8210	___	Groundwater monitoring system improperly maintained	8540	___
Unapproved special waste accepted	8220	___	Operation does not correspond with engineering plans	8570	___
Tires improperly handled	8230	___	Operation does not correspond with permit condition(s)	8580	___
Medical waste improperly handled	8240	___	Permit, plans, operating manual not available	8590	___
Dead animals improperly handled	8250	___	No operating scales	8610	___
Washout of solid waste	8270	___			
No permanent benchmark	8280	___			
Inadequate random inspection program	8290	___			
Mishandling of special waste	8300	___			
Buffer zone standard violated	8310	___			
Inadequate maintenance of leachate management system	8320	___			

COMMENTS: *No Violation*

Note: Operator covering waste at time of inspection.

PERSON INTERVIEWED (Signature)	INSPECTED BY (Signature) <i>Pat Slattery</i>
TITLE	TITLE <i>EPS-3</i>

TIME OF DAY <i>12:00</i>	WEATHER CONDITIONS <i>75° Cloudy</i>	COMPLIANCE DATE <i>NA</i>
--------------------------	--------------------------------------	---------------------------

Distribution: Facility - White Field Office - Canary Central Office - XC