

January 15, 2024

Submitted Electronically

Mr. Vojin Janjic  
Manager, Water Based Systems  
Division of Water Resources  
Department of Environment and Conservation  
State of Tennessee  
William R. Snodgrass – Tennessee Tower  
312 Rosa L. Parks Avenue, 11<sup>th</sup> Floor  
Nashville, Tennessee 37243-1102

ATTN: Mr. Wade Murphy, E.I.

RE: Request to Modify NPDES Permit No.  
TN0081906  
Megasite Authority of West Tennessee  
Stanton, Haywood County, Tennessee

Dear Mr. Janjic:

The referenced NPDES permit does not include a schedule of compliance for the initial discharge authorized by the permit which will include commissioning the newly constructed Memphis Regional Megasite Wastewater Treatment Plant and its start-up period. In accordance with the process described at 40 CFR 122.62 and 40 CFR 124.5, the Megasite Authority of West Tennessee requests that the referenced permit be modified to include the hereinbefore described compliance schedule. The details of our request are attached to this covering letter. If you have any questions or comments, please direct them to Kevin S. Young, P.E. representing our engineering consultant, J. R. Wauford & Company Consulting Engineers, Inc.

Thank you in advance for your attention to this matter.



Clay Bright  
Chief Executive Officer  
Megasite Authority of West Tennessee

cc: Larry Milton  
Kevin S. Young, P.E.

Narrative Statement  
Request for Modification of NPDES Permit No. TN0081906  
Memphis Regional Megasite Wastewater Treatment Plant  
Megasite Authority of West Tennessee  
Wauford Project No. 3679-P10

Cause for Modification of NPDES Permit

The Memphis Regional Megasite Authority Wastewater Treatment Plant (hereinafter “the Treatment Plant”) and its associated discharge through Outfall 001 is a “green field” treatment plant and discharge providing wastewater treatment generated by a “green field” industrial campus being constructed to support the assembly of electric vehicles. The Treatment Plant operation and its authorized discharge of treated municipal wastewater to the Mississippi River mile 768 must be initiated simultaneously with the initial generation of its influent wastewater from the industrial campus. Because secondary treatment in the Treatment Plant will be a biological treatment process (sequencing batch reactor variant of extended aeration activated sludge technology) that will require some period of time to develop biomass having the acclimated sludge age necessary for proper operation, the probability of compliance with all Effluent Gross monitoring requirements at the initiation of discharge is not high. In order to insure that compliance with all Effluent Gross monitoring requirements is achieved in a timely and orderly fashion, a compliance schedule incorporating compliance monitoring and reporting requirements is requested in the form of a modification to NPDES Permit No. TN0081906 (hereinafter “the Permit”).

Proposed Compliance Schedule

A proposed compliance schedule text is attached titled “Proposed Compliance Schedule Text”. This compliance schedule text is proposed to be included in the Permit by modifying Part 1.1.3 – Narrative Conditions.

The sources of and characteristics of the initial non-contact wastewater that will make up the Initial Discharge are described at the attachment titled “Initial Non-Contact Wastewater Discharges” and the characteristics of chemical additives to the potable water that will constitute the initial non-contact wastewater are described at the attachment titled “Material Safety Data Sheets for Chemical Additives to Potable Water Constituting Initial Non-Contact Wastewater Discharge”.

During the “Initial Discharge” portion of the requested compliance schedule, the discharge through Outfall 001 is estimated to be approximately nine percent of the design capacity of the Treatment Plant. During the “Treatment Plant Commissioning and Initiation of Start-up” portion of the requested compliance schedule, the discharge through Outfall 001 is estimated to range from approximately 14 to 18 percent of the design capacity of the Treatment Plant.

The requested permit modification will not require any revision of the construction documents (plans and specifications) previously approved by the Division of Water Resources and will be consistent with start-up provisions in the general construction contract.

Proposed Compliance Schedule Text  
Request For Modification of NPDES Permit No. TN0081906  
Memphis Regional Megasite Wastewater Treatment Plant  
Megasite Authority of West Tennessee  
Wauford Project No. 3679-P10

Modify permit by adding a compliance schedule to commence discharge from the Memphis Regional Megasite Wastewater Treatment Plant as follows:

<u>Discharge Commencing Milepost</u>	<u>Compliance and Reporting Requirements Associated with Discharge Commencing Milepost</u>
Initial Discharge	Notify the Division of Water Resources that initial discharge is beginning and initiate discharge of initial non-contact wastewater (described in detail at the attachment titled “Initial Non-Contact Wastewater Discharges”) through Outfall 001 in compliance with Effluent Gross monitoring requirements for all parameters having effluent limitation Values. Monitoring Frequency for all parameters having effluent limitation Values will those published at Part 1.1.1. Percent Removal and Raw Sewage Influent monitoring requirements at Part 1.1.1 will not apply. Report monitoring results on Monthly Operational Reports (MORs) in accordance with Part 1.3.4 and as Discharge Monitoring Reports (DMRs) in accordance with Part 1.3.1.
Treatment Plant Commissioning and Initiation of Start-up	Notify the Division of Water Resources that commissioning and initiation of start-up is beginning and initiate discharge of treated municipal wastewater through Outfall 001 in compliance with Effluent Gross monitoring requirements for Daily Maximum values for parameters TSS and CBOD. All other parameters shall be in compliance with Values published at Part 1.1.1 for Effluent Gross monitoring requirements. Monitoring Frequencies will be those published at Part 1.1.1 for Effluent Gross monitoring requirements and for Raw Sewage Influent monitoring requirements. Percent Removal monitoring requirements at Part 1.1.1 will not apply. Report monitoring results on Monthly Operational Reports in accordance with Part 1.3.4 and as Discharge Monitoring Reports DMRs) in accordance with Part 1.3.1.
Completion of Start-up	Notify the Division of Water Resources that start-up is complete and comply with all requirements of NPDES Permit No. TN0081906. In the event Percent Removal monitoring limitations cannot be met due to the less concentrated nature of the influent wastewater (majority of influent is from industrial process sources), submit a request for substitution of a lower percent removal requirement for the parameters CBOD and TSS in accordance with 40 CFR§133.103 – Special Considerations, paragraph (d).

Initial Non-Contact Wastewater Discharges  
 Estimates of Flow Rates and Characteristics  
 Memphis Regional Megasite Wastewater Treatment Plant  
 Megasite Authority of West Tennessee  
 Wauford Project No. 3679-P10

**COOLING TOWER BLOWDOWN** (Potable water with volume reduced to approximately one-sixth the original volume due to evaporation and solutes concentrated by a factor of approximately six)

<u>Wastewater Characteristic</u>	<u>Estimated Concentration<sup>(1)</sup></u>
– Biochemical Oxygen Demand (5 day)	< 20 mg/l
– Chemical Oxygen Demand	< 75 mg/l
– Total Organic Carbon	< 20 mg/l
– Total Suspended Solids	< 15 mg/l
– Total Nitrogen	< 10 mg/l
– Total Phosphorus	< 10 mg/l
– Chlorides	< 0.2 mg/l
– pH	7.5 to 9.0 units

<u>Sources and Estimated Flow Rates<sup>(1)</sup></u>	<u>Chemical Additives to Potable Water Used for Evaporative Cooling<sup>(1)(2)</sup></u>
Central Utility Plant 260,000 GPD	CL2150 (Microbiocide) <ul style="list-style-type: none"> <li>• 5-chlor-2-methyl-4-isothiazolin-3-one</li> <li>• 2 methyl-4-isothiazolin-3-one</li> </ul> CL41 (Microbiocide) <ul style="list-style-type: none"> <li>• sodium bromide</li> </ul> CL6859 (Cooling Water Treatment) <ul style="list-style-type: none"> <li>• potassium hydroxide</li> </ul>
Stamping Plant 13,333 GPD	3D Trasar™ 3DT231 (Cooling Water Treatment) <ul style="list-style-type: none"> <li>• phosphoric acid</li> <li>• sulfuric acid</li> <li>• aromatic amine (proprietary)</li> </ul>

Battery Plant  
53,333 GPD

Nalco® 7330 (Biocide)

- magnesium nitrate
- 5-chlor-2-methyl-4-isothiazolin-3-one
- 2 methyl-4-isothiazolin-3-one

Stabrex™ ST70 (Oxidizing Biocide)

- sodium bromide
- sodium hypochlorite
- sodium chloride
- sodium hydroxide

3D Trasar™ 3DT231 (Cooling Water Treatment)

- phosphoric acid
- sulfuric acid
- aromatic amine (proprietary)

Nalco® 7330 (Biocide)

- magnesium nitrate
- 5-chlor-2-methyl-4-isothiazolin-3-one
- 2 methyl-4-isothiazolin-3-one

Stabrex™ ST70 (Oxidizing Biocide)

- sodium bromide
- sodium hypochlorite
- sodium chloride
- sodium hydroxide

**BOILER BLOWDOWN** (Potable water with volume reduced to approximately one-sixth the original volume due to steam production and solutes concentrated by a factor of approximately six)

<u>Wastewater Characteristic</u>	<u>Estimated Concentration<sup>(1)</sup></u>
- Biochemical Oxygen Demand (5 day)	< 10 mg/l
- Chemical Oxygen Demand	< 25 mg/l
- Total Organic Carbon	< 20 mg/l
- Total Suspended Solids	< 15 mg/l
- Total Nitrogen	< 10 mg/l
- Total Phosphorus	< 10 mg/l
- Chlorides	< 2 mg/l
- pH	10.5 to 12.0 units

<u>Sources and Estimated Flow Rates<sup>(1)</sup></u>	<u>Chemical Additives to Potable Water Used to Generate Steam<sup>(1)(2)</sup></u>
Central Utility Plant 14,000 GPD	<p>BL 1544 (Steam Line Treatment)</p> <ul style="list-style-type: none"> <li>• 2-diethylaminoethanol</li> <li>• cyclohexylamine</li> </ul> <p>BL 1301 (Boiler Water Treatment)</p> <ul style="list-style-type: none"> <li>• sodium hydroxide</li> </ul> <p>BL 1285 (Boiler Water Treatment)</p> <ul style="list-style-type: none"> <li>• diethylhydroxylamine</li> </ul> <p>BL 8750 (Boiler Water Treatment)</p> <ul style="list-style-type: none"> <li>• sodium bisulfite</li> <li>• sodium hydroxide</li> <li>• potassium hydroxide</li> </ul>

**REVERSE OSMOSIS RETENTATE** (Potable water with solutes concentrated approximately five times by reverse osmosis filtration in order to produce low conductivity process water)

<u>Wastewater Characteristic</u>	<u>Estimated Concentration<sup>(1)</sup></u>
- Biochemical Oxygen Demand (5 day)	< 10 mg/l
- Chemical Oxygen Demand	< 25 mg/l
- Total Organic Carbon	< 10 mg/l
- Total Suspended Solids	< 1 mg/l

<u>Sources and Estimated Flow Rates<sup>(1)</sup></u>	<u>Chemical Additives to Potable Water Used to Produce Reverse Osmosis Retentate<sup>(1)(2)</sup></u>
Battery Plant 25,000 GPD	Nalco® 7408 (Chlorine Scavenger) <ul style="list-style-type: none"> <li>• sodium bisulfite</li> </ul> Permatreat™ PC-19IT (Reverse Osmosis Antiscalant) <ul style="list-style-type: none"> <li>• sodium bisulfite</li> </ul>

**HVAC CONDENSATE** (condensate created from humidity during air cooling)

<u>Wastewater Characteristic</u>	<u>Estimated Concentration<sup>(1)</sup></u>
- Biochemical Oxygen Demand (5 day)	< 1 mg/l
- Chemical Oxygen Demand	< 1 mg/l
- Total Organic Carbon	< 1 mg/l
- Total Suspended Solids	< 1 mg/l

<u>Sources and Estimated Flow Rates<sup>(1)</sup></u>	<u>Chemical Additives to Condensate<sup>(1)</sup></u>
Central Utility Plant 104,500 GPD	None

## SUMMARY

<u>Wastewater Characteristic</u>	<u>Estimated Maximum Concentration in Combined Non-Contact Wastewater Stream<sup>(1)</sup></u>
- Biochemical Oxygen Demand (5 day)	< 20 mg/l
- Chemical Oxygen Demand	< 75 mg/l
- Total Organic Carbon	<20 mg/l
- Total Suspended Solids	< 15 mg/l
- Total Nitrogen	< 10 mg/l
- Total Phosphorus	< 10 mg/l
- Chlorides	< 2 mg/l
- Minimum pH	7.5 units
- Maximum pH	9.0 units

Maximum Flow Rate = 470,166 GPD (9.2 percent of Memphis Regional Megacity  
Wastewater Treatment Plant design capacity)

### Notes:

- (1) Information provided by representative of Ford Motor Company
- (2) Material Safety Data Sheets (MSDS) for the chemical additives to potable water used for evaporative cooling, generating steam and production of reverse osmosis retentate were provided by a representative of Ford Motor Company and are attached



**Material Safety Data Sheets  
for  
Chemical Additives to Potable Water  
Constituting Initial Non-Contact  
Wastewater Discharge**

# **Chemical Additives to Potable Water Used for Evaporative Cooling at Central Utility Plant**

- **CL2150**
- **CL41**
- **CL6859**



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** CL2150

**Other means of identification**

**Product code** CL2150

**Recommended use** Cooling Water Microbiocide and Paper Slimicide

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Company name** ChemTreat

**Address** 5640 Cox Road  
Glen Allen, VA 23060  
United States

**Telephone** 800-648-4579

**E-mail** Not available.

**Emergency phone number** 800-424-9300

## 2. Hazard(s) identification


**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2  
Serious eye damage/eye irritation Category 2A  
Sensitization, skin Category 1A

**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 3  
Hazardous to the aquatic environment, long-term hazard Category 3

**OSHA defined hazards** Not classified.

**Label elements**



**Signal word** Warning

**Hazard statement** Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention** Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
5-chlor-2-methyl-4-isothiazolin-3-one		26172-55-4	< 1
2-methyl-4- Isothiazolin-3-one		2682-20-4	< 0.2
Other components below reportable levels			90 - 100

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Prevent product from entering drains.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles). Face shield is recommended.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

<b>Appearance</b>	Clear
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Green
<b>Odor</b>	Mild
<b>Odor threshold</b>	Not available.
<b>pH</b>	3.6 @ 100%
<b>Melting point/freezing point</b>	44.60 °F (7.00 °C)
<b>Initial boiling point and boiling range</b>	211.95 °F (99.97 °C) estimated
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	0.00001 hPa estimated
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.

<b>Solubility(ies)</b>	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	0 - 200 cps
<b>Other information</b>	
Density	19.26 lbs/gal estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Pounds per gallon	8.55
Specific gravity	1.02 - 1.03 @ 20C
VOC	0.1 %w/w

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

### Information on toxicological effects

<b>Acute toxicity</b>	Not available.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Not listed.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b>	
Not regulated.	
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>	
Not listed.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

## 12. Ecological information

Ecotoxicity	Harmful to aquatic life with long lasting effects.		
<b>Product</b>		<b>Species</b>	<b>Test Results</b>
CL2150			
<b>Aquatic</b>			
Crustacea	LC50	Ceriodaphnia dubia	18.1 mg/l, 48 hours
		Daphnia magna	10.7 mg/l, 48 hours
		Daphnia pulex	17 mg/l, 48 hours
		Opossum shrimp order (Mysida)	46.1 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	18.6 mg/l, 96 hours
		Fathead minnow (Pimephales promelas)	8.7 mg/l, 48 hours
		Rainbow Trout	12.6 mg/l, 96 hours
		Sheepshead minnow (Cyprinodon variegatus)	70.7 mg/l, 96 hours
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.		
<b>Bioaccumulative potential</b>	No data available.		
<b>Mobility in soil</b>	No data available.		
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

<b>DOT</b>	
<b>UN number</b>	UN1760
<b>UN proper shipping name</b>	CORROSIVE LIQUIDS, N.O.S. (5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one)
<b>Transport hazard class(es)</b>	
Class	8
Subsidiary risk	-
<b>Packing group</b>	II
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	B2, IB1, T11, TP2, TP27
<b>Packaging exceptions</b>	154
<b>Packaging non bulk</b>	202

**Packaging bulk** 242

**IATA**

**UN number** UN1760

**UN proper shipping name** CORROSIVE LIQUIDS, N.O.S. (5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one)

**Transport hazard class(es)**

**Class** 8

**Subsidiary risk** -

**Packing group** II

**Environmental hazards** No.

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**IMDG**

**UN number** UN1760

**UN proper shipping name** CORROSIVE LIQUIDS, N.O.S. (5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one)

**Transport hazard class(es)**

**Class** 8

**Subsidiary risk** -

**Packing group** II

**Environmental hazards**

**Marine pollutant** No.

**EmS** Not available.

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**DOT**



**IATA; IMDG**



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Toxic Substances Control Act (TSCA)

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2-methyl-4- Isothiazolin-3-one (CAS 2682-20-4)	1.0 % One-Time Export Notification only.
5-chlor-2-methyl-4-isothiazolin-3-one (CAS 26172-55-4)	1.0 % One-Time Export Notification only.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.



**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical**      Yes

**Classified hazard categories**      Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitization

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)**      Not regulated.

**US state regulations**

**California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Compliance Information: Halal**

**Compliance Information: Kosher**

This product is certified by the Orthodox Union as Kosher pareve

Eldridge IA  
Ashland VA  
Nederland TX  
Fontana CA

**Compliance Information: Biocide Regulation**

Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), EPA Registration Number: 15300-24.

**16. Other information, including date of preparation or last revision**

**Issue date** 09-29-2022

**Version #** 01

**HMIS® ratings** Health: 3  
Flammability: 0  
Physical hazard: 0  
Personal protection: X

**Disclaimer** ChemTreat cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.

**Other information** Prepared by: Product Compliance Department; [ProductCompliance@chemtreat.com](mailto:ProductCompliance@chemtreat.com)



# SAFETY DATA SHEET

## 1. Identification

Product identifier CL41  
Other means of identification  
Product code CL41  
Recommended use Cooling Water Microbiocide  
Recommended restrictions None known.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

Company name ChemTreat  
Address 5640 Cox Road  
Glen Allen, VA 23060  
United States  
Telephone 800-648-4579  
E-mail Not available.  
Emergency phone number 800-424-9300

## 2. Hazard(s) identification

Physical hazards Not classified.  
Health hazards Not classified.  
Environmental hazards Not classified.  
OSHA defined hazards Not classified.

#### Label elements

Hazard symbol None.  
Signal word None.  
Hazard statement The mixture does not meet the criteria for classification.  
Precautionary statement  
Prevention Observe good industrial hygiene practices.  
Response Wash hands after handling.  
Storage Store away from incompatible materials.  
Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information 40% of the mixture consists of component(s) of unknown acute oral toxicity. 40% of the mixture consists of component(s) of unknown acute dermal toxicity. 40% of the mixture consists of component(s) of unknown acute inhalation toxicity.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Sodium bromide		7647-15-6	40 - < 50
Other components below reportable levels			60 - < 70

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.  
Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.  
Eye contact Rinse with water. Get medical attention if irritation develops and persists.  
Ingestion Rinse mouth. Get medical attention if symptoms occur.

<b>Most important symptoms/effects, acute and delayed</b>	Direct contact with eyes may cause temporary irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p>
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

<b>Occupational exposure limits</b>	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

Physical state	Liquid.
Form	Liquid. Liquid
Color	Not available.
Odor	Odorless
Odor threshold	Not available.
pH	7.5
Melting point/freezing point	1391 °F (755 °C) estimated / < -11.20 °F (< -24.00 °C) <
Initial boiling point and boiling range	2534 °F (1390 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	0 - 100 cps
Other information	
Density	11.94 lbs/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Pounds per gallon	11.94
Specific gravity	1.38 - 1.44 @ 20C
VOC	0 %w/w

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
------------	--

<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Direct contact with eyes may cause temporary irritation.
<b>Information on toxicological effects</b>	
<b>Acute toxicity</b>	Not known.
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Not listed.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b>	
Not regulated.	
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>	
Not listed.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
CL41		
<b>Aquatic</b>		
Crustacea	LC50	Ceriodaphnia dubia 7650 mg/l, 48 hours Opossum shrimp order (Mysida) > 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) > 10000 mg/l, 96 hours Sheepshead minnow (Cyprinodon variegatus) > 10000 mg/l, 96 hours

<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	D002: Waste Corrosive material [pH <=2 or >=12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

## 15. Regulatory information

**US federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Toxic Substances Control Act (TSCA)

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** No

#### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### Compliance Information: Halal

**Compliance Information: Kosher**

This product is certified by the Orthodox Unionas Kosher pareve

Eldridge IA  
Ashland VA  
Eldridge IA  
Nederland TX  
Fontana CA

**Compliance Information: Biocide Regulation**

PMRA biocide registration NO. 30146. Registered pesticide under 40 CFR 152.10, Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), EPA Registration Number: 15300-26.

**16. Other information, including date of preparation or last revision**

**Issue date** 10-27-2022

**Version #** 01

**HMIS® ratings** Health: 0  
Flammability: 0  
Physical hazard: 0  
Personal protection: X

**Disclaimer** ChemTreat cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.

**Other information** Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com



## 1. Identification

<b>Product identifier</b>	CL6859
<b>Other means of identification</b>	
<b>Product code</b>	CL6859
<b>Recommended use</b>	Cooling Water Treatment
<b>Recommended restrictions</b>	None known.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Manufacturer</b>	
<b>Company name</b>	ChemTreat
<b>Address</b>	5640 Cox Road Glen Allen, VA 23060 United States
<b>Telephone</b>	800-648-4579
<b>E-mail</b>	Not available.
<b>Emergency phone number</b>	800-424-9300

## 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Skin corrosion/irritation	Category 1C
	Serious eye damage/eye irritation	Category 1
	Reproductive toxicity	Category 2
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	Not classified.	

**Label elements**



<b>Signal word</b>	Danger
<b>Hazard statement</b>	Causes severe skin burns and eye damage. Causes serious eye damage. Suspected of damaging fertility or the unborn child.
<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response</b>	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	18.9% of the mixture consists of component(s) of unknown acute oral toxicity. 30.65% of the mixture consists of component(s) of unknown acute dermal toxicity. 20.3% of the mixture consists of component(s) of unknown acute inhalation toxicity. 23.9% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 21.65% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-Butenedioic acid (Z)-, homopolymer		26099-09-2	5 - < 10
Potassium Hydroxide		1310-58-3	5 - < 10
Tetrapotassium pyrophosphate		7320-34-5	3 - < 5
Chlorotolyltriazole sodium salt		202420-04-0	1 - < 3
Other components below reportable levels			80 - < 90

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Most important symptoms/effects, acute and delayed</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p>
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Potassium Hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Potassium Hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m <sup>3</sup>

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

#### Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

**Physical state** Liquid.

**Form** Liquid. Liquid

**Color** Amber

**Odor** Mild

**Odor threshold** Not available.

**pH** 13.2 @ 100%

**Melting point/freezing point** 30.20 °F (-1.00 °C)

**Initial boiling point and boiling range** 210.2 °F (99 °C) estimated

**Flash point** 212.0 °F (100.0 °C) estimated

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not applicable.

**Upper/lower flammability or explosive limits**

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	0 - 200 cps
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	68.46 % estimated
Pounds per gallon	9.74
Specific gravity	1.17 @ 20C
VOC	0.04 % estimated

**10. Stability and reactivity**

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents. Maleic anhydride.
Hazardous decomposition products	No hazardous decomposition products are known.

**11. Toxicological information****Information on likely routes of exposure**

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**Information on toxicological effects**

Acute toxicity Not known.

Components	Species	Test Results
------------	---------	--------------

Potassium Hydroxide (CAS 1310-58-3)

**Acute**

Oral

LD50

Rat

1.23 g/kg

<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Not listed.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)</b>	
Not regulated.	
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>	
Not listed.	
<b>Reproductive toxicity</b>	Suspected of damaging fertility or the unborn child.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

## 12. Ecological information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of any ingredients in the mixture.
<b>Bioaccumulative potential</b>	
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

<b>UN number</b>	UN1760
<b>UN proper shipping name</b>	CORROSIVE LIQUID, N.O.S. (Chlorotolyltriazole sodium salt and Potassium Hydroxide RQ = 14815 LBS)
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	274

## IATA

UN number UN1760  
UN proper shipping name CORROSIVE LIQUID, N.O.S. (Chlorotolyltriazole sodium salt and Potassium Hydroxide)  
Transport hazard class(es)  
Class 8  
Subsidiary risk -  
Packing group III  
Environmental hazards No.  
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

## IMDG

UN number UN1760  
UN proper shipping name CORROSIVE LIQUID, N.O.S. (Chlorotolyltriazole sodium salt and Potassium Hydroxide)  
Transport hazard class(es)  
Class 8  
Subsidiary risk -  
Packing group III  
Environmental hazards  
Marine pollutant No.  
EmS Not available.  
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.  
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

## DOT



## IATA; IMDG



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Toxic Substances Control Act (TSCA)

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Potassium Hydroxide (CAS 1310-58-3) Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes**Classified hazard categories** Skin corrosion or irritation  
Serious eye damage or eye irritation  
Reproductive toxicity**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations****California Proposition 65**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Compliance Information: Halal****Compliance Information: Kosher**

This product is certified by the Orthodox Unionas Kosher pareve

Eldridge IA  
Ashland VA  
Eldridge IA**16. Other information, including date of preparation or last revision**

Issue date 07-15-2021

Material name: CL6859

CL6859 Version #: 01 Issue date: 07-15-2021

SDS US

7 / 8

**Version #** 01  
**HMIS® ratings** Health: 3  
Flammability: 1  
Physical hazard: 0  
Personal protection: X

**Disclaimer** ChemTreat cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.

**Other information** Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com



# **Chemical Additives to Potable Water Used for Evaporative Cooling at Battery Plant and Stamping Plant**

- **3D Trasar™ 3DT231**
  - **Nalco® 7330**
  - **Stabrex™ ST70**

## SAFETY DATA SHEET

**3D TRASAR™ 3DT231**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3D TRASAR™ 3DT231

Other means of identification : Not applicable.

Recommended use : COOLING WATER TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630)305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 08/10/2018

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion : Category 1A  
Serious eye damage : Category 1

#### GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

**Response:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

**Storage:**

Store locked up. Protect product from freezing.

**Disposal:**

# SAFETY DATA SHEET

## 3D TRASAR™ 3DT231

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Concentration: (%)
Phosphoric Acid	7664-38-2	1 - 5
Sulfuric Acid	7664-93-9	1 - 5
Substituted aromatic amine	Proprietary	1 - 5

### Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Carbon oxides
- Special protective equipment for firefighters : Use personal protective equipment.

# SAFETY DATA SHEET

## 3D TRASAR™ 3DT231

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

Unsuitable material : not determined

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Phosphoric Acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	ACGIH
		STEL	3 mg/m <sup>3</sup>	ACGIH
		TWA	1 mg/m <sup>3</sup>	NIOSH REL
		STEL	3 mg/m <sup>3</sup>	NIOSH REL
Sulfuric Acid	7664-93-9	TWA	1 mg/m <sup>3</sup>	OSHA Z1
		TWA (Thoracic fraction)	0.2 mg/m <sup>3</sup>	ACGIH
		TWA	1 mg/m <sup>3</sup>	NIOSH REL
		TWA	1 mg/m <sup>3</sup>	OSHA Z1

## SAFETY DATA SHEET

### 3D TRASAR™ 3DT231

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : clear

Odour : Organic

Flash point : Not applicable.

pH : 1.1

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -4.6 °C, ASTM D-1177

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : 9.60 hPa, (0 °C), ASTM D-2879,  
30.7 hPa, (20 °C),  
72 hPa, (37.8 °C),  
180 hPa, (65.6 °C),  
706 hPa, (93.3 °C),  
1,010 hPa, (103.3 °C),

## SAFETY DATA SHEET

### 3D TRASAR™ 3DT231

Relative vapour density	: no data available
Relative density	: 1.13, (15.5 °C),
Density	: 9.4 lb/gal
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: 4.14 mPa.s (20 °C), Method: ASTM D-445
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Do not mix with bleach or other chlorinated products – will cause chlorine gas.
Conditions to avoid	: Extremes of temperature
Incompatible materials	: Bases Contact with strong alkalies (e.g. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanide, sulfide, hypochlorites, chlorites) may generate heat, splattering or boiling and toxic vapors.
Hazardous decomposition products	: Oxides of carbon

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### 3D TRASAR™ 3DT231

#### Experience with human exposure

Eye contact	:	Redness, Pain, Corrosion
Skin contact	:	Redness, Pain, Corrosion
Ingestion	:	Corrosion, Abdominal pain
Inhalation	:	Respiratory irritation, Cough

#### Toxicity

##### Product

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	no data available
Skin corrosion/irritation	:	no data available
Serious eye damage/eye irritation	:	no data available
Respiratory or skin sensitization	:	no data available
Carcinogenicity	:	no data available
Reproductive effects	:	no data available
Germ cell mutagenicity	:	no data available
Teratogenicity	:	no data available
STOT - single exposure	:	no data available
STOT - repeated exposure	:	no data available
Aspiration toxicity	:	no data available

##### **Components**

Acute dermal toxicity	:	Phosphoric Acid LD50 rabbit: > 2,000 mg/kg  Substituted aromatic amine LD50: > 10,000 mg/kg
-----------------------	---	---

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects	:	This product has no known ecotoxicological effects.
-----------------------	---	---

#### Product

Toxicity to fish	:	LC50 Fathead Minnow: 2,387 mg/l Exposure time: 96 hrs Test substance: Product
------------------	---	---

# SAFETY DATA SHEET

**3D TRASAR™ 3DT231**

NOEC Fathead Minnow: 1,800 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Rainbow Trout: 758 mg/l  
Exposure time: 96 h  
Test substance: Product

NOEC Rainbow Trout: 500 mg/l  
Exposure time: 96 h  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Ceriodaphnia dubia: 2,208 mg/l  
Exposure time: 48 hrs  
Test substance: Product

LOEC Ceriodaphnia dubia: 1,800 mg/l  
Exposure time: 48 hrs  
Test substance: Product

## Components

Toxicity to algae : Phosphoric Acid  
EC50 Desmodesmus subspicatus (green algae): > 100 mg/l  
Exposure time: 72 h

Substituted aromatic amine  
EC50 algae: 15.4 mg/l  
Exposure time: 72 h

## Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Substituted aromatic amine  
NOEC: 0.97 mg/l  
Exposure time: 21 d

## Persistence and degradability

Total Organic Carbon (TOC) : 66,000 mg/l

Chemical Oxygen Demand (COD): 170,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period	Value	Test Descriptor
5 d	3,300 mg/l	

## Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.



# SAFETY DATA SHEET

## 3D TRASAR™ 3DT231

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5%  
Water : 10 - 30%  
Soil : 70 - 90%

The portion in water is expected to be soluble or dispersible.

### Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

### Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: : D002

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Technical name(s) : PHOSPHORIC ACID, SULFURIC ACID  
UN/ID No. : UN 3264  
Transport hazard class(es) : 8  
Packing group : III  
Reportable Quantity (per package) : 53,328 lbs  
RQ Component : SULFURIC ACID

### Air transport (IATA)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Technical name(s) : PHOSPHORIC ACID, SULFURIC ACID  
UN/ID No. : UN 3264  
Transport hazard class(es) : 8

# SAFETY DATA SHEET

## 3D TRASAR™ 3DT231

Packing group : III  
Reportable Quantity (per package) : 53,328 lbs  
RQ Component : SULFURIC ACID

### Sea transport (IMDG/IMO)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
Technical name(s) : PHOSPHORIC ACID, SULFURIC ACID  
UN/ID No. : UN 3264  
Transport hazard class(es) : 8  
Packing group : III

## Section: 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric Acid	7664-93-9	1000	53645

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulfuric Acid	7664-93-9	1000	53645

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : The following components are subject to reporting levels established by SARA Title III, Section 302:  
Sulfuric Acid 7664-93-9

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
Sulfuric Acid 7664-93-9 1 - 5 %

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### United States TSCA Inventory

# SAFETY DATA SHEET

## 3D TRASAR™ 3DT231


The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

### Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

### Section: 16. OTHER INFORMATION

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 08/10/2018  
Version Number : 1.5  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : NALCO® 7330

Other means of identification : Not applicable.

Recommended use : BIOCIDE

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630)305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 01/22/2019

**Section: 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Acute toxicity (Inhalation) : Category 4  
Skin corrosion : Category 1B  
Serious eye damage : Category 1  
Skin sensitization : Category 1

**GHS Label element**

Hazard pictograms :



Signal Word :

Danger

Hazard Statements :

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Harmful if inhaled.

Precautionary Statements :

**Prevention:**

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# SAFETY DATA SHEET

**NALCO® 7330**

Immediately call a POISON CENTER or doctor/ physician. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse.

**Storage:**  
Store locked up.

**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Magnesium Nitrate	10377-60-3	1 - 5
5-Chloro-2-Methyl-4-Isothiazolin-3-one	26172-55-4	1.1
2-Methyl-4-Isothiazolin-3-one	2682-20-4	0.4

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

## SAFETY DATA SHEET

**NALCO® 7330**

- Hazardous combustion products : Carbon oxides nitrogen oxides (NOx) Hydrogen chloride metal oxides
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. DEACTIVATION SOLUTION - prepare a fresh solution of 5% sodium bicarbonate and 5% sodium hypochlorite in water (i.e. add 50 grams of sodium bicarbonate per 1 liter of household bleach, seal container then shake well for 1 minute) away from the immediate area of spill. Prepare 10 times the estimated volume of the residual spill. The materials and equipment for preparing solutions should be kept available for use in areas where spills may occur.

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: HDPE (high density polyethylene), PTFE, Perfluoroelastomer, Polyvinylidene difluoride, Polypropylene, CPVC (rigid), Plexiglass
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Carbon steel, Stainless Steel 304, Stainless Steel 316L, Nitrile, Brass, Nylon, Neoprene, EPDM, Fluoroelastomer, Plasite 7122

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

## SAFETY DATA SHEET

**NALCO® 7330**

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
butyl-rubber  
Nitrile rubber  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid  
Colour : colourless  
Odour : pungent  
Flash point : Not applicable.  
pH : 2 - 5  
Odour Threshold : no data available  
Melting point/freezing point : -4 °C, ASTM D-1177  
Initial boiling point and boiling range : 100 °C, Method: ASTM D 86  
Evaporation rate : no data available  
Flammability (solid, gas) : no data available  
Upper explosion limit : no data available  
Lower explosion limit : no data available  
Vapour pressure : similar to water  
Relative vapour density : no data available  
Relative density : 1.026, (25 °C),  
Density : 8.5 lb/gal

## SAFETY DATA SHEET

### NALCO® 7330

Water solubility	:	completely soluble
Solubility in other solvents	:	no data available
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Thermal decomposition	:	no data available
Viscosity, dynamic	:	3 mPa.s (25 °C)
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	0 %, EPA Method 24

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors.
Hazardous decomposition products	:	In case of fire, hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx) metal oxides Hydrogen chloride

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	:	Causes serious eye damage.
Skin	:	Causes severe skin burns. May cause allergic skin reaction.
Ingestion	:	Causes digestive tract burns.
Inhalation	:	Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	:	Health injuries are not known or expected under normal use.

#### Experience with human exposure



## SAFETY DATA SHEET

### NALCO® 7330

- Eye contact : Redness, Pain, Corrosion
- Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions
- Ingestion : Corrosion, Abdominal pain
- Inhalation : Respiratory irritation, Cough

#### Toxicity

##### Product

- Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
- Acute inhalation toxicity : LC50 rat: 13.7 mg/l  
Exposure time: 4 hrs  
Test atmosphere: vapour  
Test substance: Product
- LC50: 13.7 mg/l  
Test atmosphere: vapour
- Acute toxicity estimate: 20.39 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist
- Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
- Skin corrosion/irritation : no data available
- Serious eye damage/eye irritation : no data available
- Respiratory or skin sensitization : no data available
- Carcinogenicity : no data available
- Reproductive effects : no data available
- Germ cell mutagenicity : no data available
- Teratogenicity : no data available
- STOT - single exposure : no data available
- STOT - repeated exposure : no data available
- Aspiration toxicity : no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

- Environmental Effects : Very toxic to aquatic life.

#### Product

- Toxicity to fish : LC50 *Cyprinodon variegatus* (sheepshead minnow): 32.000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

## SAFETY DATA SHEET

**NALCO® 7330**

LC50 Pimephales promelas (fathead minnow): 8 mg/l  
Exposure time: 144 hrs  
Test substance: Product (estimated)

LC50 Lepomis macrochirus (Bluegill sunfish): 18.67 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Rainbow Trout: 12.67 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Inland Silverside: 16.62 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Cyprinodon variegatus (sheepshead minnow): 0.3 mg/l  
Exposure time: 96 hrs  
Test substance: Active Substance

NOEC Cyprinodon variegatus (sheepshead minnow): 18.000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Inland Silverside: 12.5 mg/l  
Exposure time: 96 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Mysid Shrimp (Mysidopsis bahia): 18.000 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Ceriodaphnia dubia: 13 mg/l  
Exposure time: 48 hrs  
Test substance: Product

LC50 Daphnia magna (Water flea): 8.7 - 12 mg/l  
Exposure time: 48 hrs  
Test substance: Product (estimated)

LC50 Blue Mussel: 865 mg/l  
Exposure time: 48 hrs  
Test substance: Product (estimated)

LC50 American Oyster: 1,730 mg/l  
Exposure time: 48 hrs  
Test substance: Product (estimated)

NOEC Mysid Shrimp (Mysidopsis bahia): < 10 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Ceriodaphnia dubia: 10 mg/l  
Exposure time: 48 hrs

# SAFETY DATA SHEET

**NALCO® 7330**

Test substance: Product (estimated)

Toxicity to algae : EC50 Marine Algae (*Skeletonema costatum*): 0.003 mg/l  
Exposure time: 72 h  
Test substance: Active Substance

EC50 Green Algae (*Pseudokirchneriella subcapitata*,  
previously *Selenastrum capricornutum*): 0.018 mg/l  
Exposure time: 72 h  
Test substance: Active Substance

## Persistence and degradability

Total Organic Carbon (TOC) : 7,850 mg/l

Chemical Oxygen Demand (COD): 20,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period	Value	Test Descriptor
	20 mg/l	

## Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	: <5%
Water	: 30 - 50%
Soil	: 50 - 70%

The portion in water is expected to be soluble or dispersible.

## Bioaccumulative potential

no data available

## Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

## SAFETY DATA SHEET

**NALCO® 7330**

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
Technical name(s) : 5-Chloro-2-Methyl-4-Isothiazolin-3-one  
UN/ID No. : UN 3265  
Transport hazard class(es) : 8  
Packing group : II

#### Air transport (IATA)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
Technical name(s) : 5-Chloro-2-Methyl-4-Isothiazolin-3-one  
UN/ID No. : UN 3265  
Transport hazard class(es) : 8  
Packing group : II

#### Sea transport (IMDG/IMO)

Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
Technical name(s) : 5-Chloro-2-Methyl-4-Isothiazolin-3-one  
UN/ID No. : UN 3265  
Transport hazard class(es) : 8  
Packing group : II

\*Marine pollutant : 5-Chloro-2-Methyl-4-Isothiazolin-3-one

\* Note: This product is regulated as a Marine Pollutant when shipped by Rail or Highway (in bulk quantities), and when shipped by water in all quantities.

### Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 5-Chloro-2-Methyl-4-Isothiazolin-3-one

EPA Reg. No. : 1706-153

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

## SAFETY DATA SHEET

**NALCO® 7330**

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation
- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### INTERNATIONAL CHEMICAL CONTROL LAWS :

#### United States TSCA Inventory

This product is exempted under TSCA and regulated under FIFRA. The inerts are on the Inventory List.

#### Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

#### Canadian Domestic Substances List (DSL)

Substances regulated under the Pest Control Products Act are exempt from CEPA New Substance Notification requirements.

#### Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

#### Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

#### China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

#### Taiwan Chemical Substance Inventory


All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

**Section: 16. OTHER INFORMATION**

# SAFETY DATA SHEET

**NALCO® 7330**

## NFPA:



Special hazard.

## HMIS III:

<b>HEALTH</b>	<b>3*</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 01/22/2019  
Version Number : 1.6  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

## SAFETY DATA SHEET

### STABREX™ ST70

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STABREX™ ST70

Other means of identification : Not applicable.

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 09/11/2019

#### Section: 2. HAZARDS IDENTIFICATION

##### GHS Classification

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin corrosion : Category 1  
Serious eye damage : Category 1

##### GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Harmful if swallowed or if inhaled  
Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

## STABREX™ ST70

Other hazards : None known.

### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Sodium Bromide	7647-15-6	9.23
Sodium Hypochlorite	7681-52-9	6.36
Sodium Chloride	7647-14-5	1 - 5
Sodium Hydroxide	1310-73-2	1 - 5

### Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention.
- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.



# SAFETY DATA SHEET

## STABREX™ ST70

### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. DO NOT discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. The requirements of applicable laws should be determined before using the product.
- Methods and materials for containment and cleaning up : Clean-up methods - small spillage Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean-up methods - large spillage For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of material in compliance with regulations indicated in Section 13 (Disposal Considerations).

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Mixing this product with acid or ammonia releases chlorine gas.
- Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Polyethylene, Polypropylene, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use., HDPE (high density polyethylene), Neoprene, PVC, Polyurethane, Chlorosulfonated polyethylene rubber, Fluoroelastomer
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Buna-N, EPDM, Stainless Steel 316L, Stainless Steel 304, 100% phenolic resin liner, Epoxy phenolic resin, Mild steel

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Sodium Hypochlorite	7681-52-9	STEL	2 mg/m <sup>3</sup>	AIHA WEEL

# SAFETY DATA SHEET

## STABREX™ ST70

Sodium Hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety goggles  
Face-shield

Hand protection : Wear the following personal protective equipment:  
butyl-rubber  
Neoprene gloves  
Nitrile rubber  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Combined particulates and inorganic gas/vapour type

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid  
Colour : light yellow  
Odour : odourless  
Flash point : Not applicable.  
pH : 13.0  
Odour Threshold : no data available  
Melting point/freezing point : -8.2 °C, ASTM D-1177  
Initial boiling point and boiling range : no data available  
Evaporation rate : no data available  
Flammability (solid, gas) : no data available  
Upper explosion limit : no data available  
Lower explosion limit : no data available  
Vapour pressure : 7.7 mm Hg, (25 °C), ASTM D 2879-86,  
27 mm Hg, (46 °C), ASTM D 2879-86,

## SAFETY DATA SHEET

### STABREX™ ST70

Relative vapour density	: no data available
Relative density	: 1.305 - 1.380, (25 °C), ASTM D-1298
Density	: 11.0 - 11.3 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: 7 mPa.s
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: 0 %, EPA Method 24

### Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Mixing this product with acid or ammonia releases chlorine gas.
Conditions to avoid	: Avoid extremes of temperature. Heat and light which can accelerate decomposition. Freezing temperatures.
Incompatible materials	: None known.

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Harmful if swallowed. Causes digestive tract burns.
Inhalation	: Harmful if inhaled. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

## SAFETY DATA SHEET

### STABREX™ ST70

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

#### Toxicity

##### Product

Acute oral toxicity : LD50 rat: 1,500 mg/kg  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Skin corrosion/irritation : Species: rabbit  
Result: 7.9  
Method: Draize Test  
Test substance: Similar Product  
Serious eye damage/eye irritation : Species: rabbit  
Result: Corrosive  
Method: Draize Test  
Test substance: Similar Product  
Respiratory or skin sensitization : no data available  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : Toxic to aquatic life.

#### Product

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): 4.5 mg/l  
Exposure time: 96 hrs  
Test substance: Product  
LC50 Cyprinodon variegatus (sheepshead minnow): 16 mg/l  
Exposure time: 96 hrs  
Test substance: Product

## SAFETY DATA SHEET

### STABREX™ ST70

LC50 Pimephales promelas (fathead minnow): 8.3 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Oncorhynchus mykiss (rainbow trout): 1.3 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Cyprinodon variegatus (sheepshead minnow): 8 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Pimephales promelas (fathead minnow): 3.6 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Pimephales promelas (fathead minnow): 7.1 mg/l  
Exposure time: 48 hrs  
Test substance: Product

NOEC Pimephales promelas (fathead minnow): 5.0 mg/l  
Exposure time: 48 hrs  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Daphnia magna (Water flea): 4.3 mg/l  
Exposure time: 48 hrs  
Test substance: Product

LC50 Mysid Shrimp (Mysidopsis bahia): 27 mg/l  
Exposure time: 96 hrs  
Test substance: Product

LC50 Ceriodaphnia dubia: 1.6 mg/l  
Exposure time: 48 hrs  
Test substance: Product

EC50 Daphnia magna (Water flea): 4.2 mg/l  
Exposure time: 48 hrs  
Test substance: Product

NOEC Daphnia magna (Water flea): 2.2 mg/l  
Exposure time: 48 hrs  
Test substance: Product

NOEC Mysid Shrimp (Mysidopsis bahia): 13 mg/l  
Exposure time: 96 hrs  
Test substance: Product

NOEC Ceriodaphnia dubia: 0.63 mg/l  
Exposure time: 48 hrs  
Test substance: Product

Toxicity to algae : LC50 Green Algae (Pseudokirchneriella subcapitata, previously Selenastrum capricornutum): 3.66 mg/l  
Exposure time: 72 hrs

## SAFETY DATA SHEET

### STABREX™ ST70

Test substance: Product

NOEC Green Algae (*Pseudokirchneriella subcapitata*,  
previously *Selenastrum capricornutum*): 2.5 mg/l

Exposure time: 72 hrs

Test substance: Product

Toxicity to fish (Chronic toxicity) : EC25 / IC25: 3.34 mg/l  
Exposure time: 7 Days  
Species: Fathead Minnow  
Test substance: Product

LOEC: 5 mg/l

Exposure time: 7 Days

Species: Fathead Minnow

Test substance: Product

NOEC: 2.5 mg/l

Exposure time: 7 Days

Species: Fathead Minnow

Test substance: Product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC25 / IC25: 15.6 mg/l  
Species: *Ceriodaphnia dubia*  
Test substance: Product  
Test Type: 3 Brood

NOEC: 2.5 mg/l

Species: *Ceriodaphnia dubia*

Test substance: Product

Test Type: 3 Brood

LOEC: 5.0 mg/l

Species: *Ceriodaphnia dubia*

Test substance: Product

Test Type: 3 Brood

NOEC: 20.0 mg/l

Species: *Ceriodaphnia dubia*

Test substance: Product

Test Type: 3 Brood

LOEC: 40.0 mg/l

Species: *Ceriodaphnia dubia*

Test substance: Product

Test Type: 3 Brood

#### Persistence and degradability

Chemical Oxygen Demand (COD): 89,900 mg/l

Biochemical Oxygen Demand (BOD): This material is an oxidizing biocide and is not expected to persist in the environment.

## SAFETY DATA SHEET

### STABREX™ ST70

#### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	:	<5%
Water	:	30 - 50%
Soil	:	30 - 50%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

#### Other information

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste:	:	D002
Disposal methods	:	The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Proper shipping name	:	SODIUM HYDROXIDE SOLUTION
Technical name(s)	:	
UN/ID No.	:	UN 1824
Transport hazard class(es)	:	8
Packing group	:	II
Reportable Quantity (per	:	15,625 lbs

# SAFETY DATA SHEET

## STABREX™ ST70

package)  
RQ Component : Sodium Hydroxide

### Air transport (IATA)

Proper shipping name : SODIUM HYDROXIDE SOLUTION  
Technical name(s) :  
UN/ID No. : UN 1824  
Transport hazard class(es) : 8  
Packing group : II  
Reportable Quantity (per package) : 15,625 lbs  
RQ Component : Sodium Hydroxide

### Sea transport (IMDG/IMO)

Proper shipping name : SODIUM HYDROXIDE SOLUTION  
Technical name(s) :  
UN/ID No. : UN 1824  
Transport hazard class(es) : 8  
Packing group : II

## Section: 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

**EPA Reg. No.** : 1706-179

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Hydroxide	1310-73-2	1000	15625

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65



## SAFETY DATA SHEET

### STABREX™ ST70

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### United States TSCA Inventory

This product is exempted under TSCA and regulated under FIFRA. The inerts are on the Inventory List.

##### Canadian Domestic Substances List (DSL)

Substances regulated under the Pest Control Products Act are exempt from CEPA New Substance Notification requirements.

##### Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

##### Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

##### China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

##### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

##### Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

##### Taiwan Chemical Substance Inventory


All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

#### Section: 16. OTHER INFORMATION

# SAFETY DATA SHEET

## STABREX™ ST70

### NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 09/11/2019  
Version Number : 1.6  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.

# **Chemical Additives to Potable Water Used to Produce Steam at Central Utility Plant**

- **BL 1544**
- **BL 1301**
- **BL 1285**
- **BL 8750**



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** BL1544

**Other means of identification**  
**Product code** ChemTreat BL1544

**Recommended use** Steam Line Treatment 2

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**  
**Manufacturer**

**Company name** ChemTreat  
**Address** 5640 Cox Road  
Glen Allen, VA 23060  
United States

**Telephone** 800-648-4579  
**E-mail** Not available.

**Emergency phone number** 800-424-9300

## 2. Hazard(s) identification

<b>Physical hazards</b>	Flammable liquids	Category 4
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
	Reproductive toxicity	Category 2
	Specific target organ toxicity, single exposure	Not classified
	Specific target organ toxicity, repeated exposure	Not classified
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Not applicable
	Hazardous to the aquatic environment, long-term hazard	Not applicable
<b>OSHA defined hazards</b>	Not classified.	

### Label elements



**Signal word** Danger

**Hazard statement** Flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. Toxic if inhaled. May cause respiratory irritation. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

<b>Precautionary statement</b>	
<b>Prevention</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response</b>	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
<b>Storage</b>	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
<b>Supplemental information</b>	% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-diethylaminoethanol	DIETHYL ETHANOLAMINE	100-37-8	15 - 40
Cyclohexylamine		108-91-8	15 - 40
Other components below reportable levels			40 - 70

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Most important symptoms/effects, acute and delayed</b>	Dizziness. Nausea, vomiting. Diarrhea. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing. Prolonged exposure may cause chronic effects.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Alcohol resistant foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
-------------------------------------	--

<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Flammable liquid and vapor.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.  Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
<b>Environmental precautions</b>	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".

### Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-diethylaminoethanol (CAS 100-37-8)	PEL	50 mg/m <sup>3</sup>
		10 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
2-diethylaminoethanol (CAS 100-37-8)	TWA	2 ppm
Cyclohexylamine (CAS 108-91-8)	TWA	10 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-diethylaminoethanol (CAS 100-37-8)	TWA	50 mg/m <sup>3</sup>
		10 ppm
Cyclohexylamine (CAS 108-91-8)	TWA	40 mg/m <sup>3</sup>
		10 ppm

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

#### US - California OELs: Skin designation

2-diethylaminoethanol (CAS 100-37-8)	Can be absorbed through the skin.
Cyclohexylamine (CAS 108-91-8)	Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

2-diethylaminoethanol (CAS 100-37-8)

Skin designation applies.

**US - Tennessee OELs: Skin designation**

2-diethylaminoethanol (CAS 100-37-8)

Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

2-diethylaminoethanol (CAS 100-37-8)

Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

2-diethylaminoethanol (CAS 100-37-8)

Can be absorbed through the skin.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

2-diethylaminoethanol (CAS 100-37-8)

Can be absorbed through the skin.

**Appropriate engineering controls**

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Chemical respirator with organic vapor cartridge and full facepiece.

**Skin protection****Hand protection**

Wear appropriate chemical resistant gloves.

**Other**

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection**

Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Observe any medical surveillance requirements. When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance****Physical state**

Liquid.

**Form**

Liquid.

**Color**

Not available.

**Odor**

Not available.

**Odor threshold**

Not available.

**pH**

12.5

**Melting point/freezing point**

-94 °F (-70 °C) estimated / 27 °F (-2.78 °C)

**Initial boiling point and boiling range**

212 °F (100 °C)

**Flash point**

149.0 °F (65.0 °C)

**Evaporation rate**

Not available.

**Flammability (solid, gas)**

Not applicable.

**Upper/lower flammability or explosive limits****Flammability limit - lower (%)**

Not available.

**Flammability limit - upper (%)**

Not available.

**Explosive limit - lower (%)**

Not available.

**Explosive limit - upper (%)**

Not available.

**Vapor pressure**

3.83 hPa estimated

**Vapor density**

Not available.

**Relative density**

Not available.

**Solubility(ies)****Solubility (water)**

100 %



Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	560 °F (293.33 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
<b>Other information</b>	
Density	8.02 lbs/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Oxidizing properties	Not oxidizing.
Percent volatile	75 % estimated
Specific gravity	0.96
VOC	25 % estimated

## 10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Strong acids. Strong oxidizing agents. Oxidizing agents. Aluminum.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Toxic if inhaled.
Skin contact	Toxic in contact with skin. Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Dizziness. Nausea, vomiting. Diarrhea. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing.

### Information on toxicological effects

Acute toxicity	Toxic if inhaled. Toxic in contact with skin. Harmful if swallowed.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye damage.
<b>Respiratory or skin sensitization</b>	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Not listed.	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b>	
Not regulated.	
<b>US. National Toxicology Program (NTP) Report on Carcinogens</b>	
Not listed.	
Reproductive toxicity	Suspected of damaging fertility or the unborn child.

Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure.

## 12. Ecological information

Ecotoxicity	Harmful to aquatic life with long lasting effects.		
<b>Product</b>		<b>Species</b>	<b>Test Results</b>
BL1544			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	LC50	Shrimp ( <i>Mysidopsis juniae</i> )	< 1000 mg/l, 48 hours
		Water flea ( <i>Ceriodaphnia dubia</i> )	124.3 mg/l, 48 hours
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> )	654.5 mg/l, 96 hours
		Sheepshead minnow ( <i>Cyprinodon variegatus</i> )	< 1000 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential			
<b>Partition coefficient n-octanol / water (log Kow)</b>			
Cyclohexylamine		1.49	
Mobility in soil	No data available.		
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.		

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

DOT	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. (Cyclohexylamine RQ = 400 LBS, 2-diethylaminoethanol)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8, 3
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, T11, TP2, TP27
Packaging exceptions	None

Packaging non bulk 202  
Packaging bulk 243

**IATA**

UN number UN3267  
UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (2-diethylaminoethanol, Cyclohexylamine)  
Transport hazard class(es)  
Class 8  
Subsidiary risk -  
Packing group II  
Environmental hazards No.  
ERG Code 8L  
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.  
Other information  
Passenger and cargo aircraft Allowed with restrictions.  
Cargo aircraft only Allowed with restrictions.

**IMDG**

UN number UN3267  
UN proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-diethylaminoethanol, Cyclohexylamine)  
Transport hazard class(es)  
Class 8  
Subsidiary risk -  
Packing group II  
Environmental hazards  
Marine pollutant No.  
EmS F-A, S-B  
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.  
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

**DOT**



**IATA; IMDG**



**15. Regulatory information**

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Cyclohexylamine (CAS 108-91-8) Listed.

**SARA 304 Emergency release notification**

CYCLOHEXYLAMINE (CAS 108-91-8) 10000 LBS

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---------------	------------	------------------------------	--------------------------------------	---	---

Cyclohexylamine 108-91-8 10000 10000

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Reproductive toxicity

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Cyclohexylamine (CAS 108-91-8)

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations****California Proposition 65**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Compliance Information: Halal**

This product is certified by Islamic Food and Nutrition Council of America as Halal.



**Compliance Information: Kosher**

This product is certified by the Orthodox Union as Kosher pareve



**Compliance Information: NSF Whitebook**

This product conforms to the requirements of the NSF Nonfood Compounds Registration Program, Registration # 150315; Category G7.

This product conforms to the requirements of the NSF Nonfood Compounds Registration Program, Registration # 150315; Category G7.



**16. Other information, including date of preparation or last revision**

<b>Issue date</b>	04-21-2020
<b>Version #</b>	01
<b>HMIS® ratings</b>	Health: 3* Flammability: 2 Physical hazard: 0
<b>Disclaimer</b>	ChemTreat cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.
<b>Other information</b>	Prepared by: Product Compliance Department; ProductCompliance@chemtreat.com



# SAFETY DATA SHEET

## Section 1. Chemical Product and Company Identification

---

<b>Product Name:</b>	ChemTreat BL1301
<b>Product Use:</b>	Boiler Water Treatment
<b>Supplier's Name:</b>	ChemTreat, Inc.
<b>Emergency Telephone Number:</b>	(800)424-9300 (Toll Free)
<b>Address (Corporate Headquarters):</b>	5640 Cox Road Glen Allen, VA 23060
<b>Telephone Number for Information:</b>	(800)648-4579
<b>Date of SDS:</b>	April 30, 2020
<b>Revision Date:</b>	April 30, 2020
<b>Revision Number:</b>	20043001AN

## Section 2. Hazard(s) Identification

---



<b>Signal Word:</b>	<b>DANGER</b>
<b>GHS Classification(s):</b>	Skin corrosion/irritation – Category 1a Eye damage/irritation – Category 1 Acute Toxicity Oral – Category 4
<b>Hazard Statement(s):</b>	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed.
<b>Precautionary Statement(s):</b>	
<b>Prevention:</b>	P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection.



**Response:**

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
P301 + 330 + 331 IF SWALLOWED: Rinse mouth.  
Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair):  
Remove/take off immediately all contaminated clothing.  
Rinse skin with water/shower  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P363 Wash contaminated clothing before reuse.

**System of Classification Used:**

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise Classified:**

None.

### Section 3. Composition/Hazardous Ingredients

Component	CAS Registry #	Wt. %
Sodium hydroxide	1310-73-2	30 - 60

**Comments**

If chemical identity and/or exact percentage of composition has been withheld, this information is considered to be a trade secret.

### Section 4. First Aid Measures

**Inhalation:**

Remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

**Eyes:**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.



**Skin:** Immediately remove/take off all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before re-use. Immediately call a poison center or doctor/physician.

**Ingestion:** DO NOT INDUCE VOMITING. Rinse mouth. Call a POISON CENTER or doctor/physician.

**Most Important Symptoms:** N/D

**Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary:** N/A

## ***Section 5. Fire Fighting Measures***

---

**Flammability of the Product:** Not flammable.

**Suitable Extinguishing Media:** Use extinguishing media suitable to surrounding fire.

**Specific Hazards Arising from the Chemical:** Use water spray to keep containers cool.

**Protective Equipment:** If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.

## ***Section 6. Accidental Release Measures***

---

**Personal Precautions:** Use appropriate Personal Protective Equipment (PPE).

**Environmental Precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.

**Methods for Cleaning up:** Contain and/or absorb spill with inert material then place in suitable container.

**Other Statements:** If RQ (Reportable Quantity) is exceeded, report to National Spill Response Office at 1-800-424-8802. Reportable Quantity of the product is 156 Gal.





## Section 7. Handling and Storage

---

### Handling:

Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.

### Storage:

Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only.  
Do not Freeze. Store above Freeze Point. If freezes, then must warm to freeze recovery temperature 57°F and then mechanical mixing is required.

## Section 8. Exposure Controls/Personal Protection

---

### Exposure Limits

Component	Source	Exposure Limits
Sodium hydroxide	ACGIH TLV	2 mg/m <sup>3</sup> Ceiling
	OSHA PEL	2 mg/m <sup>3</sup> TWA

### Engineering Controls:

Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.

### Personal Protection

#### Eyes:

Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.

#### Skin:

Maintain quick-drench facilities in work area. Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact.

#### Respiratory:

If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.

## Section 9. Physical and Chemical Properties

---

<b>Physical State and Appearance:</b>	Liquid, Colorless, Clear
<b>Specific Gravity:</b>	1.533 @ 20°C
<b>pH:</b>	14.0 @ 20°C, 1.0%
<b>Freezing Point:</b>	57.2°F
<b>Flash Point:</b>	N/D
<b>Odor:</b>	Mild
<b>Melting Point:</b>	N/A
<b>Initial Boiling Point and Boiling Range:</b>	212°F
<b>Solubility in Water:</b>	Complete
<b>Evaporation Rate:</b>	N/A
<b>Vapor Density:</b>	As Water
<b>Molecular Weight:</b>	N/D
<b>Viscosity:</b>	N/A
<b>Flammability (solid, gas):</b>	N/D
<b>Flammable Limits:</b>	N/A
<b>Autoignition Temperature:</b>	N/A
<b>Density:</b>	12.79 LB/GA
<b>Vapor Pressure:</b>	As Water
<b>% VOC:</b>	0
<b>Odor Threshold</b>	N/D
<b>n-octanol Partition Coefficient</b>	N/D
<b>Decomposition Temperature</b>	N/D

## Section 10. Stability and Reactivity

---

<b>Chemical Stability:</b>	Stable at normal temperatures and pressures.
<b>Incompatibility with Various Substances:</b>	Strong oxidizers, Acids, Prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metal or alloys.
<b>Hazardous Decomposition Products:</b>	Hydrogen, Oxides of sodium.
<b>Possibility of Hazardous Reactions:</b>	None known.
<b>Reactivity:</b>	N/D
<b>Conditions To Avoid:</b>	N/D



## Section 11. Toxicological Information

### Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
Sodium hydroxide	Oral	LD50	300 MG/KG	Rat
	Dermal	LD50	1350 MG/KG	Rabbit

### Carcinogenicity Category

Component	Source	Code	Brief Description
Sodium hydroxide	N/E	N/E	N/E

Likely Routes of Exposure: N/D

### Symptoms

Inhalation: N/D

Eye Contact: N/D

Skin Contact: N/D

Ingestion: N/D

Skin Corrosion/Irritation: N/D

Serious Eye Damage/Eye Irritation: N/D

Sensitization: N/D

Germ Cell Mutagenicity: N/D

Reproductive/Developmental Toxicity: N/D

### Specific Target Organ Toxicity

Single Exposure: N/D

Repeated Exposure: N/D

Aspiration Hazard: N/D

Comments: None.



## Section 12. Ecological Information

### Ecotoxicity

Species	Duration	Type of Effect	Test Results
Bluegill Sunfish	96h	LC50	99 mg/l
Mosquito fish	96h	LC50	125 mg/l
Ceriodaphnia dubia	48h	LC50	3536 mg/l

**Persistence and Biodegradability:** N/D

**Bioaccumulative Potential:** N/D

**Mobility In Soil:** N/D

**Other Adverse Effects:** N/D

**Comments:** Goldfish lethal pH = 10.9; Bluegill Sunfish lethal pH = 10.5

## Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.  
EPA corrosivity characteristic hazardous waste D002 when disposed of in the original product form.

## Section 14. Transport Information

Controlling Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Packing Group:
DOT	UN1824	SODIUM HYDROXIDE SOLUTION	N/A	8	PGII
Over 156 GA	RQ UN1824	SODIUM HYDROXIDE SOLUTION	N/A	8	PGII
IMDG	UN1824	SODIUM HYDROXIDE SOLUTION	N/A	8	PGII
TDG	UN1824	SODIUM HYDROXIDE SOLUTION	N/A	8	PGII
ICAO	UN1824	SODIUM HYDROXIDE SOLUTION	N/A	8	PGII

**Note:** N/A



## Section 15. Regulatory Information

---

### Inventory Status

United States (TSCA):  
Canada (DSL/NDSL):

All ingredients listed.  
All ingredients listed.

### Federal Regulations

#### SARA Title III Rules

#### Sections 311/312 Hazard Classes

Fire Hazard: No  
Reactive Hazard: No  
Release of Pressure: No  
Acute Health Hazard: Yes  
Chronic Health Hazard: No

#### Other Sections

Component	Section 313 Toxic Chemical	Section 302 EHS TPQ	CERCLA RQ
Sodium hydroxide	N/A	N/A	1000

Comments: None.

### State Regulations

California Proposition 65: None known.

### Special Regulations

Component	States
Sodium hydroxide	MA, MN, NY, PA, WA



## Compliance Information

<b>NSF:</b>	Certified to NSF/ANSI Standard 60 Maximum use rate for potable water – 100 mg/L This product ships as NSF from: Ashland, VA Eldridge, IA Nederland, TX Facility #32 USA
<b>Food Regulations:</b>	FDA: All ingredients in this product are authorized in 21 CFR 173.310 for use as "Boiler Water Additives" where the steam may contact food.
<b>KOSHER:</b>	This product is certified by the Orthodox Union as Kosher for Passover and year-round use. Only when prepared by the following ChemTreat facilities: Ashland, VA; Eldridge, IA; Nederland, TX; Fontana, CA.
<b>Halal:</b>	This product has not been evaluated for Halal approval.
<b>FIFRA:</b>	N/A
<b>Other:</b>	None

**Comments:** None.

## Section 16. Other Information

---

### HMIS Hazard Rating

<b>Health:</b>	3
<b>Flammability:</b>	0
<b>Physical Hazard:</b>	1
<b>PPE:</b>	X

**Notes:** The PPE rating depends on circumstances of use. See Section 8 for recommended PPE.  
The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end-user must determine if the code is appropriate for their use.



## Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

**Prepared by:** Product Compliance Department; [ProductCompliance@chemtreat.com](mailto:ProductCompliance@chemtreat.com)

**Revision Date:** April 30, 2020

## Disclaimer

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.



# SAFETY DATA SHEET

## Section 1. Chemical Product and Company Identification

---

<b>Product Name:</b>	ChemTreat BL1285
<b>Product Use:</b>	Boiler Water Treatment
<b>Supplier's Name:</b>	ChemTreat, Inc.
<b>Emergency Telephone Number:</b>	(800)424-9300 (Toll Free)
<b>Address (Corporate Headquarters):</b>	5640 Cox Road Glen Allen, VA 23060
<b>Telephone Number for Information:</b>	(800)648-4579
<b>Date of SDS:</b>	April 30, 2020
<b>Revision Date:</b>	April 30, 2020
<b>Revision Number:</b>	20043001AN

## Section 2. Hazard(s) Identification

---



<b>Signal Word:</b>	<b>WARNING</b>
<b>GHS Classification(s):</b>	Flammable Liquids – Category 4 Acute Toxicity Dermal – Category 4 Acute Toxicity Inhalation – Category 4
<b>Hazard Statement(s):</b>	H227 Combustible Liquid. H312 Harmful in contact with skin. H332 Harmful if inhaled.

### Precautionary Statement(s):

<b>Prevention:</b>	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response:</b>	P370 + P378 In case of fire: Use extinguishing media suitable to surrounding fire to extinguish.
<b>Storage:</b>	P403 Store in a well-ventilated place.
<b>Disposal:</b>	P501 Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations.





**System of Classification Used:** Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise Classified:** None.

### **Section 3. Composition/Hazardous Ingredients**

<b>Component</b>	<b>CAS Registry #</b>	<b>Wt.%</b>
Diethylhydroxylamine	3710-84-7	5 - 10

**Comments** If chemical identity and/or exact percentage of composition has been withheld, this information is considered to be a trade secret.

### **Section 4. First Aid Measures**

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

**Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**Skin:** Wash with plenty of soap and water. Call a poison center or doctor/physician if you feel unwell.

**Ingestion:** Rinse mouth. Call a poison center or doctor/physician if you feel unwell.

**Most Important Symptoms:** N/D

**Indication of Immediate Medical Attention and Special Treatment Needed, if Necessary:** N/A



## ***Section 5. Fire Fighting Measures***

---

<b>Flammability of the Product:</b>	Negative results obtained in sustained combustion test.
<b>Suitable Extinguishing Media:</b>	Use extinguishing media suitable to surrounding fire.
<b>Specific Hazards Arising from the Chemical:</b>	Vapor is heavier than air. Product emits toxic gases or fumes under fire conditions.
<b>Protective Equipment:</b>	If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.

## ***Section 6. Accidental Release Measures***

---

<b>Personal Precautions:</b>	Wear a self-contained breathing apparatus and appropriate Personal Protective Equipment (PPE).
<b>Environmental Precautions:</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.
<b>Methods for Cleaning up:</b>	Contain and recover liquid when possible. Flush spill area with water spray.
<b>Other Statements:</b>	None.

## ***Section 7. Handling and Storage***

---

<b>Handling:</b>	Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.
<b>Storage:</b>	Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only. Protect from heat and sources of ignition. Store above Freeze Point.

## Section 8. Exposure Controls/Personal Protection

---

### Exposure Limits

Component	Source	Exposure Limits
Diethylhydroxylamine	N/E	N/E

**Engineering Controls:** Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.

### Personal Protection

- Eyes:** Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.
- Skin:** Maintain quick-drench facilities in work area. Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact.
- Respiratory:** If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.

## Section 9. Physical and Chemical Properties

---

<b>Physical State and Appearance:</b>	Liquid, Colorless, Clear
<b>Specific Gravity:</b>	0.999 @ 20°C
<b>pH:</b>	11.1 @ 20°C, 100.0%
<b>Freezing Point:</b>	32°F
<b>Flash Point:</b>	160°F
<b>Odor:</b>	Mild
<b>Melting Point:</b>	N/A
<b>Initial Boiling Point and Boiling Range:</b>	N/D
<b>Solubility in Water:</b>	Complete
<b>Evaporation Rate:</b>	N/D
<b>Vapor Density:</b>	N/D
<b>Molecular Weight:</b>	N/D
<b>Viscosity:</b>	<100 CPS @ 20°C
<b>Flammability (solid, gas):</b>	N/D
<b>Flammable Limits:</b>	N/A
<b>Autoignition Temperature:</b>	N/D
<b>Density:</b>	8.33 LB/GA



Vapor Pressure: <18 mmHg @ 20C  
% VOC: 8.5  
Odor Threshold: N/D  
n-octanol Partition Coefficient: N/D  
Decomposition Temperature: N/D

## Section 10. Stability and Reactivity

**Chemical Stability:** Stable at normal temperatures and pressures.  
**Incompatibility with Various Substances:** Strong oxidizers, Strong acids.  
**Hazardous Decomposition Products:** Oxides of carbon, Oxides of nitrogen.  
**Possibility of Hazardous Reactions:** None known.  
**Reactivity:** N/D  
**Conditions To Avoid:** N/D

## Section 11. Toxicological Information

### Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
Diethylhydroxylamine	Oral	LD50	2190 MG/KG	Rat
	Dermal	LD50	1300 MG/KG	Rabbit

### Carcinogenicity Category

Component	Source	Code	Brief Description
Diethylhydroxylamine	N/E	N/E	N/E

**Likely Routes of Exposure:** N/D

### Symptoms

**Inhalation:** N/D  
**Eye Contact:** N/D  
**Skin Contact:** N/D



Ingestion: N/D

Skin Corrosion/Irritation: N/D

Serious Eye Damage/Eye Irritation: N/D

Sensitization: N/D

Germ Cell Mutagenicity: N/D

Reproductive/Developmental Toxicity: N/D

Specific Target Organ Toxicity

    Single Exposure: N/D

    Repeated Exposure: N/D

Aspiration Hazard: N/D

Comments: None.

## Section 12. Ecological Information

### Ecotoxicity

Species	Duration	Type of Effect	Test Results
Daphnia magna	48h	EC50	1306 mg/l
Guppies	96h	LC50	1765 mg/l
Bacterial toxicity	16h	EC50	435 mg/l
Fathead Minnow	96h	LC50	>10000 mg/l

Persistence and Biodegradability: N/D

Bioaccumulative Potential: N/D

Mobility In Soil: N/D

Other Adverse Effects: N/D

Comments: None.



### Section 13. Disposal Considerations

---

Dispose of in accordance with local, state and federal regulations.

### Section 14. Transport Information

---

Controlling Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Packing Group:
DOT	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A
IMDG	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A
TDG	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A
ICAO	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A
SCT	N/A	COMPOUND, INDUSTRIAL WATER TREATMENT, LIQUID	N/A	N/A	N/A

Note: N/A

### Section 15. Regulatory Information

---

#### Inventory Status

United States (TSCA):  
Canada (DSL/NDSL):

All ingredients listed.  
All ingredients listed.



**Federal Regulations**

**SARA Title III Rules**

**Sections 311/312 Hazard Classes**

<b>Fire Hazard:</b>	Yes
<b>Reactive Hazard:</b>	No
<b>Release of Pressure:</b>	No
<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	No

**Other Sections**

Component	Section 313 Toxic Chemical	Section 302 EHS TPQ	CERCLA RQ
Diethylhydroxylamine	N/A	N/A	N/A

**Comments:** None.

**State Regulations**

**California Proposition 65:** None known.

**Special Regulations**

Component	States
Diethylhydroxylamine	None.

**Compliance Information**

**NSF:** N/A

**Food Regulations:** N/A

**KOSHER:** This product is certified by the Orthodox Union as kosher pareve.  
Only when prepared by the following ChemTreat facilities:  
Ashland, VA; Eldridge, IA; Nederland, TX.

**Halal:** This product has not been evaluated for Halal approval.

**FIFRA:** N/A

**Other:** None

**Comments:** None.



## Section 16. Other Information

### HMIS Hazard Rating

Health:	1
Flammability:	2
Physical Hazard:	0
PPE:	X

#### Notes:

The PPE rating depends on circumstances of use. See Section 8 for recommended PPE.

The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end-user must determine if the code is appropriate for their use.

### Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

**Prepared by:** Product Compliance Department; [ProductCompliance@chemtreat.com](mailto:ProductCompliance@chemtreat.com)

**Revision Date:** April 30, 2020





## ***Disclaimer***

---

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.



# SAFETY DATA SHEET

## Section 1. Chemical Product and Company Identification

**Product Name:** ChemTreat BL8750  
**Product Use:** Boiler Water Treatment  
**Supplier's Name:** ChemTreat, Inc.  
**Emergency Telephone Number:** (800)424-9300 (Toll Free)  
**Address (Corporate Headquarters):** 5640 Cox Road  
Glen Allen, VA 23060  
**Telephone Number for Information:** (800)648-4579  
**Date of SDS:** April 10, 2020  
**Revision Date:** April 10, 2020  
**Revision Number:** 20041001AN

## Section 2. Hazard(s) Identification



**Signal Word:** DANGER

**GHS Classification(s):** Skin corrosion/irritation – Category 1b  
Eye damage/irritation – Category 1  
Acute Toxicity Oral – Category 4  
Acute Toxicity Dermal – Category 4  
Acute Toxicity Inhalation – Category 4

**Hazard Statement(s):** H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H312 Harmful in contact with skin.  
H332 Harmful if inhaled.  
H302 Harmful if swallowed.

**Precautionary Statement(s):** Sulphites may cause sensitization to susceptible individuals.

**Prevention:** P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink, or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.



**Response:**

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
P301 + 330 + 331 IF SWALLOWED: Rinse mouth.  
Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair):  
Remove/take off immediately all contaminated clothing.  
Rinse skin with water/shower  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container in accordance with applicable local, regional, national, and/or international regulations.

**System of Classification Used:**

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Hazards Not Otherwise Classified:**

None.

### **Section 3. Composition/Hazardous Ingredients**

Component	CAS Registry #	Wt. %
Sodium bisulfite	7631-90-5	3 - 7
Sodium hydroxide	1310-73-2	5 - 10
Potassium hydroxide	1310-58-3	3 - 7

**Comments**

If chemical identity and/or exact percentage of composition has been withheld, this information is considered to be a trade secret.



## **Section 4. First Aid Measures**

---

<b>Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>Eyes:</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin:</b>	Immediately remove/take off all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before re-use. Immediately call a poison center or doctor/physician.
<b>Ingestion:</b>	DO NOT INDUCE VOMITING. Rinse mouth. Call a POISON CENTER or doctor/physician.
<b>Most Important Symptoms:</b>	N/D
<b>Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary:</b>	N/A

## **Section 5. Fire Fighting Measures**

---

<b>Flammability of the Product:</b>	Not flammable.
<b>Suitable Extinguishing Media:</b>	Use extinguishing media suitable to surrounding fire.
<b>Specific Hazards Arising from the Chemical:</b>	Product may emit toxic gases or fumes under fire conditions.
<b>Protective Equipment:</b>	If product is involved in a fire, wear full protective clothing including a positive-pressure, NIOSH approved, self-contained breathing apparatus.



## Section 6. Accidental Release Measures

---

- Personal Precautions:** Use appropriate Personal Protective Equipment (PPE).
- Environmental Precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers.
- Methods for Cleaning up:** Contain and recover liquid when possible. Flush spill area with water spray.
- Other Statements:** If RQ (Reportable Quantity) is exceeded, report to National Spill Response Office at 1-800-424-8802.

## Section 7. Handling and Storage

---

- Handling:** Wear appropriate Personal Protective Equipment (PPE) when handling this product. Do not get in eyes, or on skin and clothing. Wash thoroughly after handling. Do not ingest. Avoid breathing vapors, mist or dust.
- Storage:** Store away from incompatible materials (see Section 10). Store at ambient temperatures. Keep container securely closed when not in use. Label precautions also apply to empty container. Recondition or dispose of empty containers in accordance with government regulations. For Industrial use only. Store above Freeze Point.

## Section 8. Exposure Controls/Personal Protection

---

### Exposure Limits

Component	Source	Exposure Limits
Sodium bisulfite	ACGIH TLV	5 mg/m <sup>3</sup> TWA
Sodium hydroxide	ACGIH TLV	2 mg/m <sup>3</sup> Ceiling
	OSHA PEL	2 mg/m <sup>3</sup> TWA
Potassium hydroxide	ACGIH TLV	2 mg/m <sup>3</sup> Ceiling

- Engineering Controls:** Use only with adequate ventilation. The use of local ventilation is recommended to control emission near the source.



## Personal Protection

- Eyes:** Wear chemical splash goggles or safety glasses with full-face shield. Maintain eyewash fountain in work area.
- Skin:** Maintain quick-drench facilities in work area. Wear butyl rubber or neoprene gloves. Wash them after each use and replace as necessary. If conditions warrant, wear protective clothing such as boots, aprons, and coveralls to prevent skin contact.
- Respiratory:** If misting occurs, use NIOSH approved organic vapor/acid gas dual cartridge respirator with a dust/mist prefilter in accordance with 29 CFR 1910.134.

## Section 9. Physical and Chemical Properties

---

<b>Physical State and Appearance:</b>	Liquid, Light Straw, Clear
<b>Specific Gravity:</b>	1.185 @ 20°C
<b>pH:</b>	13.1 @ 20°C, 100.0%
<b>Freezing Point:</b>	9°F
<b>Flash Point:</b>	N/D
<b>Odor:</b>	Mild
<b>Melting Point:</b>	N/A
<b>Initial Boiling Point and Boiling Range:</b>	N/D
<b>Solubility in Water:</b>	Complete
<b>Evaporation Rate:</b>	N/D
<b>Vapor Density:</b>	N/D
<b>Molecular Weight:</b>	N/D
<b>Viscosity:</b>	<100 CPS @ 20°C
<b>Flammability (solid, gas):</b>	N/D
<b>Flammable Limits:</b>	N/A
<b>Autoignition Temperature:</b>	N/A
<b>Density:</b>	9.88 LB/GA
<b>Vapor Pressure:</b>	N/D
<b>% VOC:</b>	N/D
<b>Odor Threshold</b>	N/D
<b>n-octanol Partition Coefficient</b>	N/D
<b>Decomposition Temperature</b>	N/D

## Section 10. Stability and Reactivity

---

<b>Chemical Stability:</b>	Stable at normal temperatures and pressures.
<b>Incompatibility with Various Substances:</b>	Acids, Strong oxidizers.
<b>Hazardous Decomposition Products:</b>	Oxides of carbon.
<b>Possibility of Hazardous Reactions:</b>	None known.
<b>Reactivity:</b>	N/D
<b>Conditions To Avoid:</b>	N/D

## Section 11. Toxicological Information

---

### Acute Toxicity

Chemical Name	Exposure	Type of Effect	Concentration	Species
Sodium bisulfite	Oral	LD50	2000 MG/KG	Rat
Sodium hydroxide	Oral	LD50	300 MG/KG	Rat
	Dermal	LD50	1350 MG/KG	Rabbit
Potassium hydroxide	Oral	LD50	365 MG/KG	Rat

### Carcinogenicity Category

Component	Source	Code	Brief Description
Sodium bisulfite	N/E	N/E	N/E
Sodium hydroxide	N/E	N/E	N/E
Potassium hydroxide	N/E	N/E	N/E

**Likely Routes of Exposure:** N/D

### Symptoms

**Inhalation:** N/D

**Eye Contact:** N/D

**Skin Contact:** N/D



Ingestion: N/D

Skin Corrosion/Irritation: N/D

Serious Eye Damage/Eye Irritation: N/D

Sensitization: N/D

Germ Cell Mutagenicity: N/D

Reproductive/Developmental Toxicity: N/D

**Specific Target Organ Toxicity**

    Single Exposure: N/D

    Repeated Exposure: N/D

Aspiration Hazard: N/D

Comments: None.

## Section 12. Ecological Information

---

### Ecotoxicity

Species	Duration	Type of Effect	Test Results
Ceriodaphnia dubia	48h	LC50	7071 mg/l
Pimephales Promelas	96h	LC50	7517 mg/l

Persistence and Biodegradability: N/D

Bioaccumulative Potential: N/D

Mobility In Soil: N/D

Other Adverse Effects: N/D

Comments: None.





### Section 13. Disposal Considerations

Dispose of in accordance with local, state and federal regulations.  
EPA corrosivity characteristic hazardous waste D002 when disposed of in the original product form.

### Section 14. Transport Information

Controlling Regulation	UN/NA#:	Proper Shipping Name:	Technical Name:	Hazard Class:	Packing Group:
DOT	UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND POTASSIUM HYDROXIDE)	8	PGII
SCT	UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND POTASSIUM HYDROXIDE)	8	PGII
TDG	UN1760	CORROSIVE LIQUIDS, N.O.S.	(SODIUM HYDROXIDE AND POTASSIUM HYDROXIDE)	8	PGII

Note: N/A

### Section 15. Regulatory Information

#### Inventory Status

United States (TSCA):	All ingredients listed.
Canada (DSL/NDSL):	All ingredients listed.

#### Federal Regulations

##### SARA Title III Rules

##### Sections 311/312 Hazard Classes

Fire Hazard:	No
Reactive Hazard:	No
Release of Pressure:	No
Acute Health Hazard:	Yes
Chronic Health Hazard:	No



**Other Sections**

Component	Section 313 Toxic Chemical	Section 302 EHS TPQ	CERCLA RQ
Sodium bisulfite	N/A	N/A	5000
Sodium hydroxide	N/A	N/A	1000
Potassium hydroxide	N/A	N/A	1000

**Comments:** None.

**State Regulations**

**California Proposition 65:** None known.

**Special Regulations**

Component	States
Sodium bisulfite	MA, MN, NY, PA, WA
Sodium hydroxide	MA, MN, NY, PA, WA
Potassium hydroxide	MA, MN, NY, PA, WA

**Compliance Information**

**NSF:** This product conforms to the requirements of the NSF Nonfood Compounds Registration Program, Registration #150313; Category G6, G7.

**Food Regulations:** FDA: All ingredients in this product are authorized in 21 CFR 173.310 for use as "Boiler Water Additives" where the steam may contact food.  
USDA: This product is acceptable for use under USDA Guidelines. Compounds containing potassium or sodium salts of nitrite, sulfite, bisulfite, or metabisulfite have been decharacterized.

**KOSHER:** This product has not been evaluated for Kosher approval.

**Halal:** This product has not been evaluated for Halal approval.

**FIFRA:** N/A

**Other:** None

**Comments:** None.



## Section 16. Other Information

---

### HMIS Hazard Rating

Health:	3
Flammability:	0
Physical Hazard:	1
PPE:	X

#### Notes:

The PPE rating depends on circumstances of use. See Section 8 for recommended PPE.

The Hazardous Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluator's understanding of the chemical associated risks. The end-user must determine if the code is appropriate for their use.

### Abbreviations

Abbreviation	Definition
<	Less Than
>	Greater Than
ACGIH	American Conference of Governmental Industrial Hygienists
EHS	Environmental Health and Safety Dept
N/A	Not Applicable
N/D	Not Determined
N/E	Not Established
OSHA	Occupational Health and Safety Dept
PEL	Personal Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weight Average
UNK	Unknown

Prepared by: Product Compliance Department; [ProductCompliance@chemtreat.com](mailto:ProductCompliance@chemtreat.com)

Revision Date: April 10, 2020



## ***Disclaimer***

---

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, ChemTreat, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will ChemTreat, Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature are made hereunder with respect to information or the product to which information refers.

# **Chemical Additives to Potable Water Processed through Reverse Osmosis Resulting in Retentate Wastewater at Battery Plant**

- **Nalco® 7408**
- **Permatreat™ PC-19IT**

## SAFETY DATA SHEET

**NALCO® 7408**

### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 7408

Other means of identification : Not applicable.

Recommended use : CHLORINE SCAVENGER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630) 305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 12/17/2020

### Section: 2. HAZARDS IDENTIFICATION

#### GHS Classification

Corrosive to metals : Category 1  
Acute toxicity (Oral) : Category 4

#### GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : May be corrosive to metals.  
Harmful if swallowed.  
Contact with acids liberates toxic gas.

Precautionary Statements : **Prevention:**  
Keep only in original container. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.  
**Response:**  
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
**Storage:**  
Store in corrosive resistant container with a resistant inner liner. Protect product from freezing.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** : The head space of containers containing this product may accumulate Sulphur

# SAFETY DATA SHEET

**NALCO® 7408**

Dioxide (SO<sub>2</sub>). SO<sub>2</sub> is a toxic and irritating gas that can be hazardous if inhaled.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Sodium Bisulfite	7631-90-5	30 - 60

## Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

## Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Heating or fire can release toxic gas.  
May evolve oxides of sulfur (SO<sub>x</sub>) under fire conditions.

Hazardous combustion products : Decomposition products may include the following materials: Sulphur oxides  
metal oxides

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

## Section: 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## NALCO® 7408

- Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Wash hands thoroughly after handling. Use only with adequate ventilation. Containers should be opened cautiously and only in well ventilated areas.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in a well-ventilated place. Store in suitable labelled containers. Do not store at elevated temperature.
- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: CPVC (rigid), HDPE (high density polyethylene), LLDPE, Polypropylene, Nylon 11, PTFE, PVC, Polyvinylidene difluoride, UHMWPE, Viton, Nitrile, Buna-N
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Stainless Steel 304, Stainless Steel 316L, Unwelded Stainless Steel 316, Brass, Mild steel, Neoprene, EPDM

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Exposure limits are listed for sulfur dioxide (SO<sub>2</sub>) since this product evolves SO<sub>2</sub> when open to the atmosphere.

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Sodium Bisulfite	7631-90-5	TWA	5 mg/m <sup>3</sup>	ACGIH
			5 mg/m <sup>3</sup>	NIOSH REL
Sulfur Dioxide	7446-09-5	STEL	0.25 ppm	ACGIH
			2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		STEL	5 ppm 13 mg/m <sup>3</sup>	NIOSH REL
		TWA	5 ppm 13 mg/m <sup>3</sup>	OSHA Z1

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment



## SAFETY DATA SHEET

### NALCO® 7408

Eye protection	: Safety glasses
Hand protection	: Wear protective gloves. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Wear suitable protective clothing.
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: clear
Odour	: Pungent
Flash point	: does not flash
pH	: 4.1,(1 %), Method: ASTM E 70
Odour Threshold	: no data available
Melting point/freezing point	: Freezing Point: 1.1 °C
Initial boiling point and boiling range	: 104 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: 32 mm Hg, (25 °C), ASTM D 323,
Relative vapour density	: 2.2(Air = 1)
Relative density	: 1.37, (25 °C), ASTM D-1298
Density	: 11.4 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available

## SAFETY DATA SHEET

### NALCO® 7408

Viscosity, dynamic	:	2.8 mPa.s (25 °C)
Viscosity, kinematic	:	no data available
Molecular weight	:	no data available
VOC	:	no data available

### Section: 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Evolves SO <sub>2</sub> when open to atmosphere. The rate of SO <sub>2</sub> evolution increases with temperature and/or transfer of product.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Keep away from heat and sources of ignition.
Incompatible materials	:	Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid, perchlorate, concentrated oxygen, permanganate) may generate heat, fires, explosions and/or toxic vapors. Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic, sulfonic) may generate heat, splattering or boiling and toxic vapors. SO <sub>2</sub> may react with vapors from neutralizing amines and may produce a visible cloud of amine salt particles. Mild steel Aluminium
Hazardous decomposition products	:	Decomposition products may include the following materials: Sulphur oxides metal oxides

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	:	Health injuries are not known or expected under normal use.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Harmful if swallowed.
Inhalation	:	May release toxic, irritating and/or corrosive gases.
Chronic Exposure	:	Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact	:	No symptoms known or expected.
Skin contact	:	No symptoms known or expected.

## SAFETY DATA SHEET

**NALCO® 7408**

Ingestion : No information available.  
Inhalation : No symptoms known or expected.

### Toxicity

#### Product

Acute oral toxicity : Acute toxicity estimate: 1,250 mg/kg  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available  
Serious eye damage/eye irritation : no data available  
Respiratory or skin sensitization : Result: Contains an ingredient that can cause asthmatic-like reactions in sulfite-sensitive individuals.  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

## Section: 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

### Product

Toxicity to fish : LC50 *Oncorhynchus mykiss* (rainbow trout): > 100 mg/l  
Exposure time: 96 hrs  
Test substance: Product  
  
LC50 *Pimephales promelas* (fathead minnow): 382 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product  
  
LC50 *Gambusia affinis* (Mosquito fish): 240 mg/l  
Exposure time: 96 hrs  
Test substance: Active Substance  
  
NOEC *Pimephales promelas* (fathead minnow): 250 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product  
  
Toxicity to daphnia and other : LC50 *Daphnia magna* (Water flea): 728 mg/l

# SAFETY DATA SHEET

**NALCO® 7408**

aquatic invertebrates

Exposure time: 48 hrs  
Test substance: Similar Product

LC50 Daphnia magna (Water flea): 275 mg/l  
Exposure time: 48 hrs  
Test substance: Product (estimated)

LC50 Daphnia magna (Water flea): 119 mg/l  
Exposure time: 48 hrs  
Test substance: Active Substance

NOEC Daphnia magna (Water flea): 250 mg/l  
Exposure time: 48 hrs  
Test substance: Similar Product

Toxicity to fish (Chronic toxicity)

: EC25 / IC25: 382 mg/l  
Exposure time: 7 Days  
Species: Fathead Minnow  
Test substance: Product

LOEC: 500 mg/l  
Exposure time: 7 Days  
Species: Fathead Minnow  
Test substance: Product

NOEC: 250 mg/l  
Exposure time: 7 Days  
Species: Fathead Minnow  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: LOEC: 500 mg/l  
Exposure time: 7 Days  
Species: Ceriodaphnia dubia  
Test substance: Product  
Test Type: 3 Brood

EC25 / IC25: 277 mg/l  
Exposure time: 7 Days  
Species: Ceriodaphnia dubia  
Test substance: Product  
Test Type: 3 Brood

NOEC: 250 mg/l  
Exposure time: 7 Days  
Species: Ceriodaphnia dubia  
Test substance: Product  
Test Type: 3 Brood

## Persistence and degradability

Greater than 95% of this product consists of inorganic substances for which a biodegradation value is not applicable.

Chemical Oxygen Demand (COD): 85,000 mg/l

## Mobility

# SAFETY DATA SHEET

**NALCO® 7408**

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air	:	<5%
Water	:	30 - 50%
Soil	:	50 - 70%

The portion in water is expected to be soluble or dispersible.

## Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

## Other information

no data available

## Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

## Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

### Land transport (DOT)

Proper shipping name	:	BISULPHITES, AQUEOUS SOLUTION, N.O.S.
Technical name(s)	:	SODIUM BISULPHITE
UN/ID No.	:	UN 2693
Transport hazard class(es)	:	8
Packing group	:	III
Reportable Quantity (per package)	:	12,500 lbs
RQ Component	:	SODIUM BISULFITE

# SAFETY DATA SHEET

**NALCO® 7408**

## Air transport (IATA)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.  
Technical name(s) : SODIUM BISULFITE  
UN/ID No. : UN 2693  
Transport hazard class(es) : 8  
Packing group : III  
Reportable Quantity (per package) : 12,500 lbs  
RQ Component : SODIUM BISULFITE

## Sea transport (IMDG/IMO)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.  
Technical name(s) : SODIUM BISULPHITE  
UN/ID No. : UN 2693  
Transport hazard class(es) : 8  
Packing group : III

## Section: 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Bisulfite	7631-90-5	5000	12500

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Corrosive to metals  
Acute toxicity (any route of exposure)

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### INTERNATIONAL CHEMICAL CONTROL LAWS :

# SAFETY DATA SHEET

**NALCO® 7408**

## United States TSCA Inventory

On the inventory, or in compliance with the inventory.

## Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

## Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

## Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

## Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

## Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

## China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

## New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand


All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

## Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

## Section: 16. OTHER INFORMATION

### NFPA:



### HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 12/17/2020  
Version Number : 2.4  
Prepared By : Regulatory Affairs

## **SAFETY DATA SHEET**

**NALCO® 7408**

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.



## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PERMATREAT™ PC-191T

Other means of identification : Not applicable.

Recommended use : REVERSE OSMOSIS ANTISCALANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for restrictions on use and dose limits.

Company : Nalco Company  
1601 W. Diehl Road  
Naperville, Illinois 60563-1198  
USA  
TEL: (630)305-1000

Emergency telephone number : (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 03/19/2018

#### Section: 2. HAZARDS IDENTIFICATION

##### GHS Classification

Not a hazardous substance or mixture.

##### GHS Label element

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.

**Other hazards** : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

No hazardous ingredients

#### Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

- Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put yourself at risk of injury. If in doubt, contact emergency responders. Use personal protective equipment as required.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

#### Section: 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8. Wash hands after handling.
- Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

- Suitable material : The following compatibility data is suggested based on similar product data and/or industry experience: HDPE (high density polyethylene), Stainless Steel 304, Polyethylene (rigid), Polypropylene (rigid), CPVC (rigid), 100% phenolic resin liner, Epoxy phenolic resin, coated steel
- Unsuitable material : The following compatibility data is suggested based on similar product data and/or industry experience: Brass, Buna-N, EPDM, Neoprene, Polyurethane, Fluoroelastomer, Chlorosulfonated polyethylene rubber, Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

- Eye protection : Safety glasses
- Hand protection : Wear protective gloves.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin protection : Wear suitable protective clothing.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Wash hands before breaks and immediately after handling the product.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Liquid
- Colour : clear amber - yellow green
- Odour : Ammoniacal
- Flash point : > 93.3 °C
- pH : 10.0 - 11.5,(1 %), (25 °C)
- Odour Threshold : no data available
- Melting point/freezing point : no data available
- Initial boiling point and boiling range : no data available
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.335 - 1.362, (15.6 °C),
Density	: 1.127 g/cm <sup>3</sup> , 11.3 lb/gal
Water solubility	: completely soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: Pow: 3.5, log Pow: 0.544
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Molecular weight	: no data available
VOC	: 0 %, Calculation method

### Section: 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Freezing temperatures.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire, hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

#### Toxicity

##### Product

Acute oral toxicity : LD50 rat: > 17,800 mg/kg  
Test substance: Similar Product

Acute inhalation toxicity : no data available

Acute dermal toxicity : LD50 rabbit: > 15,800 mg/kg  
Test substance: Similar Product

Skin corrosion/irritation : Species: Rabbit  
Exposure time: 24 hrs  
Result: 0.3  
Method: Draize Test  
Test substance: Similar Product

Serious eye damage/eye irritation : Species: rabbit  
Exposure time: 24 hrs  
Result: 3.7  
Method: Draize Test  
Test substance: Similar Product

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): > 330 mg/l

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

Exposure time: 96 hrs  
Test substance: Similar Product

LC50 *Cyprinodon variegatus* (sheepshead minnow): 8,132 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product

LC50 *Lepomis macrochirus* (Bluegill sunfish): > 330 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product

LC50 *Ictalurus punctatus* (channel catfish): 1,212 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product

LC50 *Oncorhynchus mykiss* (rainbow trout): 4,530 mg/l  
Exposure time: 96 hrs  
Test substance: Product  
Test Type: Static

NOEC *Oncorhynchus mykiss* (rainbow trout): 3,600 mg/l  
Exposure time: 96 hrs  
Test substance: Product  
Test Type: Static

LC50 Inland Silverside: > 10,000 mg/l  
Exposure time: 96 h  
Test substance: Product

NOEC Inland Silverside: 10,000 mg/l  
Exposure time: 96 h  
Test substance: Product

Toxicity to daphnia and other aquatic invertebrates : LC50 Grass Shrimp: 4,575 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product

LC50 *Daphnia magna* (Water flea): 1,673 mg/l  
Exposure time: 48 hrs  
Test substance: Product  
Test Type: Static

EC50 *Daphnia magna* (Water flea): 297 mg/l  
Exposure time: 48 hrs  
Test substance: Similar Product

NOEC *Daphnia magna* (Water flea): 1,296 mg/l  
Exposure time: 48 hrs  
Test substance: Product  
Test Type: Static

LC50 Mysid Shrimp (*Mysidopsis bahia*): 8,263 mg/l  
Exposure time: 96 h  
Test substance: Product

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

NOEC Mysid Shrimp (*Mysidopsis bahia*): 6,000 mg/l  
Exposure time: 96 h  
Test substance: Product

Toxicity to algae : LC50 Green Algae (*Pseudokirchneriella subcapitata*,  
previously *Selenastrum capricornutum*): 20 mg/l  
Exposure time: 96 hrs  
Test substance: Similar Product

Toxicity to fish (Chronic toxicity) : LOEC: 47.6 mg/l  
Exposure time: 60 Days  
Species: *Oncorhynchus mykiss* (rainbow trout)  
Test substance: Similar Product

NOEC: 23 mg/l  
Exposure time: 60 Days  
Species: *Oncorhynchus mykiss* (rainbow trout)  
Test substance: Similar Product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : LOEC: 50 mg/l  
Exposure time: 28 Days  
Species: *Daphnia magna*  
Test substance: Similar Product  
Test Type: 3 Brood

NOEC: 25 mg/l  
Exposure time: 28 Days  
Species: *Daphnia magna*  
Test substance: Similar Product  
Test Type: 3 Brood

Toxicity to terrestrial organisms : LC50 Bobwhite Quail: > 2,510 mg/kg  
Exposure time: 14 Days  
Test substance: Similar Product

LC50 Mallard Duck: > 2,510 mg/kg  
Exposure time: 14 Days  
Test substance: Similar Product

### Persistence and degradability

Total Organic Carbon (TOC) : 65,000 mg/l

### Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

Air : <5%  
Water : 30 - 50%  
Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

#### Bioaccumulative potential

no data available

#### Other information

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

### Section: 15. REGULATORY INFORMATION

TSCA list : Not relevant

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



## SAFETY DATA SHEET

### PERMATREAT™ PC-191T

- SARA 311/312 Hazards** : No SARA Hazards
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### INTERNATIONAL CHEMICAL CONTROL LAWS :

##### United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

##### Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

##### Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

##### Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

##### Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

##### China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

##### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

##### Taiwan Chemical Substance Inventory


All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

#### Section: 16. OTHER INFORMATION

# SAFETY DATA SHEET

**PERMATREAT™ PC-191T**

## NFPA:



## HMIS III:

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 03/19/2018  
Version Number : 1.2  
Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit [www.nalco.com](http://www.nalco.com) and request access.