



**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE DISPOSAL FACILITY EVALUATION**

NAME OF SITE LAWRENCEBURG DEMOLITION LANDFILL		REGISTRATION NUMBER DML 50-003A		DATE 1/7/16		
LOCATION (physical) GRINNEU DRIVE LAWRENCEBURG		PURPOSE <input checked="" type="checkbox"/> Complete <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Other				
OWNER/OPERATOR LAWRENCEBURG GARY WAYNE HYDE		TYPE OF FACILITY <input checked="" type="checkbox"/> CLASS I <input type="checkbox"/> CLASS II <input type="checkbox"/> CLASS III <input type="checkbox"/> CLASS IV				
		V1	V2		V1	V2
Inadequate vector control	8010	___	___	Leachate improperly managed	8330	___
Access not limited to operating hours	8020	___	___	Inadequate leachate collection		
Inadequate artificial or natural barrier	8030	___	___	system	8340	___
Inadequate information signs	8040	___	___	Leachate observed at the site	8350	___
Unsatisfactory access road(s)/parking				Leachate entering runoff	8360	___
area(s)	8050	___	___	Leachate entering a water		
Certified personnel not present				course	8370	___
during operating hours	8060	___	___	Inadequate gas migration control		
Unapproved salvaging of waste	8070	___	___	system	8380	___
Evidence of open burning	8080	___	___	Inadequate maintenance of gas		
Inadequate fire protection	8090	___	___	migration control system	8390	___
Unsatisfactory litter control	8110	___	___	Potential for explosions or		
Inadequate employee facilities	8120	___	___	uncontrolled fires	8420	___
No communication devices	8130	___	___	Waste not confined to a		
Inadequate operating equipment	8140	___	___	manageable area	8430	___
Unavailability of backup equipment	8150	___	___	Improper spreading of waste	8440	___
Unavailability of cover material	8160	___	___	Improper compacting of waste	8450	___
Inadequate maintenance of				Unsatisfactory initial cover	8460	___
runon/runoff system(s)	8170	___	___	Unsatisfactory intermediate		
Inadequate erosion control	8180	___	___	cover	8470	___
Inadequate dust control	8190	___	___	Unsatisfactory final cover	8480	___
Unauthorized waste accepted	8210	___	___	Excessive pooling of water	8490	___
Unapproved special waste accepted	8220	___	___	Unsatisfactory stabilization of		
Tires improperly handled	8230	___	___	cover	8510	___
Medical waste improperly handled	8240	___	___	Dumping of waste into water	8520	___
Dead animals improperly handled	8250	___	___	Unsatisfactory records or reports	8530	___
Washout of solid waste	8270	___	___	Groundwater monitoring system		
No permanent benchmark	8280	___	___	improperly maintained	8540	___
Inadequate random inspection				Operation does not correspond		
program	8290	___	___	with engineering plans	8570	___
Mishandling of special waste	8300	___	___	Operation does not correspond		
Buffer zone standard violated	8310	___	___	with permit condition(s)	8580	___
Inadequate maintenance of leachate				Permit, plans, operating manual		
management system	8320	___	___	not available	8590	___
				No operating scales	8610	___
COMMENTS:						
AT THE TIME OF THE INSPECTION THE SITE APPEARED TO BE IN GOOD CONDITION. NO VIOLATIONS WERE NOTED.						
PERSON INTERVIEWED			INSPECTED BY			
(Signature)			(Signature) <i>Chad Alton</i>			
TITLE			TITLE ENV CNST.			
TIME OF DAY 11:30	WEATHER CONDITIONS OVERCAST / COOL		COMPLIANCE DATE			

Distribution: Facility - White Field Office - Canary Central Office - XC