

FEB 27 2023



February 21, 2023

Mr. Allen Wilkinson  
Tennessee Department of Environment and Conservation  
Division of Water Resources  
Knoxville Field Office  
3711 Middlebrook Pike  
Knoxville, TN 37921

**RE: 2022 Annual Storm Water Discharge Monitoring Report  
Aqua-Chem, Inc.  
3001 E. Gov John Sevier Highway  
Knoxville, Tennessee  
TMSP Number: TNR050328  
WSP Project Number 3031142002**

Dear Mr. Wilkinson:

On behalf of Aqua-Chem, Inc. (Water Technology Division), WSP USA, Inc. (WSP) is submitting the attached 2022 Annual Stormwater Monitoring Reports for Outfalls SW-001 through SW-005 (SW-004 combines and comingles with SW-003 and has been deleted).

Aqua-Chem Inc. (Water Technology Division), located at 3001 East Governor John Sevier Highway, Knoxville, Tennessee is covered under Sector AA of the Tennessee Multi-Sector General Permit for industrial stormwater discharges (TNR 050000). Annual stormwater sampling was conducted on November 11, 2022. The samples were analyzed for aluminum, iron, nitrate as nitrogen, and zinc. There were no exceedances of the respective Benchmark Values from the 2022 Annual Stormwater Monitoring Event. Attachment A provides a copy of the analytical results. Completed CN-1115 forms for the sampling event is provided in Attachment B.

If you have any questions or require any additional information, please contact me at (865) 671-6774 or [william.teichert@wsp.com](mailto:william.teichert@wsp.com) in Knoxville.

Respectfully,

A handwritten signature in blue ink, appearing to read 'W. Paul Teichert', is written over a faint, larger version of the same signature.

W. Paul Teichert  
Senior Environmental Principal

A handwritten signature in blue ink, appearing to read 'Jacob Parker', is written over a faint, larger version of the same signature.

Jacob Parker PE  
Senior Engineer



FEB 27 2023


**Attachment A  
Analytical Results**



# ANALYTICAL REPORT

November 22, 2022

FEB 27 2023



## WSP USA E&I - Knoxville, TN


Sample Delivery Group: L1557084  
 Samples Received: 11/12/2022  
 Project Number: 3031142002.05  
 Description: Aqua-Chem ECS  
 Site: AQUA CHEM  
 Report To: Mr. William Tiechert  
 2030 Falling Waters Road; Ste 300  
 Knoxville, TN 37922

Entire Report Reviewed By:

*Jennifer Huckaba*

Jennifer Huckaba  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

# TABLE OF CONTENTS

FEB 27 2023

Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
SWOF-001 L1557084-01	5	
SWOF-002 L1557084-02	6	
SWOF-003 L1557084-03	7	
SWOF-005 L1557084-04	8	
Qc: Quality Control Summary	9	
Wet Chemistry by Method 300.0	9	
Metals (ICP) by Method 200.7	10	
Gl: Glossary of Terms	11	
Al: Accreditations & Locations	12	
Sc: Sample Chain of Custody	13	

# SAMPLE SUMMARY

**FEB 27 2023**

**SWOF-001 L1557084-01 WW**

Collected by: Jacob Parker  
 Collected date/time: 11/11/22 14:00  
 Received date/time: 11/12/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 300.0	WG1958695	1	11/12/22 15:26	11/12/22 15:26	LBR	Mt. Juliet, TN
Metals (ICP) by Method 200.7	WG1960194	1	11/20/22 14:01	11/21/22 22:20	ABL	Mt. Juliet, TN

**SWOF-002 L1557084-02 WW**

Collected by: Jacob Parker  
 Collected date/time: 11/11/22 14:10  
 Received date/time: 11/12/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 300.0	WG1958695	1	11/12/22 16:11	11/12/22 16:11	LBR	Mt. Juliet, TN
Metals (ICP) by Method 200.7	WG1960194	1	11/20/22 14:01	11/21/22 22:28	ABL	Mt. Juliet, TN

**SWOF-003 L1557084-03 WW**


Collected by: Jacob Parker  
 Collected date/time: 11/11/22 14:20  
 Received date/time: 11/12/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 300.0	WG1958695	1	11/12/22 16:25	11/12/22 16:25	LBR	Mt. Juliet, TN
Metals (ICP) by Method 200.7	WG1960194	1	11/20/22 14:01	11/21/22 22:46	ABL	Mt. Juliet, TN

**SWOF-005 L1557084-04 WW**

Collected by: Jacob Parker  
 Collected date/time: 11/11/22 13:55  
 Received date/time: 11/12/22 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 300.0	WG1958695	1	11/12/22 16:39	11/12/22 16:39	LBR	Mt. Juliet, TN
Metals (ICP) by Method 200.7	WG1960194	1	11/20/22 14:01	11/21/22 22:49	ABL	Mt. Juliet, TN



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Jennifer Huckaba  
Project Manager

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 AI
- 9 Sc

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Nitrate as (N)	0.296		0.100	1	11/12/2022 15:26	<a href="#">WG1958695</a>

Metals (ICP) by Method 200.7

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Aluminum	ND		0.200	1	11/21/2022 22:20	<a href="#">WG1960194</a>
Iron	0.159		0.100	1	11/21/2022 22:20	<a href="#">WG1960194</a>
Zinc	ND		0.0500	1	11/21/2022 22:20	<a href="#">WG1960194</a>



Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Nitrate as (N)	ND		0.100	1	11/12/2022 16:11	<a href="#">WG1958695</a>

1 Cp

2 Tc

Metals (ICP) by Method 200.7

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Aluminum	0.424		0.200	1	11/21/2022 22:28	<a href="#">WG1960194</a>
Iron	1.27		0.100	1	11/21/2022 22:28	<a href="#">WG1960194</a>
Zinc	0.309		0.0500	1	11/21/2022 22:28	<a href="#">WG1960194</a>

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc




Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Nitrate as (N)	ND		0.100	1	11/12/2022 16:25	<a href="#">WG1958695</a>

Metals (ICP) by Method 200.7

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Aluminum	ND		0.200	1	11/21/2022 22:46	<a href="#">WG1960194</a>
Iron	ND		0.100	1	11/21/2022 22:46	<a href="#">WG1960194</a>
Zinc	ND		0.0500	1	11/21/2022 22:46	<a href="#">WG1960194</a>



Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Nitrate as (N)	0.241		0.100	1	11/12/2022 16:39	<a href="#">WG1958695</a>

1 Cp

2 Tc

Metals (ICP) by Method 200.7

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Aluminum	ND		0.200	1	11/21/2022 22:49	<a href="#">WG1960194</a>
Iron	ND		0.100	1	11/21/2022 22:49	<a href="#">WG1960194</a>
Zinc	ND		0.0500	1	11/21/2022 22:49	<a href="#">WG1960194</a>

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WG1958695

Wet Chemistry by Method 300.0

QUALITY CONTROL SUMMARY

[L1557084-01,02,03,04](#)

Method Blank (MB)

(MB) R3861380-1 11/12/22 09:53

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate	U		0.0480	0.100

L1557187-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1557187-04 11/12/22 22:05 • (DUP) R3861380-11 11/12/22 22:47

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate	ND	ND	1	0.000		20

L1557102-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1557102-03 11/12/22 19:21 • (DUP) R3861380-6 11/12/22 20:02

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate	5.52	5.57	1	0.874		20

Laboratory Control Sample (LCS)

(LCS) R3861380-2 11/12/22 10:06

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate	8.00	7.75	96.8	90.0-110	

L1557187-04 Original Sample (OS) • Matrix Spike (MS)

(OS) L1557187-04 11/12/22 22:05 • (MS) R3861380-12 11/12/22 23:00

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate	5.00	ND	4.70	93.9	1	80.0-120	

L1557102-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1557102-03 11/12/22 19:21 • (MS) R3861380-9 11/12/22 20:30 • (MSD) R3861380-10 11/12/22 20:43

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate	5.00	5.52	10.1	10.1	92.4	92.3	1	80.0-120			0.0385	20



WG1960194

Metals (ICP) by Method 200.7

QUALITY CONTROL SUMMARY

[L1557084-01.02.03.04](#)

Method Blank (MB)

(MB) R3863720-1 11/21/22 22:04

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Aluminum	U		0.0592	0.200
Iron	U		0.0205	0.100
Zinc	U		0.00578	0.0500

Laboratory Control Sample (LCS)

(LCS) R3863720-2 11/21/22 22:06

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Aluminum	10.0	9.43	94.3	85.0-115	
Iron	10.0	9.69	96.9	85.0-115	
Zinc	1.00	0.945	94.5	85.0-115	

L1557079-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)


(OS) L1557079-01 11/21/22 22:09 • (MS) R3863720-4 11/21/22 22:15 • (MSD) R3863720-5 11/21/22 22:17

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Aluminum	10.0	0.805	12.2	13.4	114	126	1	70.0-130			9.11	20
Iron	10.0	0.884	12.1	13.0	112	121	1	70.0-130			6.93	20
Zinc	1.00	0.182	1.14	1.19	96.2	101	1	70.0-130			3.75	20

L1557084-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1557084-01 11/21/22 22:20 • (MS) R3863720-6 11/21/22 22:22 • (MSD) R3863720-7 11/21/22 22:25

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Aluminum	10.0	ND	10.6	10.2	104	101	1	70.0-130			3.27	20
Iron	10.0	0.159	10.6	10.3	104	101	1	70.0-130			3.10	20
Zinc	1.00	ND	1.03	1.01	102	98.9	1	70.0-130			2.83	20



## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.
Qualifier	Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



# ACCREDITATIONS & LOCATIONS

FEB 2 7 2023

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LAO00356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		



<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Company Name/Address: **Wood E&I Solutions Inc. - Knoxville, TN** Billing Information: Accounts Payable  
 2030 Falling Waters Road; Ste 300  
 Knoxville, TN 37922

Report to: **Mr. William Tiechert** Email To: **william.tiechert@woodpic.com;jacob.parker@w**  
 Project Description: **Aqua-Chem ECS** City/State Collected: **Knoxville, TN** Please Circle: **PT MT CT ET**

Phone: **865-218-4380** Client Project #: **3031142002.05** Lab Project #: **MACTECKTN-3031142002**  
 Collected by (print): **Jacob Parker** Site/Facility ID #: **Aqua Chem** P.O. #: **3031142002.05**  
 Collected by (signature): **Jacob Parker** Rush? (Lab MUST Be Notified) **NA** Quote # **NA**  
 Immediately Packed on Ice **N**  **Y** Date Results Needed **Standard** No. of Cntrs **2**

Sample ID	Comp/Grab	Matrx *	Depth	Date	Time	Cntrs	Metals 250mlHDPE-HNO3	NITRATE * SHORT HOLD * 125mlHDPE-NOPIES
SWOF-001	Grab	WW	NA	11/11/22	1400	2	X	X
SWOF-002	↓	WW	↓	↓	1410	2	X	X
SWOF-003	↓	WW	↓	↓	1430	2	X	X
SWOF-005	↓	WW	↓	↓	1355	2	X	X

MT JULIET, TN  
 33065 Lebanon Rd. Mount Juliet, TN 37122  
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pack Terms and Conditions found at: <https://info.purelab.com/industry-standard-terms.pdf>  
 SDG # **1557084**  
**B145**  
 Acctnum: **MACTECKTN**  
 Template: **T111740**  
 Prelogin: **P922899**  
 PH: **3513 - Jennifer Huckaba**  
 PB:  
 Shipped Via: **Courier**

Remarks: METALS = ALICP, FEICP, ZNCP  
 X Short Hold on NITRATE, Analyze Immediately  
 Orig - 3031, GH Code - 573060

AIR - Air F - Filter  
 Groundwater B - Bioassay  
 WW - WasteWater  
 DW - Drinking Water  
 OT - Other

pH \_\_\_\_\_ Temp \_\_\_\_\_  
 Flow \_\_\_\_\_ Other \_\_\_\_\_

Samples returned via:  UPS  FedEx  Courier Tracking # \_\_\_\_\_

Relinquished by: (Signature) **Jacob Parker** Date: **11/11/22** Time: **1425** Received by: (Signature) **[Signature]** Trip Blank Received: Yes  No   
 HCL / MeOH TRB

Relinquished by: (Signature) **[Signature]** Date: **11-11-22** Time: **1700** Received by: (Signature) **[Signature]** Temp: **8.3** Bottles Received: **8** If preservation required by Login: Date/Time

Relinquished by: (Signature) **[Signature]** Date: \_\_\_\_\_ Time: \_\_\_\_\_ Received for Lab by: (Signature) **[Signature]** Date: **11/22/22** Time: **900** Hold: \_\_\_\_\_ Condition: **NCF / (OR)**



FEB 27 2023

**Attachment B  
Completed CN-115 Forms**





Tennessee Department of Environment and Conservation  
 Division of Water Resources  
 William R. Snodgrass Tennessee Tower  
 312 Rosa L. Parks Avenue, 11th Floor, Nashville, Tennessee 37243

**ANNUAL STORMWATER MONITORING REPORT**  
 for Stormwater Discharges Associated with Industrial Activity under the  
**TENNESSEE MULTI-SECTOR GENERAL PERMIT (TMSP)**

Facility Name: Aqua-Chem, Inc.	TMSP Number: TNR050328
Contact Person: Frank Keefer	Phone Number: 865-540-1933
This report is submitted for the following calendar year (e.g. 2015): 2022	Outfall Number: SW001
List all TMSP sectors which apply to discharge from this outfall: AA	Sample Date: 11/11/22
Low Concentration Waiver (Note 3): list all parameters for which the facility is certifying that there has not been a significant change in industrial activity or the pollution prevention measures in the area of the facility that drains to the outfall for which sampling was waived:	

**DIRECTIONS:** In the spaces below, provide the results of stormwater monitoring for the designated outfall. For each outfall, one Annual Stormwater Monitoring Report must be submitted. The parameters for which monitoring must be conducted depend on which industry sector(s) of the TMSP applies to the discharge. Look up your sector(s) in the TMSP and analyze for the parameters that apply. If parameter is not listed below, submit additional sheets. All samples should be grab.

Parameter	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)
Aluminum, Total	0.75	<0.200
Ammonia	4.0	
Arsenic, Total	0.16854	
BOD, 5-Day	30	
Cadmium, Total	0.0159	
COD	120	
Copper, Total	0.018	
Cyanide, Total	0.064	
Fluoride	1.8	
Iron, Total	5.0	0.159
Lead, Total	0.15	

Parameter (continued)	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)
Magnesium, Total	0.0636	
Mercury, Total	0.0024	
Nickel, Total	0.875	
Nitrate + Nitrite Nitrogen	0.68	0.296
Oil and Grease	15	
pH	5.0-9.0	
Phosphorus, Total (as P)	2.0	
Selenium, Total	0.2385	
Silver, Total	0.032	
Total Suspended Solids	150	
Zinc, Total	0.395	<0.0500

**CERTIFICATION AND SIGNATURE:** (Make all entries in ink, not with a pencil. This report must be signed by a responsible corporate officer for a corporation, a general partner for a partnership, the proprietor for a sole proprietorship, or a principal executive officer or ranking elected official for a public agency.)

I certify under penalty of law that this document and all of its attachments were prepared under my direction or my supervision in accordance with a system designed to assure qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. As specified in Tennessee Code Annotated Section 39-16-702(a)(4), this declaration is made under penalty of perjury.

William (Paul) Teichert	Project Manager		2/21/23
Printed Name	Official Title	Signature	Date



**ANNUAL STORMWATER MONITORING REPORT**  
 for Stormwater Discharges Associated with Industrial Activity under the  
**TENNESSEE MULTI-SECTOR GENERAL PERMIT (TMSP)**


Facility Name: Aqua-Chem, Inc.	TMSP Number: TNR050328
Contact Person: Frank Keefer	Phone Number: 865-540-1933
This report is submitted for the following calendar year (e.g. 2015): 2022	Outfall Number: SW002
List all TMSP sectors which apply to discharge from this outfall: AA	Sample Date: 11/11/22
Low Concentration Waiver (Note 3): list all parameters for which the facility is certifying that there has not been a significant change in industrial activity or the pollution prevention measures in the area of the facility that drains to the outfall for which sampling was waived:	

**DIRECTIONS:** In the spaces below, provide the results of stormwater monitoring for the designated outfall. For each outfall, one Annual Stormwater Monitoring Report must be submitted. The parameters for which monitoring must be conducted depend on which industry sector(s) of the TMSP applies to the discharge. Look up your sector(s) in the TMSP and analyze for the parameters that apply. If parameter is not listed below, submit additional sheets. All samples should be grab.

Parameter	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)	Parameter (continued)	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)
Aluminum, Total	0.75	0.424	Magnesium, Total	0.0636	
Ammonia	4.0		Mercury, Total	0.0024	
Arsenic, Total	0.16854		Nickel, Total	0.875	
BOD, 5-Day	30		Nitrate + Nitrite Nitrogen	0.68	<0.100
Cadmium, Total	0.0159		Oil and Grease	15	
COD	120		pH	5.0-9.0	
Copper, Total	0.018		Phosphorus, Total (as P)	2.0	
Cyanide, Total	0.064		Selenium, Total	0.2385	
Fluoride	1.8		Silver, Total	0.032	
Iron, Total	5.0	1.27	Total Suspended Solids	150	
Lead, Total	0.15		Zinc, Total	0.395	0.309

**CERTIFICATION AND SIGNATURE:** (Make all entries in ink, not with a pencil. This report must be signed by a responsible corporate officer for a corporation, a general partner for a partnership, the proprietor for a sole proprietorship, or a principal executive officer or ranking elected official for a public agency.)

I certify under penalty of law that this document and all of its attachments were prepared under my direction or my supervision in accordance with a system designed to assure qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. As specified in Tennessee Code Annotated Section 39-16-702(a)(4), this declaration is made under penalty of perjury.

William (Paul) Teichert	Project Manager		2/21/23
Printed Name	Official Title	Signature	Date



FEB 27 2023

**ANNUAL STORMWATER MONITORING REPORT**  
 for Stormwater Discharges Associated with Industrial Activity under the  
**TENNESSEE MULTI-SECTOR GENERAL PERMIT (TMSP)**


Facility Name: Aqua-Chem, Inc.	TMSP Number: TNR050328
Contact Person: Frank Keefer	Phone Number: 865-540-1933
This report is submitted for the following calendar year (e.g. 2015): 2022	Outfall Number: SW003
List all TMSP sectors which apply to discharge from this outfall: AA	Sample Date: 11/11/22
Low Concentration Waiver (Note 3): list all parameters for which the facility is certifying that there has not been a significant change in Industrial activity or the pollution prevention measures in the area of the facility that drains to the outfall for which sampling was waived:	

**DIRECTIONS:** In the spaces below, provide the results of stormwater monitoring for the designated outfall. For each outfall, one Annual Stormwater Monitoring Report must be submitted. The parameters for which monitoring must be conducted depend on which industry sector(s) of the TMSP applies to the discharge. Look up your sector(s) in the TMSP and analyze for the parameters that apply. If parameter is not listed below, submit additional sheets. All samples should be grab.

Parameter	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)	Parameter (continued)	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)
Aluminum, Total	0.75	<0.200	Magnesium, Total	0.0636	
Ammonia	4.0		Mercury, Total	0.0024	
Arsenic, Total	0.16854		Nickel, Total	0.875	
BOD, 5-Day	30		Nitrate + Nitrite Nitrogen	0.68	<0.100
Cadmium, Total	0.0159		Oil and Grease	15	
COD	120		pH	5.0-9.0	
Copper, Total	0.018		Phosphorus, Total (as P)	2.0	
Cyanide, Total	0.064		Selenium, Total	0.2385	
Fluoride	1.8		Silver, Total	0.032	
Iron, Total	5.0	<0.100	Total Suspended Solids	150	
Lead, Total	0.15		Zinc, Total	0.395	<0.0500

**CERTIFICATION AND SIGNATURE:** (Make all entries in ink, not with a pencil. This report must be signed by a responsible corporate officer for a corporation, a general partner for a partnership, the proprietor for a sole proprietorship, or a principal executive officer or ranking elected official for a public agency.)

I certify under penalty of law that this document and all of its attachments were prepared under my direction or my supervision in accordance with a system designed to assure qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. As specified in Tennessee Code Annotated Section 39-16-702(a)(4), this declaration is made under penalty of perjury.

William (Paul) Teichert	Project Manager		2/21/23
Printed Name	Official Title	Signature	Date



FEB 27 2023

**ANNUAL STORMWATER MONITORING REPORT**  
 for Stormwater Discharges Associated with Industrial Activity under the  
**TENNESSEE MULTI-SECTOR GENERAL PERMIT (TMSP)**

Facility Name: <b>Aqua-Chem, Inc.</b>	TMSP Number: <b>TNR050328</b>
Contact Person: <b>Frank Keefer</b>	Phone Number: <b>865-540-1933</b>
This report is submitted for the following calendar year (e.g. 2015): <b>2022</b>	Outfall Number: <b>SW005</b>
List all TMSP sectors which apply to discharge from this outfall: <b>AA</b>	Sample Date: <b>11/11/22</b>
Low Concentration Waiver (Note 3): list all parameters for which the facility is certifying that there has not been a significant change in industrial activity or the pollution prevention measures in the area of the facility that drains to the outfall for which sampling was waived:	

**DIRECTIONS:** In the spaces below, provide the results of stormwater monitoring for the designated outfall. For each outfall, one Annual Stormwater Monitoring Report must be submitted. The parameters for which monitoring must be conducted depend on which industry sector(s) of the TMSP applies to the discharge. Look up your sector(s) in the TMSP and analyze for the parameters that apply. If parameter is not listed below, submit additional sheets. All samples should be grab.

Parameter	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)	Parameter (continued)	Cut-off Conc. (mg/L)	Annual Sample Result (mg/L)
Aluminum, Total	0.75	<0.200	Magnesium, Total	0.0636	
Ammonia	4.0		Mercury, Total	0.0024	
Arsenic, Total	0.16854		Nickel, Total	0.875	
BOD, 5-Day	30		Nitrate + Nitrite Nitrogen	0.68	0.241
Cadmium, Total	0.0159		Oil and Grease	15	
COD	120		pH	5.0-9.0	
Copper, Total	0.018		Phosphorus, Total (as P)	2.0	
Cyanide, Total	0.064		Selenium, Total	0.2385	
Fluoride	1.8		Silver, Total	0.032	
Iron, Total	5.0	<0.100	Total Suspended Solids	150	
Lead, Total	0.15		Zinc, Total	0.395	<0.0500

**CERTIFICATION AND SIGNATURE:** (Make all entries in ink, not with a pencil. This report must be signed by a responsible corporate officer for a corporation, a general partner for a partnership, the proprietor for a sole proprietorship, or a principal executive officer or ranking elected official for a public agency.)

I certify under penalty of law that this document and all of its attachments were prepared under my direction or my supervision in accordance with a system designed to assure qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. As specified in Tennessee Code Annotated Section 39-16-702(a)(4), this declaration is made under penalty of perjury.

William (Paul) Teichert	Project Manager		2/17/22
Printed Name	Official Title	Signature	Date