TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION DIVISION OF WATER POLLUTION CONTROL



FACILITY: Philadelphia Elementary School PERMITTEE: Loudon County Board of Education CITY: Philadelphia

 NPDES PERMIT NO.:
 SOP-03035

 REPORTING PERIOD:
 December 1, 2021
 to
 December 31, 2021

 COUNTY:
 Loudon

MONTHLY C	OPERATION	REPORT FOR DRIP	P IRRIGATION PLANTS

INFLUENT				EFFLUENT								_						
INFLUENT							EFFL	ENI					COMMENTS ABOUT OPERATION AND COMPLIANCE					
DATE TIME OF SAMPLING	WASTEWATER FLOW (gpd)	BOD _s (mg/l)	SUSPENDED SOLIDS (mg/l)	AMMONIA NITROGEN (mg/l)	NITRATE NITROGEN (mg/l)	TOTAL KJELDAHL NITROGEN (mg/l)		BOD ₅ (mg/l)	SUSPENDED SOLIDS (mg/l)	AMMONIA NITROGEN (mg/l)	NITRATE NITROGEN (mg/l)	TOTAL KJELDAHL NITROGEN (mg/l)	E. Coli (organisms/100 ml)	DISSOLVED OXYGEN (mg/l)	PH (standard units)	ORP (mV)		Please document Important events such as discharges of untreated waste water, down equipment or plant upsels which may impact effluent quality. Also, state method of sludge disposal.
1 2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
1	1637		Ī	l .							I.						Ī	
2	1637																	
3	1637																	
5	1637								_									
6	1637			-	_	_											1	
7	1637			-		1											<u> </u>	
81	1637			ì	i					i			i		i		i	
91	1637		i	i i	i					i i	1		i		i		i	
10	1637						Üİ								Ĭ .		Ì	
11	1637																	
12	1637																	
13	1637																	
14	1637	-				-												
16	1637		-			1										-		
17	1637								i							1		
18	1637	i																
19	1637																	
20	1637																	
21 22 23	1637																-	
22	1637				_		_		_		_			_	_			
24	1637	-		1	-	-				1								
25	1637				-	1												
26		-				1												
27		i -															i	
28	1637	i		i	İ	İ				i	i		i	i	i	i	Ì	
29	1637															N		
30 11:00	1637				1	I		-								kg 3		
31	1637																	
TOTAL																		I certify that the submitted information is accurate and complete. I further certify that all sampling was performed in accordance
PROTEKT UMF																		
SELINY OVA JACTUR				1				45		I Decor					1			Isignificant penalties for submitting false information, including the possibility of fine and imprisonment
	5.000		1	-				45		repon					-			CERTIFIED ODERATOR SIGNATURE 1/8/4/ A B
			1	1						1				1	1			DATE December 31, 2021
OF ANALYS S								Yearly		Quarterly	None							LICENSE NO. PHONE NO. (865) 270-8070
OF ANALYSIS	Run							Quarterly		Quarterly	9							ANALYSES PERFORMED BY OUTSIDE LABORATORY Environmental Science Corp Mt. Juliet, TN
PERMIT SAMPLE TYPE								GRAB		GRAB	GRAB			_				
			-	_								-		-				
30 11:00 31 FOTAL FRENT AND UMEF MERMIT MAX. LIMIT ACTUAL MAX VALUE PERMIT FREQUENCY OF ANALYSIS	1637 1637 1637 1637 1637 1637 1637 5.000							45 Yearly Quarterly GRAB			None							with approved procedures and all analyses were performed in accordance with 40 CFR Part 136. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. CERTIFIED OPERATOR SIGNATURE December 31, 20