

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: PIKEVILLE WTP
ADDRESS: BRIDGECREEK Loughborough
PIKEVILLE, TN 37857

FACILITY: PIKEVILLE WATER SYSTEM
LOCATION: HWY 90, WHEELERTOWN ROAD
PIKEVILLE, TN 37857

ATTN: Eric Angel - Official Contact - Loughborough

TN0078881
PERMIT NUMBER

001-G
DISCHARGE NUMBER

MONITORING PERIOD
MM/DD/YYYY TO MM/DD/YYYY
FROM 12-01-2014 TO 12-31-2014

DMR Mailing ZIP CODE: 37857

MINOR (SUBR 01) MAJ
Discharge of Filter Backwash
Sediment Outfall

No Discharge ☒



PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
pH	SAMPLE MEASUREMENT										
00400 EG 0 Effluent Gross	PERMIT REQUIREMENT										
Solids, total suspended	SAMPLE MEASUREMENT										
00530 EG 0 Effluent Gross	PERMIT REQUIREMENT										
Solids, settleable	SAMPLE MEASUREMENT										
00545 EG 0 Effluent Gross	PERMIT REQUIREMENT										
Iron, total (as Fe)	SAMPLE MEASUREMENT										
01045 EG 0 Effluent Gross	PERMIT REQUIREMENT										
Aluminum, total recoverable	SAMPLE MEASUREMENT										
01154 EG 0 Effluent Gross	PERMIT REQUIREMENT										
Flow, in consist of this treatment plant	SAMPLE MEASUREMENT										
00080 EG 0 Effluent Gross	PERMIT REQUIREMENT										
Chlorine, total residual	SAMPLE MEASUREMENT										
00060 EG 0 Effluent Gross	PERMIT REQUIREMENT										

NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER Loughborough TYPED OR PRINTED		I certify under penalty of law that this document and all information were prepared under the direction of the person whose name and title appear on this document and that I am a duly authorized representative of the person whose name and title appear on this document. SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT Loughborough		TELEPHONE 423-447-2441		DATE 01-02-2015	
				AREA Code NUMBER		MM/DD/YYYY	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)