TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT TRF FACILITY INSPECTION DOCUMENT

	Т	R	F	
FΑ	C	П	17	٢Y

SITE NAME		PERMIT NUMBER	DATE	TIME V	VEATHER		
LOCATION				<u> </u>	EFO		
	*SEE DISCLAIMER ON LAST PAGE						
	VIOLATION CITATION REFERENCE OBSERVAT						
01	Inadequate vector control	0400-11-0	102(2)(b)1(i)(l)l				
COMMENTS							
02	Potential for explosions or uncontro fires	olled 0400-11-0	102(2)(b)1(i)(l)ll				
COMMENTS							
03	Potential for releases of solid waste	9400-11-0	1.02(2)(b)1(i)(l)III				
COMMENTS							
04	Unauthorized or uncontrolled acces	s 0400-11-0	102(2)(b)1(i)(l)IV	1			
COMMENTS							
05	Inadequate artificial or natural bar	riers 0400-11-0	102(2)(b)1(i)(ll)				
COMMENTS							
06	Inadequate information signs	0400-11-0	102(2)(b)1(i)(III)				
COMMENTS							
	Trained personnel not present durin operating hours	ng 0400-11-0	102(2)(b)1(i)(IV)				
COMMENTS							
08	Inadequate employee facilities	0400-11-0	102(2)(b)1(i)(V)				
COMMENTS							

*SEE DISCLAIMER ON LAST PAGE					
	VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2		
09	Unsatisfactory access road/parking areas	0400-11-0102(2)(b)1(i)(VI)			
COMMENTS		·			
10	Waste handling not conducted on paved surfaces	0400-11-0102(2)(b)1(i)(VII)			
COMMENTS					
11	Improper storage of solid waste	0400-11-0102(2)(b)1(i)(VIII)			
COMMENTS		1			
12	Evidence of burning	0400-11-0102(2)(b)1(i)(IX)			
COMMENTS		·			
13	Unapproved scavenging of waste	0400-11-0102(2)(b)1(i)(X)			
COMMENTS		·			
14	Unsatisfactory litter control	0400-11-0102(2)(b)1(i)(XI)			
COMMENTS					
15	Unapproved discharge of liquid residue	0400-11-0102(2)(b)1(i)(XII)I 0400-11-0102(2)(b)1(i)(XII)II			
COMMENTS					
16	Unapproved handling of special waste	0400-11-0102(2)(b)1(i)(XIII)I 0400-11-0102(2)(b)1(i)(XIII)II			
COMMENTS					

	*SEE DISCLAIMER ON LAST PAGE					
	VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2			
17	No provision for alternative waste handling	0400-11-0102(2)(b)1(i)(XIV)				
COMMENTS						
18	Inadequate fire protection	0400-11-0102(2)(b)1(i)(XV)				
COMMENTS						
20	Improper closure	0400-11-0102(2)(b)1(ii)(l) 0400-11-0102(2)(b)1(ii)(ll)				
COMMENTS						
21	Unauthorized waste accepted	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)				
COMMENTS		·				
22	Unsatisfactory records of reports	0400-11-0102(2)(b)1(i)(XIX)				
COMMENTS						
23	Authorization letter not available	0400-11-0102(2)a(3)(iv)(l)				
COMMENTS		·				
24	Operation does not comply with notification	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)				
COMMENTS						

Follow-Up Inspection Date

Inspector Name

Additional Comments:

