



TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE DISPOSAL FACILITY EVALUATION

NAME OF SITE LAURENCEBURG DEMOLITION LANDFILL		REGISTRATION NUMBER DML 50-0024		DATE 10/1/14	
LOCATION (physical) GRINNELL DRIVE LAURENCEBURG		PURPOSE <input checked="" type="checkbox"/> Complete <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Other			
OWNER/OPERATOR CITY OF LAURENCEBURG / GARY WAYNE HYDE		TYPE OF FACILITY <input type="checkbox"/> CLASS I <input type="checkbox"/> CLASS II <input checked="" type="checkbox"/> CLASS III <input type="checkbox"/> CLASS IV			
		V1	V2		V1 V2
Inadequate vector control	8010	___	___	Leachate improperly managed	8330 ___
Access not limited to operating hours	8020	___	___	Inadequate leachate collection	___
Inadequate artificial or natural barrier	8030	___	___	system	8340 ___
Inadequate information signs	8040	___	___	Leachate observed at the site	8350 ___
Unsatisfactory access road(s)/parking	8050	___	___	Leachate entering runoff	8360 ___
area(s)				Leachate entering a water	___
Certified personnel not present				course	8370 ___
during operating hours	8060	___	___	Inadequate gas migration control	___
Unapproved salvaging of waste	8070	___	___	system	8380 ___
Evidence of open burning	8080	___	___	Inadequate maintenance of gas	___
Inadequate fire protection	8090	___	___	migration control system	8390 ___
Unsatisfactory litter control	8110	___	___	Potential for explosions or	___
Inadequate employee facilities	8120	___	___	uncontrolled fires	8420 ___
No communication devices	8130	___	___	Waste not confined to a	___
Inadequate operating equipment	8140	___	___	manageable area	8430 ___
Unavailability of backup equipment	8150	___	___	Improper spreading of waste	8440 ___
Unavailability of cover material	8160	___	___	Improper compacting of waste	8450 ___
Inadequate maintenance of				Unsatisfactory initial cover	8460 ___
runon/runoff system(s)	8170	___	___	Unsatisfactory intermediate	___
Inadequate erosion control	8180	___	___	cover	8470 ___
Inadequate dust control	8190	___	___	Unsatisfactory final cover	8480 ___
Unauthorized waste accepted	8210	___	___	Excessive pooling of water	8490 ___
Unapproved special waste accepted	8220	___	___	Unsatisfactory stabilization of	___
Tires improperly handled	8230	___	___	cover	8510 ___
Medical waste improperly handled	8240	___	___	Dumping of waste into water	8520 ___
Dead animals improperly handled	8250	___	___	Unsatisfactory records or reports	8530 ___
Washout of solid waste	8270	___	___	Groundwater monitoring system	___
No permanent benchmark	8280	___	___	improperly maintained	8540 ___
Inadequate random inspection				Operation does not correspond	___
program	8290	___	___	with engineering plans	8570 ___
Mishandling of special waste	8300	___	___	Operation does not correspond	___
Buffer zone standard violated	8310	___	___	with permit condition(s)	8580 ___
Inadequate maintenance of leachate				Permit, plans, operating manual	___
management system	8320	___	___	not available	8590 ___
				No operating scales	8610 ___
COMMENTS:					
NO VIOLATIONS NOTED. WASTE WAS BEING COVERED AT THE TIME OF THE INSPECTION. OVERALL SITE APPEARED TO BE IN GOOD CONDITION.					
PERSON INTERVIEWED		INSPECTED BY			
(Signature)		(Signature) Chad Raley			
TITLE		TITLE ENV SPEC IV			
TIME OF DAY 1:45		WEATHER CONDITIONS SUNNY / CLEAR		COMPLIANCE DATE	

Distribution: Facility - White

Field Office - Canary

Central Office - XC