



TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE DISPOSAL FACILITY EVALUATION

NAME OF SITE LAWRENCEBURG DEMOLITION LANDFILL		REGISTRATION NUMBER DML 50-0024		DATE 1/26/15			
LOCATION (physical) GRINNELL DRIVE LAWRENCEBURG		PURPOSE <input checked="" type="checkbox"/> Complete <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Other					
OWNER/OPERATOR CITY OF LAWRENCEBURG / GARY WAYNE HYDE		TYPE OF FACILITY <input type="checkbox"/> CLASS I <input type="checkbox"/> CLASS II <input checked="" type="checkbox"/> CLASS III <input type="checkbox"/> CLASS IV					
		V1	V2		V1	V2	
Inadequate vector control	8010	___	___	Leachate improperly managed	8330	___	___
Access not limited to operating hours	8020	___	___	Inadequate leachate collection			
Inadequate artificial or natural barrier	8030	___	___	system	8340	___	___
Inadequate information signs	8040	___	___	Leachate observed at the site	8350	___	___
Unsatisfactory access road(s)/parking				Leachate entering runoff	8360	___	___
area(s)	8050	___	___	Leachate entering a water			
Certified personnel not present				course	8370	___	___
during operating hours	8060	___	___	Inadequate gas migration control			
Unapproved salvaging of waste	8070	___	___	system	8380	___	___
Evidence of open burning	8080	___	___	Inadequate maintenance of gas			
Inadequate fire protection	8090	___	___	migration control system	8390	___	___
Unsatisfactory litter control	8110	___	___	Potential for explosions or			
Inadequate employee facilities	8120	___	___	uncontrolled fires	8420	___	___
No communication devices	8130	___	___	Waste not confined to a			
Inadequate operating equipment	8140	___	___	manageable area	8430	___	___
Unavailability of backup equipment	8150	___	___	Improper spreading of waste	8440	___	___
Unavailability of cover material	8160	___	___	Improper compacting of waste	8450	___	___
Inadequate maintenance of				Unsatisfactory initial cover	8460	___	___
runon/runoff system(s)	8170	___	___	Unsatisfactory intermediate			
Inadequate erosion control	8180	___	___	cover	8470	___	___
Inadequate dust control	8190	___	___	Unsatisfactory final cover	8480	___	___
Unauthorized waste accepted	8210	___	___	Excessive pooling of water	8490	___	___
Unapproved special waste accepted	8220	___	___	Unsatisfactory stabilization of			
Tires improperly handled	8230	___	___	cover	8510	___	___
Medical waste improperly handled	8240	___	___	Dumping of waste into water	8520	___	___
Dead animals improperly handled	8250	___	___	Unsatisfactory records or reports	8530	___	___
Washout of solid waste	8270	___	___	Groundwater monitoring system			
No permanent benchmark	8280	___	___	improperly maintained	8540	___	___
Inadequate random inspection				Operation does not correspond			
program	8290	___	___	with engineering plans	8570	___	___
Mishandling of special waste	8300	___	___	Operation does not correspond			
Buffer zone standard violated	8310	___	___	with permit condition(s)	8580	___	___
Inadequate maintenance of leachate				Permit, plans, operating manual			
management system	8320	___	___	not available	8590	___	___
				No operating scales	8610	___	___
COMMENTS:							
NO VIOLATIONS OBSERVED AT THE TIME OF THE INSPECTION.							
PERSON INTERVIEWED (Signature) Gary Wayne Hyde				INSPECTED BY (Signature) Chad Whyp			
TITLE LAW CO DIRECTOR				TITLE ENV SPEC IV			
TIME OF DAY 10:30		WEATHER CONDITIONS OVERCAST/COLD		COMPLIANCE DATE			

Distribution: Facility - White

Field Office - Canary

Central Office - XC