



**TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF SOLID WASTE MANAGEMENT
SOLID WASTE PROCESSING (SWP) FACILITY &
TRANSFER FACILITY (TRF) EVALUATION**

NAME OF SITE MPG Rentals		REGISTRATION NUMBER SWP 631526	DATE 1-23-2018	
LOCATION (physical) 1309 Tyler town Rd			TIME 1:00	
OWNER/OPERATOR Queen City		TYPE OF EVALUATION: ☒ COMPLETE ☒ FOLLOW-UP ☐ COMPLAINT ☐ OTHER		
VIOLATION	RULE CITATION	CODE	V1	V2
SWP:TRF: Inadequate vector control	1200-1-7-.02(1)(c)1(i)(II)I	01		
SWP:TRF: Potential for explosions or uncontrolled fires	1200-1-7-.02(1)(c)1(i)(II)II	02		
SWP:TRF: Potential for releases of solid waste	1200-1-7-.02(1)(c)1(i)(II)III	03		
SWP:TRF: Unauthorized or uncontrolled access	1200-1-7-.02(1)(c)1(i)(II)IV	04		
SWP:TRF: Inadequate artificial or natural barrier	1200-1-7-.02(1)(c)1(i)(III)	05		
SWP:TRF: Inadequate information sign	1200-1-7-.02(1)(c)1(i)(IV)	06		
SWP:TRF: Personnel not present during operating hours	1200-1-7-.02(1)(c)1(i)(V)	07		
SWP:TRF: Inadequate employee facilities	1200-1-7-.02(1)(c)1(i)(VI)	08		
SWP:TRF: Unsatisfactory access roads/parking areas	1200-1-7-.02(1)(c)1(i)(VII)	09		
SWP:TRF: Waste handling not conducted on paved surfaces	1200-1-7-.02(1)(c)1(i)(VIII)	10		
SWP:TRF: Improper storage of solid waste	1200-1-7-.02(1)(c)1(i)(IX)	11	VI see Note	
SWP:TRF: Evidence of burning	1200-1-7-.02(1)(c)1(i)(X)	12		
SWP:TRF: Unapproved scavenging of waste	1200-1-7-.02(1)(c)1(i)(XI)	13		
SWP:TRF: Unsatisfactory litter control	1200-1-7-.02(1)(c)1(i)(XII)	14	✓	
SWP:TRF: Unapproved discharge of liquid residue	1200-1-7-.02(1)(c)1(i)(XIII)	15		
SWP:TRF: Unapproved handling of special wastes	1200-1-7-.02(1)(c)1(i)(XIV)	16		
SWP:TRF: No provision for alternative waste handling	1200-1-7-.02(1)(c)1(i)(XV)	17		
SWP:TRF: Inadequate fire protection	1200-1-7-.02(1)(c)1(i)(XVI)	18		
SWP: Unapproved disposal of waste residue	1200-1-7-.02(1)(c)1(i)(XVII)	19		
SWP:TRF: Improper closure	1200-1-7-.02(1)(c)1(i)(XVIII)	20		
SWP:TRF: Unauthorized waste accepted	1200-1-7-.02(1)(c)3	21		
SWP:TRF: Unsatisfactory records or reports	1200-1-7-.02(1)(c)1	22		
SWP:TRF: Authorization letter not available	1200-1-7-.02(1)(c)1	23		
SWP:TRF: Operation does not comply with notification	1200-1-7-.02(1)(c)3	24		
COMMENTS:				
#11 Demo Waste - Most Removed compliance date Noted in 12-27-2017 inspection 1-27-2018				
#14 Litter - Everywhere large amount 2 men crew noted Litter - Much of it is old - mainly Fuel Tank Area				
PERSON INTERVIEWED (Signature) [Signature]		INSPECTED BY (Signature) Daniel Roof		
TITLE DAVID ADKINS		TITLE EPS		
COMPLIANCE DATE 1-27-2017		WEATHER CONDITIONS Overcast / Windy / Cool		

Distribution: Facility - Canary

Field Office - White

Central Office - XC