TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT SWP FACILITY INSPECTION DOCUMENT

| PROCESSING | |
|-------------------|--|
| FACILITY | |

| SITE NAME | | PERMIT NUMBER | DATE | TIME | VEATHER |
|-----------|--|--------------------|---------------------|------|------------------------------|
| LOCATION | 1 | | | | EFO |
| | *SEE DIS | CLAIMER ON LAST PA | (GE | | |
| | VIOLATION | CITAT | ION REFERENCE | | OBSERVATION NVO AOC V1 V2 |
| 01 | Inadequate vector control | 0400-11-0 | 102(2)(b)1(i)(l)l | | |
| COMMENTS | | | | | |
| 02 | Potential for explosions or uncontrolled f | ires 0400-11-0 | 102(2)(b)1(i)(I)II | | |
| COMMENTS | | ' | | | |
| 03 | Potential for releases of solid waste | 0400-11-0 | 102(2)(b)1(i)(l)lll | l | |
| COMMENTS | | | | | |
| 04 | Unauthorized or uncontrolled access | 0400-11-0 | 102(2)(b)1(i)(l)l | V | |
| COMMENTS | | | | | |
| 05 | Inadequate artificial or natural barriers | 0400-11-0 | 102(2)(b)1(i)(II) | | |
| COMMENTS | | | | | |
| 06 | Inadequate information signs | 0400-11-0 | 102(2)(b)1(i)(III) | | |
| COMMENTS | | | | | |
| 07 | Personnel not present during operating h | ours 0400-11-0 | 102(2)(b)1(i)(IV) | | |
| COMMENTS | | | | | |
| 08 | Inadequate employee facilities | 0400-11-0 | 102(2)(b)1(i)(V) | | |
| COMMENTS | | | | | |

| | *SEE DISCLAI | MER ON LAST PAGE | _ |
|----------|--|---|------------------------------|
| | VIOLATION | CITATION REFERENCE | OBSERVATION NVO AOC V1 V2 |
| 09 | Unsatisfactory access road/parking areas | 0400-11-102(2)(b)1(i)(VI) | |
| COMMENTS | | | |
| 10 | Waste handling not conducted on paved surfaces | 0400-11-102(2)(b)1(i)(VII) | |
| COMMENTS | | | |
| 11 | Improper storage of solid waste | 0400-11-102(2)(b)1(i)(VIII) | |
| COMMENTS | | | |
| 12 | Evidence of burning | 0400-11-102(2)(b)1(i)(IX) | |
| COMMENTS | | • | |
| 13 | Unapproved scavenging of waste | 0400-11-102(2)(b)1(i)(X) | |
| COMMENTS | | • | |
| 14 | Unsatisfactory litter control | 0400-11-102(2)(b)1(i)(XI) | |
| COMMENTS | | | |
| 15 | Unapproved discharge of liquid residue | 0400-11-102(2)(b)1(i)(XII)I 0400-11-10292)(b)1(i)(XII)II | |
| COMMENTS | | | |
| 16 | Unapproved handling of special waste | 0400-11-102(2)(b)1(i)(XIII)I 0400-11-102(2)(b)1(i)(XIII)II | |
| COMMENTS | | • | |

| | | | OBSERVATION |
|----------|---|---|---------------|
| | VIOLATION | CITATION REFERENCE | NVO AOC V1 V2 |
| 17 | No provision for alternative waste handling | 0400-11-0102(2)(b)1(i)(XIV) | |
| COMMENTS | | | |
| 18 | Inadequate fire protection | 0400-11-0102(2)(b)1(i)(XV) | |
| COMMENTS | | | |
| 19 | Unapproved disposal of waste residue | 0400-11-0102(2)(b)1(i)(XVI) | |
| COMMENTS | | | • |
| 20 | Improper closure | 0400-11-0102(2)(b)1(ii)(l) 0400-11-0102(2)(b)1(ii)(ll) | |
| COMMENTS | | | · |
| 21 | Unauthorized waste accepted | 0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii) | |
| COMMENTS | | - | · |
| 22 | Unsatisfactory records of reports | 0400-11-0102(2)(b)1(i)(XIX) | |
| COMMENTS | | | |
| 23 | Authorization letter not available | 0400-11-0102(2)3(iv)(I) | |
| COMMENTS | | | , |
| 24 | Operation does not comply with notification | 0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii) | |
| COMMENTS | | | • |

| Follow-Up Inspection Date | |
|---------------------------|--|
| Inspector Name | |

Additional Comments:

