

TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION **DIVISION OF SOLID WASTE MANAGEMENT**

William R. Snodgrass Tennessee Tower 312 Rosa L. Parks Avenue, 14th Floor Nashville, Tennessee 37243 SOLID WASTE DISPOSAL FACILITY EVALUATION

LAWNENCEBURG DEN	10 /ANDELL	REGISTRATION NUMBER	DATE /13/16
LOCATION (physical)	1	PURPOSE (Complete	() Follow-up
GRINNELL DRIV	E LAWNENCEBURG	() Complaint	() Other
OWNER/OPERATOR /	GARY WAYDE HYDE	TYPE OF FACILITY () CLASS 1	() CLASS II
[AWILLINGE SURG	NVO* V1 V2	(CLASS III	() CLASS IV NVQ* V1 V2
Inadequate vector control	8010	Buffer zone standard violated 8:	310
Access not limited to operating	/	Inadequate maintenance of	
hours Inadequate artificial or natural	8020		320
barrier	8030	Leachate improperly managed 83 Inadequate leachate collection	330
Inadequate information signs	8040	system 83	340 🖊
Unsatisfactory access road(s)/ parking area(s)	8050		350
Certified personnel not present	0000	Leachate entering runoff 83 Leachate entering a water	360
during operating hours	8060	course 83	370
Unapproved salvaging of waste Evidence of open burning	8070	Inadequate gas migration control system 83	380
Inadequate fire protection	8090	Inadequate maintenance of gas	- — — — — — — — — — — — — — — — — — — —
Unsatisfactory litter control	8110	migration control system 83	390 /
Inadequate employee facilities No communication devices	8120	Potential for explosions or uncontrolled fires 84	120
Inadequate operating equipment		Waste not confined to a	
Unavailability of backup	1		30
equipment Unavailability of cover material	8150		340
Inadequate maintenance of		I a construction of the co	160 #
runon/runoff system(s)	8170	Unsatisfactory intermediate	7
Inadequate erosion control Inadequate dust control	8180		70 /
Unauthorized waste accepted	8210		90 #
Unapproved special waste		Unsatisfactory stabilization of	
accepted Tires improperly handled	8220		510 //
Medical waste improperly		Unsatisfactory records or reports 85	30 #
handled	8240	Groundwater monitoring system	
Dead animals improperly handled	8250	improperly maintained 85 Operation does not correspond	40
Washout of solid waste	8270		70
No permanent benchmark	8280	Operation does not correspond	7 = -
Inadequate random inspection program	8290	with permit condition(s) 85	80
Mishandling of special waste	8300	*No Violation Observed	
COMMENTS:			
NO VIOLATIONS WERE OBSERVED. OVERALL SITE APPEARED TO BE IN			
GOOD CONDITION.			
2111			
PERSON INTERVIEWED (Signature) INSPECTED BY (Signature)			
TITLE	- Cur	(Signature)	7
		TITLE ENV CUST.	V
TIME OF DAY 10:30 WEATHER CONDITIONS Unry 1101 COMPLIANCE DATE			
Distribution:	Field Office – White	Facility – Canary	

CN-0761 (Rev. 12/13)