

State of Tennessee  
 Department of Environment and Conservation  
 Division of Air Pollution Control  
 William R. Snodgrass Tennessee Tower  
 312 Rosa L. Parks Avenue, 15<sup>th</sup> Floor  
 Nashville, TN 37243  
 Telephone: (615) 532-0554




APC 100

## NON-TITLE V PERMIT APPLICATION FACILITY IDENTIFICATION

Please type or print and submit in duplicate for each emission source. Attach appropriate source description forms.				
SITE INFORMATION				
1. <b>Organization's legal name</b> TUTCO Inc.			For APC use only	APC Company point no.
2. <b>Site name</b> (if different from legal name)				APC Log/Permit no.
3. <b>Site address</b> (St./Rd./Hwy.) 500 Gould Dr.			County name Putnam	
City or distance to nearest town Cookeville		Zip code 38506	4. <b>NAICS or SIC code</b> 3634, 3564	
5. <b>Site location</b> (in lat. /long.)	Latitude 36 deg. 8 min. 5 sec.		Longitude 85 deg. 32 min. 11 sec.	
CONTACT INFORMATION (RESPONSIBLE PERSON)				
6. <b>Responsible person/Authorized contact</b> Fred Edgington			Phone number with area code 931-432-7264	
<b>Mailing address</b> (St./Rd./Hwy.) 500 Gould Dr.			Fax number with area code 931-432-5851	
City Cookeville	State TN	Zip code 38506	Email address fedgington@tutco.com	
CONTACT INFORMATION (TECHNICAL)				
7. <b>Principal technical contact</b> Bill Wiegand			Phone number with area code 931-432-7271	
<b>Mailing address</b> (St./Rd./Hwy.) 500 Gould Dr.			Fax number with area code 931-432-5912	
City Cookeville	State TN	Zip code 38506	Email address bwiegand@tutco.com	
CONTACT INFORMATION (BILLING)				
8. <b>Billing contact</b> Beth Dalton			Phone number with area code 931-432-7256	
<b>Mailing address</b> (St./Rd./Hwy.) 500 Gould Dr.			Fax number with area code 931-432-5851	
City Cookeville	State TN	Zip code 38506	Email address bdalton@tutco.com	
EMISSION SOURCE INFORMATION				
9. <b>Emission source no.</b> (number which uniquely identifies this source)				
10. <b>Brief description of emission source</b> TUTCO Inc. has a natural gas powered emergency generator that is only used to provide an emergency lighting source in case of power outages in our Plant.				
11. <b>Normal operation:</b>	Hours/Day	Days/Week	Weeks/Year	Days/Year
12. <b>Percent annual throughput</b>	Dec. – Feb.	March – May	June – August	Sept. – Nov.

(Over)

TYPE OF PERMIT REQUESTED				
13. Operating permit ( X )	Date construction started	Date completed	Last permit no.	Emission source reference number
Construction permit ( )	Last permit no.		Emission source reference number 71-0190-01	
If you choose Construction permit, then choose either New Construction, Modification, or Location transfer				
	New Construction ( )	Starting date	Completion date	
	Modification ( )	Date modification started or will start	Date completed or will complete	
	Location transfer ( )	Transfer date	Address of last location	
14. Describe changes that have been made to this equipment or operation since the last construction or operating permit application:				
Haven't had an operating permit before.				
SIGNATURE				
Based upon information and belief formed after a reasonable inquiry, I, as the responsible person of the above mentioned facility, certify that the information contained in this application and any attached application(s) is accurate and true to the best of my knowledge. As specified in TCA Section 39-16-702(a)(4), this declaration is made under penalty of perjury.				
15. Signature (application must be signed before it will be processed)			Date	
			2/3/14	
Signer's name (type of print) Fred Edgington		Title Operations Manager	Phone number with area code 931-432-7264	

#### Table of Pollution Reduction Device or Method Codes

Note: For cyclones, settling chambers, wet scrubbers, and electrostatic precipitators; the efficiency ranges correspond to the following percentages:

High: 95-99+%. Medium: 80-95%. And Low: Less than 80%.

If the system has several pieces of connected control equipment, indicate the sequence. For example: 008'010.97%

If none of the below codes fit, use 999 as a code for other and specify in the comments.

No Equipment.....	000	Limestone Injection – Dry.....	041
Activated Carbon Adsorption.....	048	Limestone Injection – Wet.....	042
Afterburner – Direct Flame.....	021	Liquid Filtration System.....	049
Afterburner – Direct Flame with Heat Exchanger.....	022	Mist Eliminator – High Velocity.....	014
Afterburner – Catalytic.....	019	Mist Eliminator – Low Velocity.....	015
Afterburner – Catalytic with Heat Exchanger.....	020	Process Change.....	046
Alkalized Alumina.....	040	Process Enclosed.....	054
Catalytic Oxidation – Flue Gas Desulfurization.....	039	Process Gas Recovery.....	060
Cyclone – High Efficiency.....	007	Settling Chamber – High Efficiency.....	004
Cyclone – Medium Efficiency.....	008	Settling Chamber – Medium Efficiency.....	005
Cyclone – Low Efficiency.....	009	Settling Chamber – Low Efficiency.....	006
Dust Suppression by Chemical Stabilizers or Wetting Agents.....	062	Spray Tower (Gaseous Control Only).....	052
Electrostatic Precipitator – High Efficiency.....	010	Sulfuric Acid Plant – Contact Process.....	043
Electrostatic Precipitator – Medium Efficiency.....	011	Sulfuric Acid Plant – Double Contact Process.....	044
Electrostatic Precipitator – Low Efficiency.....	012	Sulfur Plant.....	045
Fabric Filter – High Temperature.....	016	Vapor Recovery System (Including Condensers, Hooding and Other Enclosures).....	047
Fabric Filter – Medium Temperature.....	017	Venturi Scrubber (Gaseous Control Only).....	053
Fabric Filter – Low Temperature.....	018	Wet Scrubber – High Efficiency.....	001
Fabric Filter – Metal Screens (Cotton Gins).....	059	Wet Scrubber – Medium Efficiency.....	002
Flaring.....	023	Wet Scrubber – Low Efficiency.....	003
Gas Adsorption Column – Packed.....	050	Wet Suppression by Water Sprays.....	061
Gas Adsorption Column – Tray Type.....	051		
Gas Scrubber (General: Not Classified).....	013		

#### Table of Emission Estimation Method Codes

Not application / Emissions are known to be zero.....	0
Emissions based on source testing.....	1
Emissions based on material balance using engineering expertise and knowledge of process.....	2
Emissions calculated using emission factors from EPA publications No. AP-42 Compilation of Air Pollution Emissions Factors.....	3
Judgment.....	4
Emissions calculated using a special emission factor different from that in AP-42.....	5
Other (Specify in comments).....	6



State of Tennessee  
 Department of Environment and Conservation  
 Division of Air Pollution Control  
 William R. Snodgrass Tennessee Tower  
 312 Rosa L. Parks Avenue, 15<sup>th</sup> Floor  
 Nashville, TN 37243  
 Telephone: (615) 532-0554



APC 101

### NON-TITLE V PERMIT APPLICATION EMISSION POINT DESCRIPTION

Please type or print and submit in duplicate for each stack or emission source. Attach to the Non-Title V Facility Identification Form (APC 100).							
<b>GENERAL IDENTIFICATION AND DESCRIPTION</b>							
<b>1. Organization name</b> TUTCO Inc.						For APC use only	APC Company point no.
<b>2. Emission source no.</b> (As on Non-Title V Facility Identification Form) 71-0190-01				Flow diagram point number			APC Log/Permit no.
<b>3. Brief emission point description</b> (Attach a sketch if appropriate):  TUTCO Inc. has an emergency generator that only runs in case of power outages for safety lighting.						Distance to nearest property line (Ft.)	
<b>STACK AND EMISSION DATA</b>							
<b>4. Stack or emission point data:</b>	Height above grade (Ft.)	Diameter (Ft.)	Temperature (°F)	% of time over 125°F	Direction of exit (Up, down or horizontal)		
→ Data at exit conditions:	Flow (actual Ft. <sup>3</sup> /Min.)	Velocity (Ft./Sec.)	Moisture (Grains/Ft. <sup>3</sup> )		Moisture (Percent)		
→ Data at standard conditions:	Flow (Dry std. Ft. <sup>3</sup> /Min.)	Velocity (Ft./Sec.)	Moisture (Grains/Ft. <sup>3</sup> )		Moisture (Percent)		
<b>5. Air contaminants</b>	Actual emissions				Emissions est. method code	Control devices *	Control efficiency%
	Emissions (Lbs./Hr.)		Concentration	Avg. emissions (Tons/Yr.)			
	Average	Maximum					
Particulate matter			**				
Sulfur dioxide (SO <sub>2</sub> )			***				
Carbon monoxide (CO)			PPM				
Organic compounds			PPM				
Nitrogen oxides (NO <sub>x</sub> )			PPM				
Fluorides							
Greenhouse gases (CO <sub>2</sub> equivalents)							
Hazardous air pollutant (specify)							
Hazardous air pollutant (specify)							
Other (specify)							
Other (specify)							
Other (specify)							

(Over)

<b>6. Check types of monitoring and recording instruments that are attached:</b> Opacity monitor (      ), SO <sub>2</sub> monitor (      ), NO <sub>x</sub> monitor (      ), Other (specify in comments) ( <b>X</b> )	
<b>7. Comments</b> TUTCO's emergency generator is only run in the event of a temporary power outage to provide safety lighting for the employees in the Plant. We have never monitored any emissions from this generator.	
<b>8. Control device or Method code description:</b>	Description of operating parameters of device (flow rate, temperature, pressure drop, etc.):

\* Refer to the tables below for estimation method and control device codes.

\*\* Exit gas particulate matter concentration units: Process – Grains/Dry Standard Ft<sup>3</sup> (70°F), Wood fired boilers - Grains/Dry Standard Ft<sup>3</sup> (70°F), all other boilers – Lbs. /Million BTU heat input.

\*\*\* Exit gas sulfur dioxide concentrations units: Process – PPM by volume, dry bases, and boilers – Lbs. /Million BTU heat input

**Table of Pollution Reduction Device or Method Codes**  
(Alphabetical listing)

**Note:** For cyclones, settling chambers, wet scrubbers, and electrostatic precipitators; the efficiency ranges correspond to the following percentages:

High: 95-99+%      Medium: 80-95%      And Low: Less than 80%.

If the system has several pieces of connected control equipment, indicate the sequence. For example: 008\*010.97%

If none of the below codes fit, use 999 as a code for other and specify in the comments.

No Equipment.....	000	Limestone Injection – Dry.....	041
Activated Carbon Adsorption.....	048	Limestone Injection – Wet.....	042
Afterburner – Direct Flame.....	021	Liquid Filtration System.....	049
Afterburner – Direct Flame with Heat Exchanger.....	022	Mist Eliminator – High Velocity.....	014
Afterburner – Catalytic.....	019	Mist Eliminator – Low Velocity.....	015
Afterburner – Catalytic with Heat Exchanger.....	020	Process Change.....	046
Alkalized Alumina.....	040	Process Enclosed.....	054
Catalytic Oxidation – Flue Gas Desulfurization.....	039	Process Gas Recovery.....	060
Cyclone – High Efficiency.....	007	Settling Chamber – High Efficiency.....	004
Cyclone – Medium Efficiency.....	008	Settling Chamber – Medium Efficiency.....	005
Cyclone – Low Efficiency.....	009	Settling Chamber – Low Efficiency.....	006
Dust Suppression by Chemical Stabilizers or Wetting Agents.....	062	Spray Tower (Gaseous Control Only).....	052
Electrostatic Precipitator – High Efficiency.....	010	Sulfuric Acid Plant – Contact Process.....	043
Electrostatic Precipitator – Medium Efficiency.....	011	Sulfuric Acid Plant – Double Contact Process.....	044
Electrostatic Precipitator – Low Efficiency.....	012	Sulfur Plant.....	045
Fabric Filter – High Temperature.....	016	Vapor Recovery System (Including Condensers, Hooding and Other Enclosures).....	047
Fabric Filter – Medium Temperature.....	017	Venturi Scrubber (Gaseous Control Only).....	053
Fabric Filter – Low Temperature.....	018	Wet Scrubber – High Efficiency.....	001
Fabric Filter – Metal Screens (Cotton Gins).....	059	Wet Scrubber – Medium Efficiency.....	002
Flaring.....	023	Wet Scrubber – Low Efficiency.....	003
Gas Adsorption Column -- Packed.....	050	Wet Suppression by Water Sprays.....	061
Gas Adsorption Column – Tray Type.....	051		
Gas Scrubber (General: Not Classified).....	013		

**Table of Emission Estimation Method Codes**

Not application / Emissions are known to be zero.....	0
Emissions based on source testing.....	1
Emissions based on material balance using engineering expertise and knowledge of process.....	2
Emissions calculated using emission factors from EPA publications No. AP-42 Compilation of Air Pollution Emissions Factors.....	3
Judgment.....	4
Emissions calculated using a special emission factor different from that in AP-42.....	5
Other (Specify in comments).....	6



State of Tennessee  
 Department of Environment and Conservation  
 Division of Air Pollution Control  
 William R. Snodgrass Tennessee Tower  
 312 Rosa L. Parks Avenue, 15<sup>th</sup> Floor  
 Nashville, TN 37243  
 Telephone: (615) 532-0554



APC 102

## NON-TITLE V PERMIT APPLICATION PROCESS OR FUEL BURNING SOURCE DESCRIPTION

Please type or print and submit in duplicate and attach to the Non-Title V Facility Identification Form (APC 100).			
<b>GENERAL IDENTIFICATION AND DESCRIPTION</b>			
1. <b>Organization name</b> TUTCO Inc.		For APC use only	APC Company – Point no.
2. <b>Emission source no.</b> (As on Non-Title V Facility Identification Form) 71-0190-01			APC Log/Permit no.
3. <b>Description of process unit</b>  TUTCO Inc. has an emergency generator that is used to provide an emergency lighting source in case of power outages in our Plant.			
<b>PROCESS SOURCE DESCRIPTION AND DATA</b>			
4. <b>Type of source</b>		(Check only one option below)	
Process Source: Apply for a separate Permit for each source. (Check at right and complete lines 5, 6, and 11)		(     )	
Process Source with in process fuel: Products of combustion contact materials heated. Apply for a separate permit for each source. (Check at right and complete lines 5, 6, and 8 through 11 )		(     )	
Non-Process fuel burning source: Products of combustion do not contact materials heated. Complete this form for each boiler or fuel burner and complete a Non-Title V Emission Point Description Form (APC 101) for each stack. (Check at right and complete lines 7 to 11)		( X )	
5. <b>Type of operation:</b> Continuous (     )                      Batch (     )		Normal batch time	Normal batches/day
6. <b>Process material inputs and In-process solid fuels</b>		Diagram reference	
		Input rates (pounds/hour)	
		Design	Actual
A.			
B.			
C.			
D.			
E.			
F.			
G.			
Totals			

\* A simple process flow diagram must be attached.

(Over)

**BOILER, BURNER, GENERATOR, OR SIMILAR FUEL BURNING PROCESS DESCRIPTION****7. Boiler or burner data:** (Complete lines 7 to 11 using a separate form for each boiler, burner, etc.)

Number  1	Stack number**	Type of firing***  automatic	Rated horsepower	Rated input capacity (10 <sup>6</sup> BTU/Hr.)	Other rating (specify capacity and units)  12.500 Watts, 15 KVA
Serial no. 0372427167	Date constructed 1974	Date manufactured	Date of last modification (explain in comments below)		

\*\* Source with a common stack will have the same stack number.

\*\*\* Cyclone, spreader (with or without reinjection), pulverized (wet or dry bottom, with or without reinjection), other stoker (specify type, hand fired, automatic, or other type (describe below in comments)).

**FUEL USED IN BOILER, BURNER, GENERATOR, OR SIMILAR FUEL BURNING SOURCE****8. Fuel data:** (Complete for a process source with in process fuel or a non-process fuel burning source)

Primary fuel type (specify) Natural gas				Standby fuel type(s) (specify)			
Fuels used	Annual usage	Hourly usage		% Sulfur	% Ash	BTU value of fuel	(For APC use only) SCC code
		Design	Average				
Natural gas:	10 <sup>6</sup> Cu. Ft. 5 - estimated	Cu. Ft.	Cu. Ft.	/ / / / / / / /	/ / / / /	1,000	
#2 Fuel oil:	10 <sup>3</sup> Gal.	Gal.	Gal.		/ / / / /		
#5 Fuel oil:	10 <sup>3</sup> Gal.	Gal.	Gal.		/ / / / /		
#6 Fuel oil:	10 <sup>3</sup> Gal.	Gal.	Gal.		/ / / / /		
Coal:	Tons	Lbs.	Lbs.				
Wood:	Tons	Lbs.	Lbs.	/ / / / / / / /	/ / / / /		
Liquid propane:	10 <sup>3</sup> Gal.	Gal.	Gal.	/ / / / / / / /	/ / / / /	85,000	
Other (specify type & units):							

**9. If Wood is used as a fuel, specify types and estimate percent by weight of bark****10. If Wood is used with other fuels, specify percent by weight of wood charged to the burner.****11. Comments**

The automatic firing is accomplished by an automatic transfer switch that switches from electricity to battery.