



STATE OF TENNESSEE
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF AIR POLLUTION CONTROL

William R. Snodgrass Tennessee Tower, 15th Floor
312 Rosa L. Parks Avenue
Nashville, TN 37243
(615) 532-0554 Voice or (615) 532-0614 FAX

February 28, 2022

Certified Article Number

9414 7266 9904 2170 1011 79

SENDER'S RECORD

Mr. Mike R. Thompson, General Manager
International Paper Company dba Morristown Container
5032 South Davy Crockett Parkway
Morristown, TN 37813

Re: Combined Construction/Operating Permit Application
International Paper dba Morristown Container
5032 South Davy Crockett Parkway, Morristown, TN, 37813
Emission Source Reference No. 32-0028-01/Permit No. 479994

Dear Mr. Thompson:

Your combined construction/operating permit application dated February 4, 2022 for high pressure boiler was received on February 7, 2022. Please be advised that construction or modification of the source cannot begin until you are in receipt of the issued construction/modification permit. A determination has been made that the application is incomplete because the required application filing/processing fee was not included.

The responsible official for an air contaminant source is required by paragraph 1200-03-26-.02(5) of the Tennessee Air Pollution Control Regulations to pay a construction permit application filing/processing fee. Based on the information provided in your application, the fee for your submittal is two hundred fifty dollars ([\$250.00]). Please pay your fee by check payable to the Tennessee Division of Air Pollution Control and send to the following:

Tennessee Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower, 15th Floor
312 Rosa L. Parks Avenue
Nashville, TN 37243

In lieu of submitting this fee to the mailing address above, the permittee may submit this by contacting Jeff.E.Phillips@tn.gov. The fee and a copy of this letter must be submitted within sixty days of receipt of this letter so that the Division can process your application. If additional deficiencies are later identified, you will be able to correct them within the remainder of the one hundred and eighty day-period that begins on the date you received this letter, as provided in subparagraph 1200-03-26-.02(4)(d) of the Tennessee Air Pollution Control Regulations.

Mr. Mike Thompson
Page 2 of 2
February 28, 2022

It is the express intent of the Tennessee Air Pollution Control Board that the one hundred eighty day permit application correction period is not to be construed by an applicant as permission to construct or modify a source without the permit required by Division Rules. If you fail to submit a complete application within this 180-day time period, all construction permits shall be denied and any fees forfeited.

If you have any questions concerning this correspondence, please contact Ms Shandia Deloach at 615-532-0608 or Shandia.Deloach@tn.gov. Your Facility ID is **32-0028**, please reference this number in any further correspondence with the Division.

Sincerely,

A handwritten signature in blue ink, appearing to read "James P. Johnston".

James P. Johnston, P.E.
Deputy Director
Permitting & Regulatory Development