

to file

#### STATE OF TENNESSEE

## DEPARTMENT OF ENVIRONMENT AND CONSERVATION

Division of Air Pollution Control 9th Floor, L & C Annex 401 Church Street Nashville, TN 37243-1531

> CERTIFIED MAIL 7002 2410 0005 2409 4039 RETURN RECEIPT REQUESTED

AUG 3 1 2008

Mr. Alvaro Cantillo Plant Manager Colgate-Palmolive Company 1410 S. Clark Blvd Jeffersonville, IN 47131

Re:

32-0238-01-S2 960175P

Dear Mr. Cantillo:

We received your permit application for construction of the above referenced source on July 14, 2006. Subsequently, we examined your submittal for completeness and determined that it is incomplete for the following reason(s):

(a) Permit application filing/processing fee

The responsible official for an air contaminant source is required by Rule 1200-3-26-.02 of the Tennessee Air Pollution Control Regulations to pay a construction permit application filing/processing fee. Based on the information provided in your application(s), the fee for your submittal is five-hundred (\$500.00) dollars. Please pay your fee by check to the Division of Air Pollution Control, 9th Floor L & C Annex, 401 Church Street, Nashville, TN 37243-1531.

To expedite the processing of your permit application, please submit the requested information as soon as possible, but not later than 180 calendar days from the date you receive this incomplete application notice. If you have questions, please contact Jabari Martin at (615) 532-0582.

## A COPY OF THIS LETTER MUST BE SUBMITTED WITH THE REQUESTED INFORMATION.

Sincerely,

John A. Trimmer, Chief East Tennessee Permit Program

John a. Frimmer

JAT/JDM APC-104

cc: Knoxville Environmental Field Office

COMPLETE THIS SECTION ON DELIVERY
A. Signature  X  B. Received by (Printed Name)  C. Date of Delivery  C.
3. Service Type Certified Mail
4. Restricted Delivery? (Extra Fee)

Co-file



### STATE OF TENNESSEE

# **DEPARTMENT OF ENVIRONMENT AND CONSERVATION**

Division of Air Pollution Control 9th Floor, L & C Annex 401 Church Street Nashville, TN 37243-1531

SEP 2 6 2006

Mr. Alvaro Cantillo Plant Manager Colgate-Palmolive 1410 S. Clark Blvd. Jeffersonville, IN 47131

Re: 3

32-0238-01,02-S2

960175P,960307P

Dear Mr. Cantillo:

Your permit applications for construction of the above referenced sources were received on July 14, 2006. Additional requested information was received on September 18, 2006. A determination has been made that the applications are now complete.

If you have any questions concerning this correspondence, please contact Jabari Martin at (615) 532-0554.

Sincerely,

John A. Trimmer, Chief

East Tennessee Permit Program

JAT/JDM

APC-106

cc:

Knoxville Environmental Field Office