



RECEIVED
DIV SOLID WASTE MGT

JAN 10 2012

Group No. _____

TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION No. _____
JACKSON ENVIRONMENTAL FIELD OFFICE

1625 HOLLYWOOD DRIVE
JACKSON, TENNESSEE 38305-4316
PHONE (731) 512-1300 STATEWIDE 1-888-891-8332 FAX (731) 661-6283

TAB 2/14

November 4, 2012

Mr. Scott T. Sohr
Environmental Waste Solutions, LLC
4521 Trousdale Drive
Nashville, TN 37204

Re: Environmental Waste Solutions
IDL 03-0212 Minor Modification
Conditional Approval

Dear Mr. Sohr:

This letter is in response to a minor modification request submitted on your behalf by Mr. Jo. House with House Engineering, LLC on December 26, 2011. The modification request, as submitted, proposes to add a 12 mil scrim reinforced geomembrane component to the final/intermediate cover design for cell 1 phase III of the disposal facility.

The minor modification request dated December 26, 2011 is hereby approved provided the following conditions are met:

1. A veneer stability evaluation is completed and submitted to DSWM within forty-five days of the date of this letter prior to completion of the final cover installation.
2. Changes to the final cover design resulting from the stability evaluation are subject to review and approval by DSWM.
3. Submit the revised landfill gas collection and treatment system design to the DSWM for review within seven (7) days of receipt of this letter. Begin operation of the gas collection system and treatment of recovered gas no later than January 31, 2012.


Mr. Scott T. Sohr
November 4, 2012
Page 2

4. Submit a survey of the disposal facility in accordance with Rule 1200-1-7-.02 4 (a) 11 which states in pertinent part: "Within 60 days of his receipt of the written request of the Commissioner to do so, the permittee shall cause to be conducted a survey of active and/or closed portions of his facility in order to determine if operations (e.g., cut and fill boundaries, grades) are being conducted in accordance with the approved design and operational plans. The permittee must report the results of such survey to the Commissioner within 90 days of his receipt of the Commissioner's request."

Please be aware any agreements or contracts between your facility and any local governmental agency or entity is not affected by this minor modification approval.

Your cooperation in this matter is appreciated. If you have any questions concerning this letter, please contact me at (731) 512-1337.

Sincerely,



James W. Warren
Environmental Field Office Manager
Division of Solid Waste Management

c: Nashville File
Jo House, P.E., P.G., Civil and Environmental Consultants
Glen Pugh