TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT SWP FACILITY INSPECTION CHECKLIST*

SWP		
FACILITY	,	

				IACILII	•
SITE NAME	PEI	RMIT NUMBER DATE	TIME	WEATHER	
LOCATION	·			EFO	
	*SEE DISCLAI	IMER ON LAST PAGE			
	VIOLATION	CITATION REFERENC	E	OBSERVATION NVO AOC V1	ON V2
01	Inadequate vector control	0400-11-0102(2)(b)1(i)(l)l			
COMMENTS					
02	Potential for explosions or uncontrolled fires	0400-11-0102(2)(b)1(i)(l)l	I		
COMMENTS		_			
03	Potential for releases of solid waste	0400-11-0102(2)(b)1(i)(l)	III		
COMMENTS					
04	Unauthorized or uncontrolled access	0400-11-0102(2)(b)1(i)(l)	IV		
COMMENTS					
05	Inadequate artificial or natural barrie	0400-11-0102(2)(b)1(i)(II)		
COMMENTS					
06	Inadequate information signs	0400-11-0102(2)(b)1(i)(III	l)		
COMMENTS					
07	Personnel not present during operatine hours	ng 0400-11-0102(2)(b)1(i)(I\	/)		
COMMENTS					
08	Inadequate employee facilities	0400-11-0102(2)(b)1(i)(V)			
COMMENTS					

*SEE DISCLAIMER ON LAST PAGE				
	VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2	
09	Unsatisfactory access road/parking areas	0400-11-102(2)(b)1(i)(VI)		
COMMENTS				
10	Waste handling not conducted on paved surfaces	0400-11-102(2)(b)1(i)(VII)		
COMMENTS				
11	Improper storage of solid waste	0400-11-102(2)(b)1(i)(VIII)		
COMMENTS				
12	Evidence of burning	0400-11-102(2)(b)1(i)(IX)		
COMMENTS				
13	Unapproved scavenging of waste	0400-11-102(2)(b)1(i)(X)		
COMMENTS				
14	Unsatisfactory litter control	0400-11-102(2)(b)1(i)(XI)		
COMMENTS				
15	Unapproved discharge of liquid residue	0400-11-102(2)(b)1(i)(XII)I 0400-11-10292)(b)1(i)(XII)II		
COMMENTS				
16	Unapproved handling of special waste	0400-11-102(2)(b)1(i)(XIII)I 0400-11-102(2)(b)1(i)(XIII)II		
COMMENTS				

*SEE DISCLAIMER ON LAST PAGE			
	VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2
17	No provision for alternative waste handling	0400-11-0102(2)(b)1(i)(XIV)	
COMMENTS			
18	Inadequate fire protection	0400-11-0102(2)(b)1(i)(XV)	
COMMENTS			
19	Unapporved disposal of waste residue	0400-11-0102(2)(b)1(i)(XVI)	
COMMENTS			
20	Improper closure	0400-11-0102(2)(b)1(ii)(I) 0400-11-0102(2)(b)1(ii)(II)	
COMMENTS		-	
21	Unauthorized waste accepted	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)	
COMMENTS			
22	Unsatisfactory records of reports	0400-11-0102(2)(b)1(i)(XIX)	
COMMENTS			·
23	Authorization letter not available	0400-11-0102(2)3(iv)(I)	
COMMENTS			·
24	Operation does not comply with notification	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)	
COMMENTS			

20	Improper closure	0400-11-0102(2)(b)1(ii)(I) 0400-11-0102(2)(b)1(ii)(II)		
COMMENTS				
21	Unauthorized waste accepted	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)		
COMMENTS		-		
22	Unsatisfactory records of reports	0400-11-0102(2)(b)1(i)(XIX)		
COMMENTS				
23	Authorization letter not available	0400-11-0102(2)3(iv)(I)		
COMMENTS				
24	Operation does not comply with notification	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)		
COMMENTS				
Follow-Up Inspection Date				
Inspector Name				

