

**TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT
CCC FACILITY INSPECTION DOCUMENT***

**CCC
FACILITY**

Facility Information		DATE		WEATHER
				EFO
*SEE DISCLAIMER ON LAST PAGE				
VIOLATION		Citation Reference:		OBSERVATION NVO AOC V1 V2
24	Operation does not comply with notification	0400-11-01-.02(2)a(3)(ii) 0400-11-01-.02(2)a(3)(iii)		
COMMENTS				
2010	Unauthorized or uncontrolled access	0400-11-01-.10(3)(a)		
COMMENTS				
2020	Access and general operation areas not paved	0400-11-01-.10(3)(b)		
COMMENTS				
2030	Uncontrolled run-on and run-off water	0400-11-01-.10(3)(c)1,2		
COMMENTS				
2040	Inadequate fire protection	0400-11-01-.10(3)(d)		
COMMENTS				
2050	Inadequate communications equipment	0400-11-01-.10(3)(e)		
COMMENTS				
2060	Inadequate personnel facilities	0400-11-01-.10(3)(f)1,2		
COMMENTS				
2070	Inadequate water service to the facility	0400-11-01-.10(3)(g)		
COMMENTS				

*SEE DISCLAIMER ON LAST PAGE

*SEE DISCLAIMER ON LAST PAGE				
VIOLATION		REGULATION		OBSERVATION
				NVO AOC V1 V2
2080	Inadequate collection/management of liquid residue	0400-11-01-.10(3)(h)		
COMMENTS				
2090	Improper handling of recycled materials	0400-11-01-.10(3)(i)1		
COMMENTS				
2100	Waste handling not conducted on paved surfaces	0400-11-01-.10(3)(i)2		
COMMENTS				
2110	Improper storage of solid waste	0400-11-01-.10(3)(i)3		
COMMENTS				
2120	Unsatisfactory litter control	0400-11-01-.10(3)(i)4		
COMMENTS				
2130	Trained personnel not present during operating hours	0400-11-01-.10(3)(j)		
COMMENTS				
2140	Unauthorized handling of special wastes	0400-11-01-.10(3)(l)		
COMMENTS				
2150	Unauthorized medical waste	0400-11-01-.10(3)(m)		
COMMENTS				

Follow-Up Inspection Date

Inspector Name _____

revision 05/03/2021

Additional Comments: