

Initial Inspection


TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT
TRF FACILITY INSPECTION DOCUMENT
TRF
FACILITY

SITE NAME	PERMIT NUMBER	DATE 01/17/2023	TIME 2 pm	WEATHER 50 F rainy
-----------	---------------	--------------------	--------------	-----------------------

Operating Trilogy MedWaste Southeast, LLC TRF470001577 2225 SYCAMORE DR Knoxville

EFO
KEFO

*SEE DISCLAIMER ON LAST PAGE

VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2
-----------	--------------------	------------------------------

01	Inadequate vector control	0400-11-01-.02(2)(b)1(i)(I)I ?	☒	☐	☐	☐
----	---------------------------	--------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

02	Potential for explosions or uncontrolled fires	0400-11-01-.02(2)(b)1(i)(I)II ?	☒	☐	☐	☐
----	--	---------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

03	Potential for releases of solid waste	0400-11-01-.02(2)(b)1(i)(I)III ?	☒	☐	☐	☐
----	---------------------------------------	----------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

04	Unauthorized or uncontrolled access	0400-11-01-.02(2)(b)1(i)(I)IV ?	☒	☐	☐	☐
----	-------------------------------------	---------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

05	Inadequate artificial or natural barriers	0400-11-01-.02(2)(b)1(i)(II) ?	☒	☐	☐	☐
----	---	--------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

06	Inadequate information signs	0400-11-01-.02(2)(b)1(i)(III) ?	☒	☐	☐	☐
----	------------------------------	---------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

07	Trained personnel not present during operating hours	0400-11-01-.02(2)(b)1(i)(IV) ?	☒	☐	☐	☐
----	--	--------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

08	Inadequate employee facilities	0400-11-01-.02(2)(b)1(i)(V) ?	☒	☐	☐	☐
----	--------------------------------	-------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

COMMENTS

*SEE DISCLAIMER ON LAST PAGE

VIOLATION		CITATION REFERENCE	OBSERVATION			
			NVO	AOC	V1	V2
09	Unsatisfactory access road/parking areas	0400-11-01-.02(2)(b)1(i)(VI) ?	☒	☐	☐	☐
COMMENTS						
10	Waste handling not conducted on paved surfaces	0400-11-01-.02(2)(b)1(i)(VII) ?	☒	☐	☐	☐
COMMENTS						
11	Improper storage of solid waste	0400-11-01-.02(2)(b)1(i)(VIII) ?	☒	☐	☐	☐
COMMENTS						
12	Evidence of burning	0400-11-01-.02(2)(b)1(i)(IX) ?	☒	☐	☐	☐
COMMENTS						
13	Unapproved scavenging of waste	0400-11-01-.02(2)(b)1(i)(X) ?	☒	☐	☐	☐
COMMENTS						
14	Unsatisfactory litter control	0400-11-01-.02(2)(b)1(i)(XI) ?	☒	☐	☐	☐
COMMENTS						
15	Unapproved discharge of liquid residue	0400-11-01-.02(2)(b)1(i)(XII)I 0400-11-01-.02(2)(b)1(i)(XII)II ?	☒	☐	☐	☐
COMMENTS						
16	Unapproved handling of special waste	0400-11-01-.02(2)(b)1(i)(XIII)I 0400-11-01-.02(2)(b)1(i)(XIII)II ?	☒	☐	☐	☐
COMMENTS						

VIOLATION		CITATION REFERENCE	OBSERVATION
			NVO AOC V1 V2
17	No provision for alternative waste handling	0400-11-01-.02(2)(b)1(i)(XIV) ?	☒ ☐ ☐ ☐
COMMENTS			
18	Inadequate fire protection	0400-11-01-.02(2)(b)1(i)(XV) ?	☒ ☐ ☐ ☐
COMMENTS			
20	Improper closure	0400-11-01-.02(2)(b)1(ii)(I) 0400-11-01-.02(2)(b)1(ii)(II) ?	☒ ☐ ☐ ☐
COMMENTS			
21	Unauthorized waste accepted	0400-11-01-.02(2)a(3)(ii) 0400-11-01-.02(2)a(3)(iii) ?	☒ ☐ ☐ ☐
COMMENTS			
22	Unsatisfactory records of reports	0400-11-01-.02(2)(b)1(i)(XIX) ?	☒ ☐ ☐ ☐
COMMENTS			
23	Authorization letter not available	0400-11-01-.02(2)a(3)(iv)(I) ?	☒ ☐ ☐ ☐
COMMENTS			
24	Operation does not comply with notification	0400-11-01-.02(2)a(3)(ii) 0400-11-01-.02(2)a(3)(iii) ?	☒ ☐ ☐ ☐
COMMENTS			

SAVE FORM

Follow-Up Inspection Date

Inspector Name

Additional Comments: