TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT CCC FACILITY INSPECTION CHECKLIST*

CCC					
FACILITY					

Facility information		DATE	WEATHER			
		INSPECTOR	1			
		INSI ECTOR	EFO			
*SEE DISCLAIMER ON LAST PAGE						
	VIOLATION	REGULATION	OBSERVATION NVO AOC V1 V2			
24	Operation does not comply with notification	Citation Reference: 0400-11-0102(2)(a)4				
COMMENTS						
2010	Unauthorized or uncontrolled access	Citation Reference: 0400-11-0110(3)(a)				
COMMENTS						
2020	Access and general operation areas not paved	Citation Reference: 0400-11-0110(3)(b)				
COMMENTS						
2030	Uncontrolled run-on and run-off water	Citation Reference: 0400-11-0110(3)(c)1,2				
COMMENTS						
2040	Inadequate fire protection	Citation Reference: 0400-11-0110(3)(d)				
COMMENTS						
2050	Inadequate communications equipment	Citation Reference: 0400-11-0110(3)(e)				
COMMENTS						
2060	Inadequate personnel facilities	Citation Reference: 0400-11-0110(3)(f)1,2				
COMMENTS						
2070	Inadequate water service to the facility	Citation Reference: 0400-11-0110(3)(g)				
COMMENTS						

*SEE DISCLAIMER ON LAST PAGE					
	VIOLATION	REGULATION	OBSERVATION NVO AOC V1 V2		
2080	Inadequate collection/management of liquid residue	Citation Reference: 0400-11-0110(3)(h)			
COMMENTS					
2090	Improper handling of recycled materials	Citation Reference: 0400-11-0110(3)(i)1			
COMMENTS					
2100	Waste handling not conducted on paved surfaces	Citation Reference: 0400-11-0110(3)(i)2			
COMMENTS					
2110	Improper storage of solid waste	Citation Reference: 0400-11-0110(3)(i)3			
COMMENTS		•			
2120	Unsatisfactory litter control	Citation Reference: 0400-11-0110(3)(i)4			
COMMENTS					
2130	Trained personnel not present during operating hours	Citation Reference: 0400-11-0110(3)(j)			
COMMENTS					
2140	Unauthorized handling of special wastes	Citation Reference: 0400-11-0110(3)(l)			
COMMENTS					
2150	Unauthorized medical waste	Citation Reference: 0400-11-0110(3)(m)			
COMMENTS					

Additional Comments: