TENNESSEE DIVISION OF SOLID WASTE MANAGEMENT TRF FACILITY INSPECTION CHECKLIST*

TRF FACILITY

SITE NAME		PERMIT N	IUMBER	DATE	TIME	WEATHER			
LOCATION						EFO			
*SEE DISCLAIMER ON LAST PAGE									
	VIOLATION		CITAT	ION REFERE	NCE	OBSERVATION NVO AOC V1 V2			
01	Inadequate vector control	04	00-11-01	l02(2)(b)	1(i)(l)l				
COMMENTS									
02	Potential for explosions or	04	00-11-01	l02(2)(b)	1(i)(l)				
COMMENTS	uncontrolled fires								
COMMENTS									
03	Potential for releases of solid w	vaste 04	100-11-0	1.02(2)(b) [·]	1(i)(l)				
COMMENTS									
04	Unauthorized or uncontrolled a	access ⁰⁴	00-11-0	102(2)(b)	1(i)(I)IV				
COMMENTS									
05	Inadequate artificial or natural	barriers 04	00-11-0	l02(2)(b)	1(i)(II)				
COMMENTS									
06	Inadequate information signs	04(00-11-01	02(2)(b)´	l(i)(lll)				
COMMENTS									
07	Trained personnel not present of operating hours	during 04	00-11-0′	l02(2)(b)	1(i)(IV)				
COMMENTS									
08	Inadequate employee facilities		.00-11-0	102(2)(b)	1(i)(V)				
COMMENTS									

*SEE DISCLAIMER ON LAST PAGE							
	VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2				
09	Unsatisfactory access road/parking areas	0400-11-0102(2)(b)1(i)(VI)					
COMMENTS							
10	Waste handling not conducted on paved surfaces	0400-11-0102(2)(b)1(i)(VII)					
COMMENTS							
11	Improper storage of solid waste	0400-11-0102(2)(b)1(i)(VIII)					
COMMENTS							
12	Evidence of burning	0400-11-0102(2)(b)1(i)(IX)					
COMMENTS							
13	Unapproved scavenging of waste	0400-11-0102(2)(b)1(i)(X)					
COMMENTS							
14	Unsatisfactory litter control	0400-11-0102(2)(b)1(i)(XI)					
COMMENTS							
15	Unapproved discharge of liquid residue	0400-11-0102(2)(b)1(i)(XII)I 0400-11-0102(2)(b)1(i)(XII)II					
COMMENTS							
16	Unapproved handling of special waste	0400-11-0102(2)(b)1(i)(XIII)I 0400-11-0102(2)(b)1(i)(XIII)II					
COMMENTS							

*SEE DISCLAIMER ON LAST PAGE							
	VIOLATION	CITATION REFERENCE	OBSERVATION NVO AOC V1 V2				
17	No provision for alternative waste handling	0400-11-0102(2)(b)1(i)(XIV)					
COMMENTS							
18	Inadequate fire protection	0400-11-0102(2)(b)1(i)(XV)					
COMMENTS							
20	Improper closure	0400-11-0102(2)(b)1(ii)(l) 0400-11-0102(2)(b)1(ii)(ll)					
COMMENTS							
21	Unauthorized waste accepted	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)					
COMMENTS							
22	Unsatisfactory records of reports	0400-11-0102(2)(b)1(i)(XIX)					
COMMENTS							
23	Authorization letter not available	0400-11-0102(2)a(3)(iv)(l)					
COMMENTS							
24	Operation does not comply with notification	0400-11-0102(2)a(3)(ii) 0400-11-0102(2)a(3)(iii)					
COMMENTS							

Follow-Up Inspection Date

Inspector Name

Additional Comments: