



**STATE OF TENNESSEE
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF WATER RESOURCES**

Nashville Environmental Field Office
711 R.S. Gass Boulevard
Nashville, TN 37216
Phone 615-687-7000 Statewide 1-888-891-8332 Fax 615-687-7078

June 9, 2022

Mr. Michael T. Easley
Vice President, Finance
Tennsco, LLC
PO Box 1888
Dickson, TN 37056

Re: Hydrologic Determination (DWR ID No. 31227)
 20 Sanker Road, Dickson, Dickson County, Tennessee

Dear Landowner:

On, May 6, 2022, the Division of Water Resources (division) received a jurisdictional waters report submitted on your behalf by John Drewnowski with Triad Environmental Consultants, Inc. These water features are located on property located at: 36.042917, -87.33675 (Lat/Long), in Dickson County, Tennessee. Please note that all geographic coordinates provided in this letter have a limited precision and should be considered approximate.

Please see the attached map and table for a summary of the jurisdictional determinations made by the division for the water features on site. These determinations are based on the information and documentation in the submitted report as well as the division's observations, rules, and guidance regarding hydrologic determinations.

Alterations to streams, wetlands, or other waters may only be performed under the coverage of, and conformance to, a valid *Aquatic Resource Alteration Permit (ARAP)* issued by the division, except where authorized by Rule. ARAP applications and provisions are available on-line at <http://www.tn.gov/environment/article/permit-water-aquatic-resource-alteration-permit>.

Any alterations to wet weather conveyances must be made in accordance with the requirements of Tenn. Code Ann. § 69-3-108(q).

Hydrologic determinations are advised and governed by Tennessee Department of Environment and Conservation (TDEC) rules and regulations, and therefore only apply to the State's permitting process. Because these and other various water features on-site may potentially also

June 9, 2022

Page 2 of 4

be considered jurisdictional Waters of the United States, any alterations to them should only be performed after consultation with the U.S. Army Corps of Engineers.

Discharges and alterations to sinkholes may require the submittal of an application and written authorization under the provisions of TDEC Rules. You may contact Mr. Brian Ham at (615) 532- 9224 to help identify permit requirements related to sinkhole alterations.

If the disturbed area of this project is one acre or greater, coverage under the *General NPDES Permit for Stormwater Discharges from Construction Activities (CGP)* will be required from this division before any clearing or earth moving activities are started. Information on the construction stormwater permit is available online at

<http://www.tn.gov/environment/article/permit-water-npdes-stormwater-construction-permit>.

I appreciate the opportunity to assess the water features on site prior to site plan finalization and initiation of construction activities. Because natural variation and human activities can alter hydrologic conditions, the division reserves the right to reassess the status of the water features in the future.

Thank you for your interest in water quality in Tennessee. If you have any questions or need additional information, please contact me at 615-714-0730 or by email at Virginia.Lawrence@tn.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Virginia Lawrence", is written over a faint, larger blue ink signature.

Division of Water Resources

cc:

U.S. Army Corp of Engineers, NashvilleRegulatory@usace.army.mil
City of Dickson MS4, Derrick Long, dlong@cityofdickson.com

Feature Name	Classification	Start Lat/Long	End Lat/Long
Wetland 1	Wetland	36.043009, -87.336956	

