

Tracking Number TNR241991

**NOTICE OF COVERAGE UNDER THE GENERAL NPDES PERMIT FOR STORMWATER
DISCHARGES ASSOCIATED WITH CONSTRUCTION ACTIVITY (CGP)**

Tennessee Department of Environment and Conservation
Division of Water Resources
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 11th Floor
Nashville, TN 37243

Under authority of the Tennessee Water Quality Control Act of 1977 (T.C.A. 69-3-101 et seq.) and the delegation of authority from the United States Environmental Protection Agency under the Federal Water Pollution Control Act, as amended by the Clean Water Act of 1977 (33 U.S.C. 1251, et seq.):

Name of the Construction Project: **300 Stewarts Ferry Pike (1.3 acres)**
Master Tracking Number at the Site: **TNR241991**
Permittee Name: **300 SFP, LLC**
Project Name: **300 Stewarts Ferry Pike**
Contractor(s): **no contractor**
is authorized to discharge: storm water associated with construction activity
from site located at: **300 Stewarts Ferry Pk., Davidson County**
to receiving waters named: **McCrary Creek**
in accordance with effluent limitations, monitoring requirements and other conditions set forth herein.

Likely presence of threatened or endangered species in one mile radius: **YES**

Likely presence of threatened or endangered species downstream: **YES**

Additional pollution prevention requirements apply for discharges into waters which TDEC identifies as:

- Unavailable Condition - Habitat Alteration

- Exceptional Tennessee Waters: NO

Your coverage under the CGP shall become effective on **September 15, 2017**, and shall be terminated upon receipt of Notice of Termination.

A copy of the CGP can be obtained from

<http://www.tn.gov/environment/article/permit-water-npdes-stormwater-construction-permit>



STATE OF TENNESSEE
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF WATER RESOURCES

Nashville Environmental Field Office
711 R.S. Gass Boulevard
Nashville, TN 37216

Phone 615-687-7000 Statewide 1-888-891-8332 Fax 615-687-7078

September 18, 2017

Mr. Garrett Bjork
e-copy: garrett.bjork@gmail.com
1014 4th Ave S
Nashville, TN 37210

Subject: **NPDES Construction General Permit Tracking No. TNR241991**
 Master Tracking Number: TNR241991
 300 Stewarts Ferry Pike
 300 SFP, LLC
 Nashville, Davidson County, Tennessee

Dear Mr. Bjork:

You recently submitted a Notice of Intent (NOI) form as part of an application package to obtain coverage under a General NPDES Permit for Storm Water Discharges Associated with Construction Activity. The Division of Water Resources (the division) acknowledges receipt of the most recent version of the application for the above referenced project on August 22, 2017. After review, the application was deemed to be complete on September 15, 2017. Enclosed is the Notice of Coverage (NOC) form which shows the site name and location, receiving stream, effective date of coverage, etc.

Contractor Information

You have not identified a contractor on the NOI. You must identify a primary contractor, or contractor otherwise responsible for sediment and erosion controls on the construction site, if appropriate, and submit a revised NOI to this office prior to beginning earth clearing operations onsite. When submitting the NOI, please include the above referenced permit tracking number.

Storm Water Pollution Prevention Plan (SWPPP)

You have submitted a Storm Water Pollution Prevention Plan (SWPPP) as required by Part 1.4.2 of the CGP. Please note that the division has not performed an engineering review of the SWPPP and does not certify whether the SWPPP adequately provides for the pollution prevention requirements at the site as described in the general permit. The division acknowledges that you have submitted a SWPPP that appears to include the required components of a SWPPP. It is the responsibility of all site operators to design, implement, and maintain measures that are sufficient to prevent pollution at the referenced site, and to remain in compliance with the terms and conditions of the general permit.

Receiving Stream not Supporting Designated Uses

The receiving stream for the construction site for which the NOI was submitted appears on the state's list for partially supporting or for not supporting a stream's designated use due to alteration in stream-side or

littoral vegetative covers (habitat alteration). Since the stream is located on or adjacent to the disturbed area, the division considers the potential for further degradation to the stream-side/littoral vegetative covers of the receiving stream to be significant. Therefore, section 5.4.2. of the General Permit is applicable to your construction site, and requires that an average 60-foot (min. 30-foot at any measured location) water quality riparian buffer zone be preserved, to the maximum extent practicable, adjacent to the receiving stream.

Threatened and Endangered Species

The receiving stream for the construction site for which the NOI was submitted has Federal or State listed threatened and endangered species in the area, or downstream of your project. Stormwater discharges and stormwater discharge-related activities that are not protective of legally protected listed or proposed threatened or endangered aquatic fauna in the receiving stream(s); or discharges or activities that would result in a 'take' of a Federally listed endangered or threatened fish or wildlife species are not authorized by the General Permit. If the division finds that stormwater discharges or stormwater related activities are likely to result in any of the above effects, the division will deny the coverage under this general permit unless and until project plans are changed to protect the listed species. In addition, discharges from your construction site that result in harm to such species may incur additional fines and penalties from the US Fish and Wildlife Service and/or the Tennessee Wildlife Resources Agency.


Annual Maintenance Fee and Termination of Permit Coverage

Effective July 1, 2014, permit fees for the General Permit have been revised. In addition to new application fee amounts, annual maintenance fees are now required for projects that exceed one year of coverage. Permittees wishing to terminate coverage must submit a completed notice of termination (NOT) form, which is available on the division's construction stormwater webpage at <http://www.tn.gov/environment/article/permit-water-npdes-stormwater-construction-permit>.

The division will review the NOT for completeness and accuracy and, when necessary, investigate the site for which the NOT was submitted. The division will notify the applicant that either the NOT form was received and accepted, or that the permit coverage is not eligible for termination and has not been terminated. If applicable, the notification will include a summary of existing deficiencies.

We appreciate your attention to the general construction storm water permit and its requirements. A copy of the CGP can be obtained from <http://www.tn.gov/environment/article/permit-water-npdes-stormwater-construction-permit>. We believe this does make a difference to the quality of state waters. If you have any questions, please contact Mr. John Leffew at (615) 687-7106 or by e-mail at John.Leffew@tn.gov.

Sincerely,



April Grippo
Environmental Program Manager

cc: DWR, Nashville EFO Permit File
Mr. CJ LeBeau, Fulmer Engineering, cj@fulmereng.com
Mr. Michael Hunt, NPDES Program Mgr Metro Water Services Stormwater Division,
michael.hunt@nashville.gov